

2010 National Physician Survey (NPS): NATIONAL DEMOGRAPHICS

Source of Data

The 2010 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all medical residents and all medical students in Canada were surveyed as well and these results will be reported separately]. The mail and email contact lists were generated from the NPS Masterfile. The NPS Masterfile was populated with information from the CMA Membership System, the CFPC membership database, and the RCPSC membership database. The CMA Membership System was used as the template as it included all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, CFPC and RCPSC membership listings, and individual physicians. The information provided by CFPC and RCPSC added additional information (e.g. email addresses, more recently updated mailing addresses) to the content already supplied by the CMA Membership System.

A separate database pertaining to all eligible survey respondents was developed in order to assess the comparability and representativeness of the survey respondents to the total physician population, and to develop statistical weights to be applied to each strata and age grouping within the 2010 survey results. From the NPS Masterfile, physician age, sex, province, language, and year of MD graduation were captured, along with an indication of whether or not the individual completed the questionnaire. No names or addresses were contained in this separate database.

Physician Demographics by Province/Territory

Family physicians						Other specialists						All Physicians					
	Response rate	NPS respondents		Total Population			Response rate	NPS respondents		Total Population			Response rate	NPS respondents		Total Population	
	%	n	Col%	N	Col%		%	n	Col%	N	Col%		%	n	Col%	N	Col%
Total	18.97%	6602	100%	34810	100%	Total	17.06%	5474	100%	32096	100%	Total	18.05%	12076	100%	66906	100%
Province						Province						Province					
NL	16.98%	119	1.80%	701	2.01%	NL	13.65%	55	1.00%	403	1.26%	NL	15.76%	174	1.44%	1104	1.65%
PEI	21.52%	34	0.51%	158	0.45%	PEI	18.18%	16	0.29%	88	0.27%	PEI	20.33%	50	0.41%	246	0.37%
NS	21.45%	267	4.04%	1245	3.58%	NS	17.72%	185	3.38%	1044	3.25%	NS	19.75%	452	3.74%	2289	3.42%
NB	20.66%	200	3.03%	968	2.78%	NB	18.07%	103	1.88%	570	1.78%	NB	19.70%	303	2.51%	1538	2.30%
QC	18.24%	1525	23.10%	8360	24.02%	QC	14.08%	1140	20.83%	8097	25.23%	QC	16.19%	2665	22.07%	16457	24.60%
ON	19.40%	2283	34.58%	11768	33.81%	ON	17.59%	2198	40.15%	12494	38.93%	ON	18.47%	4481	37.11%	24262	36.26%
MB	21.15%	262	3.97%	1239	3.56%	MB	18.88%	209	3.82%	1107	3.45%	MB	20.08%	471	3.90%	2346	3.51%
SK	15.85%	174	2.64%	1098	3.15%	SK	21.08%	140	2.56%	664	2.07%	SK	17.82%	314	2.60%	1762	2.63%
AB	20.04%	771	11.68%	3847	11.05%	AB	19.86%	647	11.82%	3258	10.15%	AB	19.96%	1418	11.74%	7105	10.62%
BC	17.80%	947	14.34%	5321	15.29%	BC	17.84%	775	14.16%	4343	13.53%	BC	17.82%	1722	14.26%	9664	14.44%
NT, YT, NU	19.05%	20	0.30%	105	0.30%	NT, YT, NU	21.43%	6	0.11%	28	0.09%	NT, YT, NU	19.55%	26	0.22%	133	0.20%
			100%		100%				100%		100%				100%		100%

Confidence Intervals by Province/Territory

Family physicians					Other specialists					All Physicians				
	Response rate	NPS respondents	Total Population	95% Confidence Interval*		Response rate	NPS respondents	Total Population	95% Confidence Interval*		Response rate	NPS respondents	Total Population	95% Confidence Interval*
	%	n	N			%	n	N			%	n	N	
Total	18.97%	6602	34810	1.21%	Total	17.06%	5474	32096	1.32%	Total	18.05%	12076	66906	0.89%
Province					Province					Province				
NL	16.98%	119	701	8.98%	NL	13.65%	55	403	13.21%	NL	15.76%	174	1104	7.43%
PEI	21.52%	34	158	16.81%	PEI	19.10%	17	89	23.77%	PEI	20.33%	50	246	13.86%
NS	21.45%	267	1245	6.00%	NS	17.72%	185	1044	7.21%	NS	19.75%	452	2289	4.61%
NB	20.66%	200	968	6.93%	NB	17.93%	102	569	9.70%	NB	19.70%	303	1538	5.63%
QC	18.24%	1525	8360	2.51%	QC	14.08%	1140	8097	2.90%	QC	16.19%	2665	16457	1.90%
ON	19.40%	2283	11768	2.05%	ON	17.59%	2198	12494	2.09%	ON	18.47%	4481	24262	1.46%
MB	21.15%	262	1239	6.05%	MB	18.88%	209	1107	6.78%	MB	20.08%	471	2346	4.52%
SK	15.85%	174	1098	7.43%	SK	21.08%	140	664	8.28%	SK	17.82%	314	1762	5.53%
AB	20.04%	771	3847	3.53%	AB	19.86%	647	3258	3.85%	AB	19.96%	1418	7105	2.60%
BC	17.80%	947	5321	3.18%	BC	17.84%	775	4343	3.52%	BC	17.82%	1722	9664	2.36%
NT, YT, NU	19.05%	20	105	21.91%	NT, YT, NU	21.43%	6	28	40.01%	NT, YT, NU	19.55%	26	133	19.22%

* 95% Confidence Interval = estimates are considered accurate within +/-x%, 19 times out of 20

Physician Demographics by Age Group and Sex:

Family physicians						Other specialists						All Physicians					
	Response rate	NPS respondents		Total Population			Response rate	NPS respondents		Total Population			Response rate	NPS respondents		Total Population	
	%	n	Col%	N	Col%		%	n	Col%	N	Col%		%	n	Col%	N	Col%
Total	18.97%	6602	100%	34810	100%	Total	17.06%	5474	100%	32096	100%	Total	18.05%	12076	100%	66906	100%
Age group						Age group						Age group					
34 and under	20.35%	607	9.19%	2983	8.57%	34 and under	18.74%	333	6.08%	1777	5.54%	34 and under	19.75%	940	7.78%	4760	7.11%
35 - 44	16.65%	1335	20.22%	8016	23.03%	35 - 44	15.14%	1261	23.04%	8331	25.96%	35 - 44	15.88%	2596	21.50%	16347	24.43%
45 - 54	18.68%	2009	30.43%	10756	30.90%	45 - 54	15.87%	1394	25.47%	8785	27.37%	45 - 54	17.41%	3403	28.18%	19541	29.21%
55 - 64	20.82%	1792	27.14%	8606	24.72%	55 - 64	18.56%	1456	26.60%	7846	24.45%	55 - 64	19.74%	3248	26.90%	16452	24.59%
65 and over	20.96%	749	11.35%	3574	10.27%	65 and over	20.56%	945	17.26%	4596	14.32%	65 and over	20.73%	1694	14.03%	8170	12.21%
Not known	12.57%	110	1.67%	875	2.51%	Not known	11%	85	1.55%	761	2.37%	Not known	12%	195	1.61%	1636	2.45%
			100%		100%				100%		100%				100%		100%
Sex						Sex						Sex					
Male	17.69%	3672	55.62%	20761	59.64%	Male	16.19%	3613	66.00%	22315	69.53%	Male	16.91%	7285	60.33%	43076	64.38%
Female	20.92%	2909	44.06%	13905	39.95%	Female	19.03%	1854	33.87%	9744	30.36%	Female	20.14%	4763	39.44%	23649	35.35%
Not known	14.58%	21	0.32%	144	0.41%	Not known	18.92%	7	0.13%	37	0.12%	Not known	15.47%	28	0.23%	181	0.27%
			100%		100%				100%		100%				100%		100%

Confidence Intervals by Age Group / Sex

Family physicians					Other specialists					All Physicians				
	Response rate	NPS respondents	Total Population	95% Confidence Interval*		Response rate	NPS respondents	Total Population	95% Confidence Interval*		Response rate	NPS respondents	Total Population	95% Confidence Interval*
	%	n	N			%	n	N			%	n	N	
Total	18.97%	6602	34810	1.21%	Total	17.06%	5474	32096	1.32%	Total	18.05%	12076	66906	0.89%
Age group					Age group					Age Group				
34 and under	20.35%	607	2983	3.98%	34 and under	18.74%	333	1777	5.37%	34 and under	19.75%	940	4760	3.20%
35 - 44	16.65%	1335	8016	2.68%	35 - 44	15.14%	1261	8331	2.76%	35-44	15.88%	2596	16347	1.92%
45 - 54	18.68%	2009	10756	2.19%	45 - 54	15.87%	1394	8785	2.62%	45-54	17.41%	3403	19541	1.68%
55 - 64	20.82%	1792	8606	2.32%	55 - 64	18.56%	1456	7846	2.57%	55-64	19.74%	3248	16452	1.72%
65 and over	20.96%	749	3574	3.58%	65 and over	20.56%	945	4596	3.19%	65 and over	20.73%	1694	8170	2.38%
Not known	12.57%	110	875	9.34%	Not known	11.17%	85	761	10.63%	Not known	12%	195	1636	7.02%
Sex					Sex									
Male	17.69%	3672	20761	1.62%	Male	16.19%	3613	22315	1.63%	Male	16.91%	7285	43076	1.15%
Female	20.92%	2909	13905	1.82%	Female	19.03%	1854	9744	2.28%	Female	20.14%	4763	23649	1.42%
Not known	14.58%	21	144	21.39%	Not known	18.92%	7	37	37.04%	Not known	15.47%	28	181	18.52%

* 95% Confidence Interval = estimates are considered accurate within +/-x%, 19 times out of 20

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Please check ALL that apply to your current situation.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Your current situation	In full-time medical practice	78.3%	80.5%	82.9%	73.5%	76.5%	79.1%	84.4%	86.3%	79.8%	49.4%	77.8%	79.4%
	In part-time medical practice or semi-retired from the medical labour force	15.4%	13.7%	12.1%	19.3%	12.4%	8.3%	10.4%	9.3%	14.4%	44.0%	11.5%	14.6%
	Locum tenens	4.7%	2.5%	2.8%	5.3%	2.0%	12.3%	4.5%	2.2%	2.2%	3.2%	2.4%	3.6%
	Medical or medically related field only or other non-clinical setting	6.4%	7.0%	6.6%	7.1%	2.6%	5.0%	6.9%	7.1%	7.5%	5.2%	3.0%	6.7%
	On leave of absence or sabbatical	1.1%	.9%	.5%	2.0%	1.5%	3.4%	1.8%	.4%	.6%	.3%	.8%	1.0%
	Faculty appointment	20.7%	45.2%	33.5%	32.1%	14.7%	28.5%	38.3%	34.2%	33.1%	20.0%	17.3%	32.5%
	Hospital appointment	25.1%	54.5%	40.9%	37.5%	20.8%	40.5%	45.3%	40.0%	37.9%	28.8%	23.1%	39.2%
	Other current situation	3.1%	3.4%	2.9%	4.0%	1.2%	6.2%	2.5%	3.2%	3.1%	4.1%	1.2%	3.3%
	NR	.6%	.5%	.5%	.2%	6.5%	.1%	.3%	.3%	.6%	.9%	6.1%	.6%
Total	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q1 Which of these best describes you? Please check only one.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Which of these best describes you?	Family physician/ general practitioner	59.0%	.5%	27.6%	36.4%	36.1%	40.9%	26.5%	32.0%	32.5%	26.7%	36.7%	31.0%
	FP/ GP with a special focus to my practice	30.5%	.4%	14.8%	18.5%	14.9%	19.1%	16.0%	17.3%	15.6%	12.8%	12.4%	16.1%
	Medical/ surgical/ laboratory specialist	7.0%	96.4%	54.6%	42.3%	39.8%	38.9%	56.4%	48.1%	47.7%	54.6%	40.0%	49.9%
	Physician working exclusively as a physician in a non-clinical setting	1.8%	1.6%	1.7%	1.8%	1.3%	.4%	.5%	1.6%	2.9%	3.3%	1.6%	1.7%
	Best description, other	1.1%	.7%	1.0%	.7%	.7%	.6%	.4%	.8%	1.0%	2.0%	2.1%	.9%
	NR	.5%	.5%	.3%	.3%	7.2%	.1%	.2%	.2%	.3%	.7%	7.2%	.5%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

Q1. Family physician/ general practitioner with a specified special focus to practice.

Among family physicians/general practitioners with a special focus to their practice, the most frequently indicated foci were: Emergency medicine (25.8%), Geriatric medicine (9.1%), Obstetrics (8.9%), Palliative Care/Palliative Medicine (5.9%), Anesthesiology/Anesthesia (5.0%), Hospitalist care (4.0%), Addiction medicine/substance abuse (3.9%), Occupational medicine (3.5%), Psychiatry (3.1%), Psychotherapy (3.1%).

Notes:

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q2 Age.

		FP/GP or Specialist		Sex			
		FP/GP	Other Spec	Male	Female	NR	All Physicians
Age Group	<35	9.0%	6.2%	5.0%	12.6%	2.1%	7.6%
	35-44	23.5%	26.6%	21.9%	32.2%	3.4%	25.0%
	45-54	31.1%	27.4%	28.5%	32.5%	6.9%	29.3%
	55-64	24.4%	24.2%	28.6%	17.9%	7.8%	24.3%
	65+	9.0%	13.2%	15.3%	4.0%	5.3%	11.0%
	NR	3.1%	2.4%	.8%	.8%	74.5%	2.7%
	Total	%	100%	100%	100%	100%	100%
	N	34565	31818	41293	23325	1764	66383
	n	6602	5474	7068	4677	331	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q2 Age.

		FP/GP or Specialist		Sex			
		FP/GP	Other Spec	Male	Female	NR	All Physicians
Age	Mean	49.70	50.97	52.52	46.35	53.12	50.31
	Median	49.00	51.00	53.00	46.00	55.00	50.00
	Mode	46.00	54.00	54.00	49.00	57.00	54.00
	Standard Deviation	10.99	11.45	11.30	9.95	11.76	11.23
	Minimum	26.00	29.00	26.00	26.00	30.00	26.00
	Maximum	87.00	80.00	87.00	80.00	77.00	87.00
	N	33510	31053	40983	23129	451	64563
n	6395	5340	7010	4638	87	11735	

Notes:

Includes only respondents who indicated their year of birth.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N).

Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q4a Check the category(ies) which best describe(s) the setting(s) where you work. Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Work setting(s)	Private office/ clinic (excluding free standing walk-in clinics)	63.6%	42.4%	53.9%	52.5%	54.2%	47.7%	47.3%	53.6%	58.3%	59.7%	54.6%	53.4%
	Community clinic/ Community health centre	15.3%	6.4%	9.0%	14.6%	10.6%	17.6%	11.9%	11.6%	8.8%	7.5%	13.2%	11.0%
	Free-standing walk-in clinic	12.1%	.9%	6.9%	6.5%	6.4%	8.5%	6.0%	7.4%	6.1%	6.9%	6.5%	6.7%
	Academic health sciences centre (AHSC)	13.2%	47.7%	29.8%	30.3%	22.7%	30.6%	36.6%	29.2%	28.0%	20.7%	22.9%	29.8%
	Non-AHSC teaching hospital	9.8%	16.3%	12.6%	13.8%	10.4%	21.1%	16.6%	13.9%	9.2%	5.4%	10.3%	12.9%
	Community hospital	27.5%	29.7%	31.7%	23.8%	17.6%	28.6%	32.7%	29.4%	28.0%	21.1%	15.7%	28.5%
	Other hospital	5.0%	7.2%	5.9%	6.4%	5.6%	8.5%	5.8%	6.3%	5.1%	6.7%	6.1%	6.1%
	Emergency department (in community hospital or AHSC)	20.3%	7.6%	15.0%	13.1%	10.0%	28.5%	20.2%	13.7%	9.1%	4.4%	10.2%	14.2%
	Nursing home/ Home for the aged	17.4%	1.8%	9.9%	10.1%	9.6%	8.0%	8.6%	10.6%	11.9%	8.6%	9.9%	10.0%
	University	9.6%	24.3%	17.3%	16.1%	9.1%	17.2%	20.1%	17.2%	16.3%	9.3%	9.8%	16.6%
	Research Unit	1.7%	6.0%	4.5%	2.6%	2.5%	2.3%	4.4%	4.3%	3.6%	2.1%	4.6%	3.8%
	Free-standing lab/ diagnostic clinic	.4%	2.4%	1.7%	.9%	.6%	1.2%	1.3%	1.4%	1.2%	2.0%	1.5%	1.4%
	Administrative office/ Corporate office	5.3%	4.5%	5.7%	3.8%	2.7%	2.0%	3.6%	5.8%	6.8%	4.0%	2.5%	4.9%
	Other work setting	11.1%	6.6%	7.4%	11.6%	9.5%	6.5%	6.7%	10.1%	10.7%	8.7%	9.9%	9.0%
NR		.3%	.3%	.1%	.1%	7.2%	.1%	.0%	.1%	.1%	.3%	7.0%	.3%
Total	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q4b Main patient care setting (i.e. the setting where you spend the most time providing patient care). Check only one.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Main patient care setting	Private office/clinic (excluding free standing walk-in clinics)	55.7%	23.7%	39.2%	42.5%	40.2%	32.3%	31.9%	40.9%	46.8%	49.5%	40.9%	40.4%
	Community clinic/Community health centre	8.6%	2.2%	4.3%	7.5%	6.7%	8.7%	5.6%	6.0%	4.3%	4.3%	6.5%	5.5%
	Free-standing walk-in clinic	2.5%	.3%	1.6%	1.2%	2.1%	.9%	1.1%	1.4%	1.1%	3.7%	2.4%	1.5%
	Academic health sciences centre (AHSC)	6.0%	35.4%	20.6%	19.6%	15.2%	19.2%	25.3%	20.2%	18.8%	12.5%	16.3%	20.1%
	Non-AHSC teaching hospital	2.7%	10.1%	6.2%	6.3%	5.5%	9.4%	8.6%	6.4%	4.5%	2.5%	4.4%	6.2%
	Community hospital	5.6%	13.7%	11.2%	6.7%	7.4%	8.3%	11.2%	10.0%	8.9%	7.8%	5.3%	9.5%
	Other hospital	1.6%	2.8%	2.2%	2.1%	3.1%	3.1%	2.4%	2.1%	1.6%	2.7%	2.5%	2.2%
	Emergency department (in community hospital or AHSC)	8.0%	2.7%	6.0%	4.7%	3.2%	11.7%	8.7%	5.3%	2.5%	1.2%	3.2%	5.5%
	Nursing home/Home for the aged	1.2%	.1%	.7%	.6%	1.1%	.0%	.4%	.4%	1.0%	1.6%	1.2%	.7%
	University	.5%	.5%	.5%	.5%	.4%	.6%	.8%	.4%	.3%	.6%	.8%	.5%
	Research Unit	.0%	.1%	.1%	.1%	.0%	.0%	.0%	.0%	.1%	.1%	.4%	.1%
	Free-standing lab/diagnostic clinic	.1%	.7%	.4%	.2%	.0%	.2%	.4%	.2%	.4%	.7%	.4%	.3%
	Administrative office / Corporate office	.3%	.2%	.2%	.3%	.3%	.0%	.2%	.2%	.4%	.2%	.0%	.2%
	Other	3.1%	1.9%	2.1%	3.3%	2.2%	2.2%	1.8%	2.6%	3.2%	2.5%	3.0%	2.5%
	Not applicable	3.3%	5.0%	4.2%	4.0%	5.1%	2.2%	1.4%	3.7%	5.7%	9.4%	4.6%	4.1%
NR	.7%	.7%	.5%	.5%	7.4%	1.1%	.2%	.3%	.6%	.7%	8.0%	.7%	
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q5 In which province(s) / territory(ies) do you currently work? Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Province(s)/ territory(ies) of work	Work in BC	15.0%	13.6%	15.1%	13.2%	10.5%	10.9%	13.4%	15.4%	15.7%	14.2%	8.6%	14.3%
	Work in AB	11.2%	10.3%	11.2%	10.4%	6.4%	12.4%	12.7%	10.7%	9.9%	8.1%	7.3%	10.8%
	Work in SK	3.2%	2.3%	3.1%	2.2%	1.7%	4.0%	2.8%	2.8%	2.6%	2.4%	1.3%	2.8%
	Work in MB	3.6%	3.6%	3.7%	3.3%	3.3%	3.6%	3.7%	3.8%	3.2%	3.2%	4.8%	3.6%
	Work in ON	34.2%	39.0%	37.4%	35.4%	27.6%	28.7%	37.2%	35.9%	36.9%	42.5%	28.5%	36.5%
	Work in QC	24.1%	24.5%	21.5%	28.3%	36.4%	31.7%	21.4%	24.8%	23.5%	23.3%	36.4%	24.3%
	Work in NB	2.9%	2.2%	2.7%	2.3%	1.9%	3.8%	2.8%	2.6%	2.3%	1.9%	1.8%	2.6%
	Work in NS	3.5%	3.3%	3.5%	3.4%	2.0%	1.7%	3.9%	3.4%	3.8%	3.1%	2.5%	3.4%
	Work in PE	.5%	.5%	.5%	.4%	.5%	.4%	.5%	.4%	.7%	.4%	.6%	.5%
	Work in NL	2.0%	1.4%	1.9%	1.4%	1.5%	2.5%	2.0%	1.4%	1.7%	1.3%	1.1%	1.7%
	Work in NT	.5%	.5%	.5%	.5%	.4%	1.1%	.6%	.2%	.6%	.5%	.5%	.5%
	Work in YT	.2%	.1%	.2%	.2%	.0%	.2%	.2%	.1%	.2%	.2%	.0%	.2%
	Work in NU	.3%	.3%	.3%	.3%	.4%	.6%	.3%	.1%	.3%	.4%	.4%	.3%
	Work outside Canada	.3%	1.4%	1.1%	.5%	.3%	2.1%	1.3%	.5%	.6%	.5%	.4%	.9%
NR		.9%	1.0%	.8%	.5%	8.9%	1.0%	.5%	.6%	.8%	1.5%	8.0%	.9%
Total	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q7 Do you provide patient care?

		FP/GP or Specialist		Sex			Age Group						All Physicians	
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR		
Do you provide patient care?	Yes	96.1%	93.9%	95.0%	95.2%	93.7%	96.6%	97.8%	95.5%	93.8%	90.1%	92.7%	95.1%	
	No	3.2%	4.9%	4.1%	3.8%	4.8%	2.1%	1.3%	3.5%	5.5%	9.0%	4.4%	4.0%	
	NR	.7%	1.2%	.9%	1.0%	1.6%	1.3%	.9%	.9%	.7%	.9%	3.0%	.9%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q7b With respect to your MAIN patient care setting specified in Q4b, describe the population PRIMARLY served by you in your practice. Check only one.

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Population primarily served by you in your practice.	Inner city	10.2%	.0%	11.0%	8.9%	13.1%	6.8%	8.5%	10.1%	10.8%	15.5%	15.5%	10.2%
	Urban/ Suburban	52.5%	.0%	49.3%	57.7%	43.0%	51.0%	53.2%	53.1%	53.9%	50.3%	40.7%	52.5%
	Small town	18.1%	.0%	19.5%	16.4%	15.4%	20.0%	18.1%	18.1%	18.1%	17.0%	16.1%	18.1%
	Rural	11.4%	.0%	12.3%	10.1%	11.5%	12.9%	12.8%	11.4%	10.7%	8.6%	10.9%	11.4%
	Geographically isolated/ Remote	2.2%	.0%	2.2%	2.0%	2.9%	5.5%	2.1%	1.7%	1.6%	1.8%	2.8%	2.2%
	Cannot identify a primary population	2.6%	.0%	2.7%	2.6%	.7%	1.6%	2.8%	3.0%	2.4%	3.1%	2.0%	2.6%
	Other primary population	.8%	.0%	.7%	.9%	.4%	1.0%	.9%	.8%	.7%	.7%	.4%	.8%
	NR	2.1%	.0%	2.2%	1.3%	13.0%	1.2%	1.7%	1.8%	1.9%	3.0%	11.6%	2.1%
Total	%	100%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999	33233
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q8 What languages do you speak with your patients? Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Languages spoken with patients	English	89.6%	92.4%	92.4%	89.4%	76.9%	88.6%	93.3%	89.9%	91.8%	91.2%	77.3%	90.9%
	French	33.1%	34.7%	30.9%	38.2%	44.6%	44.1%	33.3%	33.2%	31.3%	32.0%	46.2%	33.8%
	Other language(s)	15.8%	13.5%	15.2%	14.1%	11.3%	13.1%	14.1%	14.2%	15.3%	18.4%	12.3%	14.7%
	NR	1.1%	1.8%	1.3%	1.2%	9.5%	.8%	.9%	1.6%	1.2%	1.6%	8.5%	1.5%
	Total												
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

Q8. What languages do you speak with your patients: Other.

The languages other than English and French that were most frequently indicated include: Spanish (22.4%), Hindi (8.8%), Italian (8.6%), German (8.3%), Arabic (8.1%), Cantonese (6.6%), Chinese (5.9%), Punjabi (5.3%) and Urdu (5.1%).

Notes:

Percentages among physicians who indicated being able to speak language other than English or French.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q9 What percentage of your gross professional income goes towards running your practice (e.g., part-time or full-time staff, leases/rent/mortgage, equipment leasing/rental, personal benefits, vehicle costs, professional fees, malpractice dues, other overhead expenses)?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
What percentage of your income goes towards running your practice?	<10%	15.1%	26.0%	20.6%	20.0%	15.3%	33.1%	25.6%	19.4%	16.0%	11.8%	14.0%	20.3%
	11-20%	12.7%	18.3%	16.1%	14.2%	13.0%	14.9%	16.8%	15.9%	14.8%	12.6%	13.1%	15.4%
	21-30%	23.8%	16.5%	20.9%	19.3%	20.1%	18.3%	19.1%	20.6%	21.7%	21.2%	19.3%	20.3%
	31-40%	22.9%	11.5%	17.6%	17.4%	17.2%	11.1%	12.9%	18.4%	20.6%	23.6%	18.8%	17.5%
	>40%	8.8%	6.5%	8.0%	7.2%	8.7%	2.0%	4.6%	7.7%	10.6%	12.8%	9.1%	7.7%
	Not applicable	14.3%	17.4%	14.4%	18.2%	13.8%	18.8%	18.5%	14.9%	13.6%	14.6%	13.9%	15.7%
	NR	2.4%	3.8%	2.3%	3.6%	11.9%	1.7%	2.5%	3.1%	2.9%	3.3%	11.9%	3.0%
	Total												
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q9 What percentage of your gross professional income goes towards running your practice (e.g., part-time or full-time staff, leases/rent/mortgage, equipment leasing/rental, personal benefits, vehicle costs, professional fees, malpractice dues, other overhead expenses)?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
What percentage of your income goes towards running your practice?	Mean	28.22	22.67	25.70	25.43	28.25	19.54	22.13	26.03	28.05	31.02	28.81	25.67
	Median	30.00	20.00	25.00	25.00	30.00	15.00	20.00	25.00	30.00	30.00	30.00	25.00
	Mode	30.00	10.00	30.00	30.00	30.00	10.00	30.00	30.00	30.00	40.00	30.00	30.00
	Standard Deviation	14.13	15.47	15.11	14.67	16.91	12.98	14.05	14.96	14.71	15.67	16.68	15.02
	Minimum	1.00	1.00	1.00	1.00	2.00	1.00	1.00	1.00	1.00	1.00	2.00	1.00
	Maximum	99.00	99.00	99.00	95.00	99.00	80.00	90.00	99.00	99.00	99.00	99.00	99.00
	N	27211	23098	32047	17053	1209	3733	12583	14999	12436	5324	1234	50309
n	5192	3938	5478	3426	226	718	1981	2607	2410	1182	232	9130	

Notes:

Includes only respondents who provide patient care and who indicated greater than zero percentage of gross professional income .

Excludes those who indicated "Not applicable"

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N).

Further detail available at www.nationalphysiciansurvey.ca .

National Physician Survey, 2010. National Results.

Q9 What percentage of your gross professional income goes towards running your practice (e.g., part-time or full-time staff, leases/rent/mortgage, equipment leasing/rental, personal benefits, vehicle costs, professional fees, malpractice dues, other overhead expenses)?

		Method of remuneration									
		90%+ Fee-for-service	90%+ Salary	90%+ Capitation	90%+ Sessional/per diem/hourly	90%+ Service contract	90%+ Incentives and premiums	90%+ Other	Blended	NR	All Physicians
What percentage of your income goes towards running your practice?	<10%	14.5%	21.7%	3.3%	39.2%	32.2%	**	33.0%	25.3%	18.5%	20.3%
	11-20%	15.2%	6.7%	6.2%	13.8%	17.9%	**	11.7%	18.4%	13.0%	15.4%
	21-30%	25.8%	4.3%	39.8%	5.5%	7.4%	**	7.9%	19.6%	17.8%	20.3%
	31-40%	24.4%	2.7%	29.4%	1.2%	3.8%	**	3.4%	15.2%	14.1%	17.5%
	>40%	11.6%	2.1%	15.2%	.8%	.9%	**	3.7%	5.2%	6.6%	7.7%
	Not applicable	6.0%	57.5%	3.6%	35.4%	32.4%	**	34.8%	14.1%	23.6%	15.7%
	NR	2.4%	5.1%	2.5%	4.1%	5.5%	**	5.5%	2.3%	6.4%	3.0%
	Total							**			
	%	100%	100%	100%	100%	100%	**	100%	100%	100%	100%
	N	27340	4599	799	1752	1667	0	1074	21136	4747	63114
	n	5005	838	158	329	302	0	187	3795	847	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results.

Q9 What percentage of your gross professional income goes towards running your practice (e.g., part-time or full-time staff, leases/rent/mortgage, equipment leasing/rental, personal benefits, vehicle costs, professional fees, malpractice dues, other overhead expenses)?

		Method of remuneration									
		90%+ Fee-for-service	90%+ Salary	90%+ Capitation	90%+ Sessional/per diem/hourly	90%+ Service contract	90%+ Incentives and premiums	90%+ Other	Blended	NR	All Physicians
What percentage of your income goes towards running your practice?	Mean	29.15	16.50	34.01	12.70	15.22	**	16.67	22.96	25.03	25.67
	Median	30.00	10.00	30.00	10.00	10.00	**	10.00	20.00	25.00	25.00
	Mode	30.00	10.00	30.00	10.00	10.00	**	10.00	30.00	30.00	30.00
	Standard Deviation	14.87	14.77	10.47	10.46	11.54	**	15.53	13.87	15.36	15.02
	Minimum	1.00	1.00	5.00	1.00	1.00	**	1.00	1.00	1.00	1.00
	Maximum	99.00	95.00	80.00	80.00	99.00	**	75.00	90.00	99.00	99.00
	N	24812	1567	742	1000	1001	0	628	17282	3277	50309
	n	4538	284	146	183	181	0	107	3103	588	9130

Notes:

Includes only respondents who provide patient care and who indicated greater than zero percentage of gross professional income .

Excludes those who indicated "Not applicable"

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q10a Please indicate how your main patient care setting is organized. Check only one. Note that a solo or group practice could also include a nurse who does not have her/his own caseload.

		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Organization of main patient care setting	Solo Practice	22.3%	32.7%	30.9%	20.5%	31.4%	18.3%	20.5%	25.2%	32.5%	42.7%	32.9%	27.3%
	Group practice - association	37.8%	23.2%	29.9%	33.2%	24.2%	34.5%	32.9%	32.7%	29.2%	24.5%	22.9%	30.9%
	Group practice - partnership	6.7%	12.5%	10.1%	8.7%	5.9%	9.4%	11.9%	9.4%	8.8%	6.1%	6.9%	9.5%
	Other group practice	3.2%	1.9%	2.2%	3.1%	3.3%	3.2%	2.3%	2.8%	3.0%	1.2%	2.6%	2.6%
	Interprofessional practice	21.4%	20.3%	18.6%	24.9%	22.0%	25.4%	22.8%	20.5%	18.9%	17.6%	23.2%	20.9%
	Other practice organization	2.0%	1.7%	1.7%	2.2%	1.5%	3.4%	1.6%	1.7%	1.6%	2.4%	1.4%	1.9%
	NR	6.5%	7.7%	6.6%	7.4%	11.8%	5.9%	7.9%	7.6%	6.1%	5.5%	10.1%	7.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

"Other group practice" is derived from written responses to "Other, please specify".

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q10b Are you incorporated?

		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Incorporated	Incorporated individually	89.0%	90.1%	92.0%	83.3%	90.4%	83.0%	88.5%	90.6%	91.4%	87.8%	89.5%	89.6%	
	Incorporated as a group	17.0%	17.5%	15.3%	22.4%	15.7%	21.8%	20.5%	16.4%	14.5%	15.6%	15.5%	17.3%	
	Total	N	16469	16341	22899	9146	766	1947	8847	10609	8485	2190	732	32810
		n	3075	2767	3867	1838	137	369	1383	1833	1642	484	131	5842

Notes:

Includes only respondents who provide patient care and who indicated "yes" to at least one part of the question.

Excludes all responses of "no", as well as those who did not respond to any part of the question.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.

		Specialty Groupings						
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians	
Refer with: Family Physicians	Yes	23.4%	16.3%	14.9%	7.1%	18.0%	19.9%	
	No	67.7%	63.1%	69.5%	57.2%	65.3%	66.3%	
	NR	8.9%	20.6%	15.6%	35.7%	16.8%	13.8%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	33233	14851	6199	1445	7373	63099
	n	6337	2583	1045	243	1250	11458	

Notes:

Includes only respondents who provide patient care.

Excludes cases where specific specialty could not be identified.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists referred to	Anatomical Pathology	.0%	.0%	.1%	8.4%	.0%	.1%
	Anesthesiology	.7%	1.0%	.2%	.0%	11.9%	2.0%
	Cardiac Surgery	.5%	.4%	9.6%	.0%	.2%	1.3%
	Community Medicine	.1%	.2%	.0%	1.1%	.0%	.1%
	Dermatology	17.1%	5.9%	4.0%	17.2%	3.9%	12.3%
	Diagnostic Radiology	1.8%	3.1%	5.1%	1.8%	8.8%	3.2%
	Emergency Medicine	1.8%	1.2%	.7%	2.1%	1.0%	1.5%
	General Surgery	22.1%	6.6%	13.4%	5.5%	13.0%	17.2%
	Hematological Pathology	.0%	.0%	.1%	3.4%	.0%	.1%
	Unspecified internal medicine subspecialties	.7%	.4%	.9%	1.9%	.5%	.7%
	Medical Biochemistry	.0%	.3%	.0%	1.1%	.0%	.1%
	Medical Genetics	.1%	1.6%	.1%	.0%	1.5%	.5%
	Medical Microbiology	.1%	.1%	.7%	2.3%	.9%	.3%
	Neurology	5.2%	21.6%	9.7%	.0%	14.5%	9.7%
	Neurology (Adult)	.0%	.1%	.0%	.0%	.0%	.0%
	Neurology (Pediatric)	.3%	3.6%	.3%	.0%	.0%	.8%
	Neuropathology	.0%	.0%	.0%	3.6%	.0%	.0%
	Neurosurgery	.4%	6.2%	1.6%	.0%	2.6%	1.8%
	Nuclear Medicine	.0%	.0%	.5%	.0%	.1%	.1%
	Obstetrics & Gynecology	29.1%	2.4%	1.7%	6.1%	7.0%	18.7%
Ophthalmology	2.5%	2.6%	5.1%	.0%	12.5%	3.9%	
Orthopaedic Surgery	27.4%	9.8%	5.3%	15.7%	8.4%	19.7%	
Otolaryngology - Head & neck surgery	6.4%	6.5%	9.0%	5.1%	5.0%	6.5%	
Pediatrics	8.2%	10.5%	3.5%	3.1%	3.7%	7.6%	

(cont.)

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists referred to	Physical Medicine & Rehabilitation	2.0%	3.1%	1.1%	1.3%	3.1%	2.3%
	Plastic Surgery	1.2%	6.6%	.4%	5.8%	5.0%	2.6%
	Psychiatry	14.7%	16.3%	4.4%	2.8%	1.2%	12.2%
	Radiation Oncology	.9%	.9%	8.7%	1.3%	7.5%	2.5%
	Urology	4.4%	2.0%	3.9%	1.9%	9.6%	4.5%
	Vascular Surgery	.3%	.4%	6.0%	5.5%	1.4%	1.1%
	Adolescent Medicine	.0%	.0%	.0%	.0%	.0%	.0%
	Cardiology	28.6%	16.0%	36.6%	9.3%	7.8%	24.5%
	Cardiology (Adult)	.0%	.0%	.1%	.0%	.2%	.0%
	Cardiology (Pediatric)	.1%	2.8%	.3%	.0%	.4%	.7%
	Child & Adolescent Psychiatry	.3%	3.4%	.3%	.0%	.0%	.9%
	Clinical Immunology & Allergy	.8%	3.9%	1.8%	3.2%	3.3%	1.8%
	Clinical Immunology & Allergy (Pediatric)	.0%	.7%	.0%	1.8%	.0%	.2%
	Clinical Pharmacology	.0%	.1%	.1%	.0%	.0%	.0%
	Colorectal Surgery	.1%	.1%	.7%	.8%	1.7%	.3%
	Critical Care Medicine	.5%	4.3%	2.6%	3.5%	.7%	1.5%
	Critical Care Medicine (Pediatric)	.0%	.5%	.2%	.0%	.0%	.1%
	Developmental Pediatrics	.1%	1.7%	.0%	.0%	.0%	.4%
	Endocrinology & Metabolism	3.8%	3.9%	7.6%	7.6%	5.8%	4.5%
	Endocrinology & Metabolism (Adult)	.0%	.0%	.2%	.0%	.0%	.0%
	Endocrinology & Metabolism (Pediatric)	.1%	.5%	.2%	.0%	.0%	.2%
	Forensic Psychiatry	.0%	.1%	.0%	.0%	.0%	.0%
	Gastroenterology	13.9%	4.0%	17.0%	11.9%	11.3%	12.1%
Gastroenterology (Adult)	.0%	.1%	.1%	.0%	.0%	.0%	
Gastroenterology (Pediatric)	.1%	1.0%	.0%	.0%	.3%	.3%	
General Surgical Oncology	.1%	1.0%	1.4%	.0%	.1%	.4%	

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists referred to	General Internal Medicine	39.6%	27.4%	11.3%	21.5%	27.9%	33.0%
	Geriatric Medicine	1.3%	1.9%	1.2%	.0%	.3%	1.3%
	Geriatric Psychiatry	.5%	.5%	1.0%	.0%	.0%	.5%
	Gynecologic Oncology	.1%	.4%	.3%	.0%	3.7%	.6%
	Gynecology - Reproductive Endocrinology & Infertility	.1%	.0%	.0%	.0%	1.5%	.2%
	Hematology	.3%	1.1%	3.4%	3.7%	.6%	.8%
	Infectious Disease	.7%	1.7%	3.2%	3.9%	.4%	1.2%
	Infectious Disease (Pediatric)	.0%	.3%	.1%	.0%	.0%	.1%
	Maternal Fetal Medicine	.1%	.2%	.0%	.0%	3.1%	.5%
	Medical Oncology	.4%	3.1%	1.5%	1.0%	5.8%	1.6%
	Neonatal Perinatal Medicine	.2%	1.1%	.2%	.0%	1.6%	.5%
	Nephrology	1.7%	1.2%	10.7%	2.2%	1.5%	2.5%
	Nephrology (Adult)	.0%	.1%	.0%	.0%	.0%	.0%
	Nephrology (Pediatric)	.0%	.3%	.0%	.0%	.2%	.1%
	Neuroradiology	.1%	3.1%	.0%	.0%	1.6%	.8%
	Occupational Medicine	.1%	.2%	.0%	.0%	.0%	.1%
	Pain Medicine	.3%	1.0%	.1%	.0%	.8%	.5%
	Pediatric Emergency Medicine	.0%	.0%	.0%	.0%	.0%	.0%
	Pediatric General Surgery	.1%	3.1%	.7%	1.8%	.2%	.8%
	Pediatric Hematology/ Oncology	.0%	.3%	.1%	.0%	.1%	.1%
	Respirology	4.6%	4.8%	14.5%	3.4%	5.3%	5.7%
	Respirology (Pediatric)	.0%	.4%	.1%	.0%	.0%	.1%
	Rheumatology	2.2%	3.2%	5.2%	7.7%	4.1%	2.9%
Rheumatology (Pediatric)	.0%	.2%	.2%	.0%	.1%	.1%	
Thoracic Surgery	.1%	.6%	7.1%	.0%	1.3%	1.0%	
Palliative Care Medicine	.4%	1.0%	2.5%	.0%	.2%	.7%	

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists referred to	Sleep Medicine/ Sleep Specialists	.1%	1.2%	.6%	.0%	.2%	.3%
	Unspecified surgical specialties	24.3%	12.4%	11.9%	16.3%	5.4%	18.6%
	Unspecified Oncology	2.1%	1.6%	4.4%	4.2%	9.6%	3.1%
	Unspecified Pathology	.1%	.8%	.6%	14.7%	.6%	.5%
	Hospitalist	.3%	1.0%	.4%	.0%	.6%	.4%
	Unspecified Medical Specialties	.6%	1.0%	.8%	1.3%	.4%	.7%
	Unspecified Pediatric Subspecialties	.2%	2.7%	.4%	1.1%	.0%	.6%
Total	N	24642	7651	4135	523	4811	41761
	n	4703	1330	699	84	813	7629

Notes:

Includes only respondents who provide patient care, and who indicated at least one specialist with whom they regularly refer.

Excludes cases where specific specialty could not be identified.

Results for specialty groups that received no mentions are not included.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.

		Specialty Groupings						
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians	
Collaborate with: Family Physicians	Yes	52.7%	29.7%	28.1%	17.6%	21.3%	40.4%	
	No	38.4%	49.7%	56.3%	46.7%	62.0%	45.8%	
	NR	8.9%	20.6%	15.6%	35.7%	16.8%	13.8%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	33233	14851	6199	1445	7373	63099
	n	6337	2583	1045	243	1250	11458	

Notes:

Includes only respondents who provide patient care.

Excludes cases where specific specialty could not be identified.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists collaborated with	Anatomical Pathology	.0%	.1%	.0%	9.6%	.0%	.3%
	Anesthesiology	2.5%	3.6%	.8%	.0%	14.7%	4.5%
	Cardiac Surgery	.5%	1.3%	6.9%	.0%	1.7%	1.8%
	Community Medicine	.3%	.3%	.0%	4.4%	.0%	.3%
	Dermatology	3.1%	1.6%	1.5%	4.9%	2.4%	2.4%
	Diagnostic Radiology	2.9%	5.4%	3.8%	8.8%	10.0%	5.1%
	Emergency Medicine	2.6%	5.3%	4.0%	2.6%	2.2%	3.6%
	General Pathology	.1%	.0%	.0%	.0%	.0%	.0%
	General Surgery	11.9%	6.8%	10.6%	6.0%	13.5%	10.2%
	Hematological Pathology	.1%	.0%	.7%	2.6%	.0%	.2%
	Unspecified internal medicine subspecialties	.5%	.4%	1.3%	.0%	.1%	.5%
	Medical Biochemistry	.0%	.1%	.0%	1.3%	.0%	.1%
	Medical Genetics	.3%	.9%	.7%	.0%	1.5%	.7%
	Medical Microbiology	.0%	.2%	.2%	5.9%	.0%	.2%
	Neurology	3.4%	10.6%	7.3%	.0%	6.7%	6.6%
	Neurology (Adult)	.0%	.1%	.0%	.0%	.0%	.0%
	Neurology (Pediatric)	.4%	1.8%	.0%	.0%	.0%	.7%
	Neuropathology	.0%	.1%	.0%	.0%	.0%	.0%
	Neurosurgery	.5%	3.6%	2.0%	.8%	1.6%	1.8%
	Nuclear Medicine	.0%	.0%	.2%	.0%	.0%	.0%
Obstetrics & Gynecology	23.0%	8.9%	2.5%	5.0%	10.7%	13.4%	
Ophthalmology	.9%	.4%	2.0%	1.3%	8.6%	2.2%	
Orthopaedic Surgery	9.1%	6.4%	4.4%	4.7%	11.5%	7.9%	
Otolaryngology - Head & neck surgery	1.7%	2.5%	4.0%	.0%	4.7%	2.7%	

(cont.)

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists collaborated with	Pediatrics	6.5%	11.5%	6.3%	11.1%	4.7%	7.9%
	Physical Medicine & Rehabilitation	1.8%	2.4%	.0%	.0%	3.3%	1.9%
	Plastic Surgery	1.1%	3.0%	.0%	2.3%	6.0%	2.3%
	Psychiatry	27.6%	15.9%	2.9%	.0%	.1%	15.6%
	Radiation Oncology	3.0%	1.0%	11.8%	5.6%	8.1%	4.4%
	Urology	2.4%	2.1%	3.9%	.0%	4.2%	2.7%
	Vascular Surgery	.3%	.5%	2.5%	.8%	.4%	.7%
	Adolescent Medicine	.1%	.0%	.0%	.0%	.0%	.0%
	Cardiology	9.4%	7.8%	22.6%	3.7%	5.8%	9.9%
	Cardiology (Adult)	.1%	.0%	.0%	.0%	.0%	.0%
	Cardiology (Pediatric)	.4%	1.1%	.5%	.0%	.2%	.6%
	Child & Adolescent Psychiatry	.6%	2.1%	.2%	.0%	.0%	.9%
	Clinical Immunology & Allergy	.2%	.6%	1.4%	.0%	1.5%	.7%
	Clinical Pharmacology	.0%	.1%	.0%	.0%	.0%	.0%
	Colorectal Surgery	.2%	.0%	.7%	.0%	.5%	.2%
	Critical Care Medicine	1.0%	5.0%	5.1%	3.8%	2.6%	3.1%
	Critical Care Medicine (Pediatric)	.2%	.5%	.6%	.9%	.0%	.3%
	Developmental Pediatrics	.2%	.9%	.0%	.0%	.0%	.3%
	Endocrinology & Metabolism	2.9%	2.4%	3.4%	4.6%	4.9%	3.2%
	Endocrinology & Metabolism (Pediatric)	.2%	.1%	.2%	.0%	.0%	.1%
	Forensic Psychiatry	.0%	.1%	.0%	.0%	.0%	.0%
	Gastroenterology	3.3%	1.7%	11.7%	6.8%	6.6%	4.5%
	Gastroenterology (Adult)	.0%	.1%	.2%	.0%	.0%	.1%
Gastroenterology (Pediatric)	.2%	.6%	.5%	.0%	.4%	.4%	
General Surgical Oncology	.4%	1.2%	1.6%	3.1%	.4%	.9%	
General Internal Medicine	28.7%	20.7%	17.1%	14.9%	16.3%	22.3%	

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists collaborated with	Geriatric Medicine	2.4%	1.8%	1.1%	.0%	.2%	1.6%
	Geriatric Psychiatry	1.1%	.5%	1.1%	.0%	.0%	.7%
	Gynecologic Oncology	.1%	.7%	.7%	.8%	1.2%	.6%
	Gynecology - Reproductive Endocrinology & Infertility	.2%	.0%	.0%	.0%	1.0%	.2%
	Hematology	.9%	.6%	4.3%	3.4%	.4%	1.3%
	Infectious Disease	2.0%	.9%	2.6%	8.3%	.9%	1.8%
	Infectious Disease (Adult)	.0%	.0%	.0%	.9%	.0%	.0%
	Infectious Disease (Pediatric)	.0%	.3%	.4%	.0%	.0%	.1%
	Maternal Fetal Medicine	.1%	.3%	.0%	1.2%	2.0%	.5%
	Medical Oncology	2.3%	4.6%	2.2%	5.3%	7.5%	3.9%
	Neonatal Perinatal Medicine	.4%	1.2%	.3%	.0%	1.5%	.8%
	Nephrology	1.3%	1.3%	9.9%	4.0%	1.5%	2.5%
	Neuroradiology	.4%	2.2%	.5%	1.3%	2.3%	1.3%
	Occupational Medicine	.1%	.3%	.0%	.0%	.0%	.1%
	Pain Medicine	.5%	.6%	.0%	.0%	.6%	.5%
	Pediatric Emergency Medicine	.1%	.1%	.0%	.0%	.2%	.1%
	Pediatric General Surgery	.3%	2.4%	1.4%	.0%	.3%	1.1%
	Pediatric Hematology/ Oncology	.1%	.4%	.0%	1.9%	.4%	.3%
	Respirology	2.4%	2.9%	10.0%	.0%	4.5%	3.9%
	Respirology (Pediatric)	.1%	.6%	.4%	.0%	.0%	.3%
	Rheumatology	1.0%	1.7%	2.2%	.0%	3.2%	1.7%
	Rheumatology (Pediatric)	.0%	.3%	.3%	.0%	.0%	.1%
	Thoracic Surgery	.3%	1.2%	3.9%	1.6%	1.0%	1.2%
Palliative Care Medicine	2.0%	1.5%	2.8%	.0%	.4%	1.6%	
Sleep Medicine/ Sleep Specialists	.1%	.5%	.5%	.0%	.0%	.2%	
Unspecified surgical specialties	13.8%	28.0%	10.7%	36.7%	2.9%	16.7%	

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists collaborated with	Unspecified Oncology	4.9%	3.6%	3.3%	15.4%	6.7%	4.8%
	Unspecified Pathology	.2%	1.0%	1.3%	10.9%	.2%	.8%
	Hospitalist	.7%	1.0%	1.3%	1.4%	.9%	.9%
	Unspecified Medical Specialties	.3%	.9%	.5%	.8%	.4%	.6%
	Unspecified Pediatric Subspecialties	.1%	2.3%	.4%	1.0%	.2%	.9%
Total	N	6827	5714	2438	473	2967	18420
	n	1292	1008	421	81	517	3319

Notes:

Includes only respondents who provide patient care, and who indicated at least one specialist with whom they have a collaborative care arrangement.

Excludes cases where specific specialty could not be identified.

Results for specialty groups that received no mentions are not included.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Other health care providers referred to	Acupuncturists	.8%	.3%	.0%	**	.6%	.6%
	Audiologists	1.4%	3.1%	.2%	**	8.6%	2.2%
	Chiropodists/orthodists/podiatrists	8.7%	3.6%	5.4%	**	5.8%	7.4%
	Chiropractors	5.1%	1.3%	.8%	**	1.4%	3.8%
	Counsellors	2.8%	2.0%	1.5%	**	.9%	2.4%
	Dentists/ dental surgeons	.8%	1.4%	1.4%	**	1.0%	1.0%
	Diabetes educators/ nurses	9.3%	.3%	10.5%	**	2.1%	7.3%
	Dieticians/ nutritionists	23.6%	14.8%	43.9%	**	16.0%	23.4%
	Lab technicians	.7%	.2%	1.0%	**	.7%	.6%
	Mental health care workers	9.7%	8.2%	.2%	**	.5%	7.8%
	Midwives	.6%	.5%	.0%	**	.6%	.5%
	Nurses (unspecified)	6.8%	7.0%	13.9%	**	3.0%	7.1%
	Nurse practitioners/ advance practice nurses	4.2%	2.7%	5.9%	**	2.0%	3.9%
	Occupational therapists	10.2%	28.2%	18.1%	**	15.8%	14.1%
	Optometrists	4.4%	1.1%	.6%	**	7.0%	3.7%
	Pharmacists	4.1%	1.9%	5.6%	**	2.8%	3.9%
	Physician assistants	.1%	.0%	.0%	**	.0%	.1%
	Physiotherapists/ rehab therapists/ kinesiologists	66.8%	36.6%	41.4%	**	63.1%	59.2%
Psychologists	22.8%	40.2%	7.4%	**	5.5%	22.7%	
Social workers	15.7%	33.4%	28.4%	**	11.1%	19.1%	
Speech language pathologists	1.5%	13.8%	4.8%	**	8.4%	4.3%	
Radiology technologists/ rad therapists/ medical physicists	.7%	1.5%	1.6%	**	1.6%	1.0%	

(cont.)

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Other health care providers referred to	Community or public health nurses/ workers	3.0%	3.0%	.8%	**	1.9%	2.7%
	Home care nurses/ workers	6.8%	3.4%	6.7%	**	7.0%	6.3%
	Respiratory/ inhalation therapists/ asthma educators	3.1%	2.9%	8.0%	**	1.0%	3.3%
	Massage therapists	8.6%	.6%	.7%	**	2.3%	6.0%
	Naturopaths\ osteopaths	1.7%	.5%	.0%	**	.5%	1.3%
	Palliative care nurses/ workers	.7%	.7%	2.2%	**	1.7%	.9%
	Other illness specific care workers	.0%	.0%	.2%	**	.0%	.0%
	Other specialized nurses	4.4%	2.7%	7.1%	**	4.8%	4.4%
	Total						
	N	15898	3791	2118	186	2049	24042
	n	3047	664	360	29	341	4441

Notes:

Includes only respondents who provide patient care, and who indicated at least one other health care professional with whom they regularly refer.

Excludes cases where specific specialty could not be identified.

Results for other healthcare providers that received no mentions are not included.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Other health care providers collaborated with	Acupuncturists	.3%	.1%	.0%	.0%	.0%	.2%
	Anesthesia assistants	.0%	4.0%	.0%	.0%	.0%	1.0%
	Audiologists	.1%	.6%	.0%	.0%	7.5%	.9%
	Chiropodists/orthodists/podiatrists	2.4%	.9%	.8%	.0%	3.4%	1.9%
	Chiropractors	2.2%	1.3%	.0%	.0%	1.0%	1.6%
	Counsellors	3.0%	2.9%	.9%	.0%	.6%	2.5%
	Dentists/ dental surgeons	.2%	1.7%	.6%	.0%	.3%	.6%
	Diabetes educators/ nurses	9.9%	.5%	11.2%	1.9%	2.6%	7.0%
	Dieticians/ nutritionists	20.2%	10.0%	29.5%	12.7%	11.8%	17.9%
	Lab technicians	.6%	.7%	.5%	32.3%	.6%	1.0%
	Mental health care workers	10.8%	7.8%	.0%	3.3%	.3%	8.0%
	Midwives	.9%	2.4%	.0%	3.3%	10.2%	2.0%
	Nurses (unspecified)	22.9%	31.5%	31.6%	20.4%	16.7%	25.3%
	Nurse practitioners/ advance practice nurses	19.8%	12.1%	17.6%	17.1%	10.1%	16.8%
	Occupational therapists	8.5%	19.1%	16.8%	2.0%	8.5%	11.8%
	Optometrists	1.0%	.0%	.2%	.0%	13.7%	1.8%
	Pharmacists	12.8%	4.1%	13.3%	20.3%	3.7%	10.1%
	Physician assistants	1.1%	.7%	.4%	.0%	.7%	.9%
	Physiotherapists/ rehab therapists/ kinesiologists	27.4%	17.8%	33.2%	7.7%	32.8%	25.9%
Psychologists	11.0%	27.3%	4.2%	3.0%	3.4%	13.5%	
Social workers	22.4%	33.8%	27.2%	9.9%	10.7%	24.5%	
Speech language pathologists	1.2%	6.4%	1.9%	.0%	6.2%	3.0%	
Radiology technologists/ rad therapists/ medical physicists	.5%	3.1%	.0%	3.0%	1.5%	1.2%	

(cont.)

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Other health care providers collaborated with	Community or public health nurses/ workers	4.3%	3.2%	1.0%	7.7%	2.1%	3.5%
	Home care nurses/ workers	8.3%	1.9%	2.9%	4.2%	5.3%	5.9%
	Respiratory/ inhalation therapists/ asthma educators	3.2%	12.5%	12.7%	4.3%	3.4%	6.5%
	Massage therapists	1.9%	.0%	.0%	.0%	.0%	1.1%
	Naturopaths\ osteopaths	.6%	.3%	.0%	.0%	.3%	.4%
	Palliative care nurses/ workers	.9%	.5%	1.5%	.0%	.6%	.8%
	Other specialized nurses	9.2%	6.9%	6.3%	12.7%	6.2%	8.1%
Total	N	10409	4515	1944	213	1624	18705
	n	1999	810	334	37	285	3465

Notes:

Includes only respondents who provide patient care, and who indicated at least one other health care professional with whom they have a collaborative care arrangement.

Excludes cases where specific specialty could not be identified.

Results for other healthcare providers that received no mentions are not included.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

**Q12 Are there any barriers that currently exist to prevent you from engaging a Physician / Clinical Assistant in your practice?
Check all that apply.**

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Barriers to prevent engaging a Physician / Clinical Assistant in your practice	Lack of information	26.9%	18.3%	21.2%	26.0%	19.9%	31.8%	26.7%	23.5%	18.8%	14.7%	20.6%	22.8%
	Not introduced in my jurisdiction	25.7%	20.0%	23.6%	22.4%	18.5%	26.9%	24.0%	24.7%	21.4%	17.0%	21.7%	23.0%
	Liability not clearly defined	25.5%	17.9%	21.2%	23.3%	20.3%	28.3%	24.0%	23.1%	19.2%	14.8%	22.1%	21.9%
	Regulations prevent from delegating to them	12.8%	11.4%	13.0%	10.5%	13.0%	12.2%	12.1%	13.1%	12.1%	9.6%	12.6%	12.1%
	Limited funding models	39.0%	36.1%	37.5%	38.6%	29.2%	38.6%	40.8%	40.8%	37.9%	22.2%	28.6%	37.7%
	Practice would not benefit	19.8%	24.7%	23.9%	18.9%	22.4%	14.2%	17.9%	19.8%	25.8%	37.4%	19.4%	22.1%
	Other	5.3%	2.9%	3.8%	4.8%	4.7%	3.0%	3.7%	4.3%	4.3%	5.1%	4.6%	4.2%
	NR	29.4%	30.3%	29.2%	30.3%	38.9%	34.0%	30.3%	28.4%	28.0%	31.0%	40.7%	29.8%
Total	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q12 Are there any barriers that currently exist to prevent you from engaging a Nurse Practitioner in your practice?
Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Barriers to prevent engaging a Nurse Practitioner in your practice	Lack of information	15.9%	12.4%	14.2%	14.4%	13.3%	18.1%	17.5%	14.0%	11.8%	9.4%	15.4%	14.2%
	Not introduced in my jurisdiction	11.0%	11.4%	12.5%	9.0%	10.7%	10.8%	11.1%	11.4%	10.9%	11.7%	11.8%	11.2%
	Liability not clearly defined	23.8%	15.9%	19.7%	20.8%	19.7%	25.7%	21.7%	20.4%	18.3%	14.8%	22.4%	20.1%
	Regulations prevent from delegating to them	9.5%	9.1%	10.1%	8.0%	9.2%	9.4%	9.4%	9.6%	9.3%	8.5%	8.5%	9.3%
	Limited funding models	40.8%	34.7%	36.9%	40.2%	30.6%	38.9%	40.2%	42.0%	37.6%	22.5%	30.2%	37.9%
	Practice would not benefit	18.5%	23.1%	22.9%	16.8%	21.0%	14.9%	17.1%	19.3%	23.5%	31.6%	19.8%	20.7%
	Other	5.6%	2.9%	3.6%	5.7%	5.2%	4.3%	4.2%	4.7%	4.1%	3.9%	5.5%	4.3%
	NR	34.0%	35.9%	34.8%	34.4%	43.4%	35.8%	35.1%	32.9%	34.5%	39.0%	41.0%	34.9%
	Total	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.

Question asked of FP/GPs and other specialists		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Other specialist physicians (in general)	Excellent	7.8%	15.6%	12.8%	9.3%	10.3%	10.9%	12.9%	10.7%	10.4%	12.9%	12.6%	11.5%
	Very Good	19.8%	30.3%	25.8%	23.2%	21.9%	29.4%	27.5%	21.9%	24.0%	25.4%	22.3%	24.8%
	Good	27.6%	23.2%	24.9%	26.6%	26.4%	29.2%	26.6%	26.4%	24.4%	21.0%	23.7%	25.6%
	Fair	19.5%	9.9%	14.4%	16.1%	13.0%	12.4%	13.8%	16.7%	15.8%	13.2%	15.1%	15.0%
	Poor	6.9%	2.3%	4.6%	4.6%	8.1%	2.6%	3.1%	5.1%	6.2%	5.1%	7.3%	4.7%
	Not available	.2%	.3%	.2%	.2%	.2%	.3%	.0%	.2%	.2%	.5%	.2%	.2%
	Don't know	.3%	1.1%	.8%	.5%	.4%	.9%	.8%	.5%	.6%	1.2%	.0%	.7%
	NR	17.8%	17.2%	16.3%	19.5%	19.6%	14.3%	15.4%	18.5%	18.2%	20.8%	18.9%	17.5%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461
Access: Other health professionals (in general)	Excellent	4.5%	4.8%	4.7%	4.5%	5.6%	5.6%	5.3%	4.2%	3.8%	5.4%	4.2%	4.6%
	Very Good	12.2%	16.9%	14.6%	14.1%	13.5%	21.6%	15.4%	13.1%	13.0%	13.3%	13.9%	14.4%
	Good	19.2%	24.2%	21.4%	22.0%	19.4%	21.3%	24.0%	21.7%	20.6%	18.5%	17.6%	21.5%
	Fair	11.9%	11.7%	11.5%	12.5%	10.2%	10.7%	10.7%	13.1%	13.1%	8.8%	11.5%	11.8%
	Poor	3.9%	2.6%	2.9%	4.0%	3.2%	2.5%	3.1%	3.5%	3.9%	2.2%	3.0%	3.3%
	Not available	.4%	1.1%	.8%	.5%	1.1%	.3%	.7%	.8%	.8%	.6%	.9%	.7%
	Don't know	1.0%	4.4%	2.7%	2.6%	2.8%	2.7%	3.1%	2.5%	2.4%	2.5%	1.5%	2.6%
	NR	47.0%	34.4%	41.5%	39.9%	44.2%	35.2%	37.6%	41.0%	42.5%	48.6%	47.3%	41.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Cancer care services	Excellent	11.0%	11.9%	11.3%	11.6%	13.3%	12.1%	11.6%	11.0%	11.3%	11.0%	14.9%	11.4%
	Very Good	27.6%	20.3%	23.9%	24.8%	21.4%	31.3%	24.2%	23.3%	24.9%	19.7%	22.8%	24.1%
	Good	30.3%	17.9%	24.1%	25.0%	24.6%	24.5%	24.4%	26.2%	24.5%	19.9%	22.3%	24.4%
	Fair	10.3%	6.6%	8.7%	8.4%	6.4%	8.2%	8.9%	9.0%	8.6%	6.3%	7.7%	8.5%
	Poor	3.0%	1.8%	2.4%	2.5%	3.1%	2.3%	2.7%	2.7%	2.1%	1.7%	3.6%	2.4%
	Not available	.8%	1.7%	1.3%	1.1%	1.4%	1.4%	1.3%	.8%	1.3%	1.4%	1.9%	1.2%
	Don't know	5.8%	17.8%	10.8%	13.0%	9.0%	10.4%	13.5%	11.7%	10.1%	11.0%	7.8%	11.5%
	NR	11.3%	22.0%	17.7%	13.6%	20.8%	9.9%	13.3%	15.2%	17.3%	29.0%	19.1%	16.4%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461
Access: Cardiac care services	Excellent	11.7%	10.7%	12.2%	9.5%	11.9%	10.0%	12.5%	10.5%	10.8%	11.3%	13.5%	11.2%
	Very Good	26.1%	20.5%	23.6%	23.1%	26.3%	26.8%	24.4%	22.8%	23.2%	20.7%	25.4%	23.5%
	Good	30.8%	20.6%	25.1%	27.7%	24.0%	29.6%	25.8%	26.5%	27.1%	19.9%	24.1%	26.0%
	Fair	13.2%	7.2%	9.5%	12.4%	5.1%	10.9%	10.5%	11.8%	10.2%	7.5%	5.4%	10.4%
	Poor	3.2%	2.1%	2.4%	3.0%	4.2%	2.2%	2.6%	3.0%	2.5%	1.6%	5.0%	2.6%
	Not available	.8%	1.6%	1.2%	1.2%	.7%	1.6%	1.3%	1.0%	1.0%	1.6%	.9%	1.2%
	Don't know	3.5%	15.5%	8.9%	10.0%	6.2%	8.8%	10.1%	9.4%	8.3%	10.0%	4.9%	9.2%
	NR	10.6%	21.8%	17.2%	13.3%	21.6%	10.0%	12.7%	15.0%	16.8%	27.4%	20.7%	15.9%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Palliative medicine services	Excellent	12.4%	8.7%	10.1%	11.6%	10.8%	12.2%	11.4%	9.8%	11.4%	7.7%	12.3%	10.6%
	Very Good	23.5%	15.6%	19.0%	21.2%	19.0%	21.3%	21.5%	19.5%	19.8%	16.0%	16.3%	19.8%
	Good	22.9%	15.9%	20.0%	18.8%	19.2%	23.8%	19.7%	20.2%	19.6%	14.1%	20.2%	19.6%
	Fair	12.2%	7.4%	10.1%	9.7%	7.9%	10.0%	9.5%	11.4%	9.7%	7.4%	8.4%	9.9%
	Poor	5.2%	3.3%	4.4%	4.1%	3.5%	3.6%	4.6%	4.2%	4.3%	3.6%	5.0%	4.3%
	Not available	2.7%	2.6%	2.8%	2.5%	1.1%	2.5%	3.3%	2.5%	2.1%	2.8%	2.0%	2.6%
	Don't know	8.9%	22.5%	14.2%	17.4%	14.8%	16.0%	16.0%	15.6%	14.1%	15.8%	14.0%	15.3%
	NR	12.4%	24.0%	19.3%	14.8%	23.7%	10.6%	13.9%	16.8%	18.9%	32.7%	21.9%	17.9%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461
Access: Anesthesia services	Excellent	8.2%	14.2%	12.3%	8.7%	11.2%	9.7%	13.1%	10.6%	11.1%	8.2%	10.4%	11.0%
	Very Good	15.4%	19.4%	18.0%	16.3%	15.1%	21.7%	20.2%	16.0%	16.2%	13.5%	15.9%	17.3%
	Good	19.5%	15.4%	17.6%	17.5%	20.5%	20.9%	18.3%	18.0%	17.5%	12.2%	18.6%	17.6%
	Fair	11.7%	6.3%	9.0%	9.6%	6.1%	10.5%	10.0%	10.3%	8.7%	4.7%	6.2%	9.1%
	Poor	5.6%	2.3%	3.6%	5.0%	3.9%	5.2%	4.2%	4.5%	3.8%	2.0%	4.1%	4.1%
	Not available	4.1%	2.0%	3.2%	3.0%	3.2%	3.3%	3.1%	3.0%	2.7%	3.9%	4.2%	3.1%
	Don't know	21.1%	18.7%	17.4%	24.6%	17.7%	19.1%	17.8%	20.7%	21.1%	21.7%	17.8%	19.9%
	NR	14.3%	21.7%	19.1%	15.3%	22.4%	9.6%	13.3%	17.0%	18.8%	33.8%	22.7%	17.8%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Operating room time	Excellent	2.6%	3.9%	3.8%	2.1%	3.7%	3.7%	4.0%	2.9%	2.7%	2.9%	3.0%	3.2%
	Very Good	5.8%	8.0%	7.2%	6.1%	9.0%	9.0%	8.3%	6.3%	5.9%	5.4%	7.6%	6.9%
	Good	11.9%	12.3%	12.3%	11.7%	11.0%	15.2%	13.8%	12.2%	11.1%	7.6%	11.3%	12.1%
	Fair	11.7%	12.8%	12.3%	12.3%	7.9%	13.2%	13.2%	12.9%	12.5%	7.3%	8.1%	12.2%
	Poor	10.0%	9.1%	10.0%	8.7%	10.4%	9.1%	10.1%	10.3%	9.5%	7.1%	8.4%	9.6%
	Not available	7.5%	4.2%	6.4%	5.4%	3.1%	6.2%	5.8%	5.7%	5.9%	7.0%	5.3%	5.9%
	Don't know	32.5%	25.9%	26.1%	35.6%	24.5%	33.2%	29.8%	30.3%	28.9%	25.2%	25.5%	29.4%
	NR	18.0%	23.8%	21.9%	18.1%	30.4%	10.5%	15.1%	19.4%	23.4%	37.4%	30.7%	20.8%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461
Access: Emergency room/department services	Excellent	11.2%	8.4%	10.8%	8.5%	7.6%	11.3%	11.2%	9.2%	9.5%	8.6%	9.3%	9.9%
	Very Good	19.2%	19.2%	19.8%	18.2%	18.8%	24.2%	20.7%	18.3%	18.6%	16.6%	16.4%	19.2%
	Good	23.7%	22.4%	22.5%	24.3%	22.6%	29.2%	25.7%	23.2%	21.1%	16.4%	23.9%	23.1%
	Fair	17.1%	14.1%	14.8%	17.5%	11.5%	15.7%	15.7%	17.2%	16.0%	10.7%	13.8%	15.6%
	Poor	9.6%	5.6%	6.9%	9.3%	7.0%	3.9%	6.9%	9.2%	8.7%	6.6%	6.5%	7.7%
	Not available	1.2%	1.4%	1.3%	1.4%	1.1%	1.3%	1.2%	1.1%	1.2%	2.5%	1.4%	1.3%
	Don't know	5.3%	8.4%	6.3%	7.4%	9.5%	5.7%	6.0%	6.3%	7.6%	8.7%	8.1%	6.8%
	NR	12.6%	20.4%	17.7%	13.5%	22.0%	8.9%	12.7%	15.4%	17.3%	29.8%	20.7%	16.3%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Critical care beds	Excellent	4.8%	5.5%	5.4%	4.8%	4.9%	7.7%	6.4%	4.3%	4.7%	3.6%	5.4%	5.2%
	Very Good	11.8%	13.9%	13.4%	11.7%	13.6%	18.0%	15.6%	11.5%	11.9%	7.8%	13.3%	12.8%
	Good	18.2%	17.0%	17.9%	17.5%	14.4%	21.3%	21.6%	17.3%	16.1%	11.0%	14.1%	17.7%
	Fair	14.7%	14.5%	15.3%	13.7%	9.8%	16.6%	15.6%	16.5%	13.5%	8.9%	10.4%	14.6%
	Poor	8.0%	7.3%	8.0%	7.3%	6.7%	4.6%	7.4%	8.5%	8.6%	6.3%	7.8%	7.7%
	Not available	4.2%	2.7%	3.6%	3.4%	2.9%	3.8%	2.8%	2.9%	3.6%	6.4%	3.6%	3.5%
	Don't know	23.1%	17.3%	17.1%	26.1%	21.5%	18.7%	17.8%	22.1%	21.4%	20.6%	19.9%	20.4%
	NR	15.1%	21.6%	19.3%	15.6%	26.1%	9.4%	12.8%	16.9%	20.1%	35.4%	25.5%	18.2%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461
Access: Long-term care beds	Excellent	1.4%	.6%	1.2%	.7%	1.4%	1.0%	.8%	1.0%	.9%	1.9%	1.8%	1.0%
	Very Good	3.4%	2.2%	3.1%	2.2%	3.7%	3.5%	2.9%	2.4%	2.9%	2.7%	4.8%	2.8%
	Good	10.7%	6.1%	8.6%	8.3%	9.8%	10.4%	9.1%	7.7%	9.0%	6.6%	9.6%	8.5%
	Fair	21.0%	12.4%	16.6%	17.4%	19.3%	22.9%	16.6%	17.3%	16.7%	12.8%	16.6%	16.9%
	Poor	35.2%	26.4%	31.1%	31.5%	23.8%	31.7%	34.4%	32.5%	30.5%	20.7%	26.3%	31.0%
	Not available	3.0%	5.1%	4.1%	3.9%	2.0%	3.2%	4.2%	3.6%	4.1%	5.0%	3.5%	4.0%
	Don't know	11.7%	23.1%	15.7%	19.9%	13.9%	17.0%	17.8%	18.0%	15.8%	17.0%	12.7%	17.1%
	NR	13.7%	23.9%	19.6%	16.0%	26.1%	10.1%	14.2%	17.6%	20.0%	33.1%	24.5%	18.5%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Hospital in-patient care (urgent)	Excellent	8.1%	9.6%	8.7%	9.0%	7.9%	10.5%	10.2%	7.9%	8.5%	6.9%	9.1%	8.8%
	Very Good	18.1%	19.6%	18.5%	19.3%	18.5%	27.3%	21.1%	18.2%	17.0%	13.2%	17.3%	18.8%
	Good	19.8%	19.2%	19.4%	20.0%	16.0%	22.2%	21.9%	19.2%	18.5%	15.7%	15.8%	19.5%
	Fair	17.3%	14.0%	15.8%	15.7%	16.2%	15.0%	15.4%	17.3%	16.5%	11.1%	15.4%	15.8%
	Poor	10.6%	8.1%	9.5%	9.5%	7.0%	4.2%	9.0%	10.8%	11.0%	7.2%	8.3%	9.4%
	Not available	2.5%	1.8%	2.3%	1.9%	2.1%	1.9%	1.6%	1.8%	2.5%	3.7%	3.2%	2.1%
	Don't know	10.6%	7.9%	8.2%	11.3%	9.9%	10.1%	8.1%	9.4%	9.2%	11.7%	10.3%	9.3%
	NR	13.0%	19.8%	17.6%	13.4%	22.5%	8.7%	12.6%	15.4%	16.8%	30.4%	20.7%	16.2%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461
Access: Hospital care for elective procedures	Excellent	2.3%	3.3%	3.1%	2.2%	3.2%	3.5%	3.2%	2.5%	2.5%	2.6%	3.0%	2.8%
	Very Good	8.1%	11.0%	10.5%	7.7%	7.4%	11.9%	11.2%	8.6%	8.5%	8.6%	8.0%	9.5%
	Good	20.3%	18.4%	19.7%	19.0%	16.7%	23.8%	21.2%	19.4%	19.0%	12.7%	18.5%	19.4%
	Fair	21.6%	16.4%	18.0%	20.8%	22.4%	19.7%	19.4%	20.2%	19.3%	14.1%	20.6%	19.1%
	Poor	15.9%	12.4%	14.4%	14.3%	10.7%	9.4%	12.6%	16.6%	16.2%	11.7%	11.3%	14.2%
	Not available	3.5%	2.7%	3.3%	2.8%	1.8%	2.9%	2.5%	3.0%	3.3%	4.6%	2.9%	3.1%
	Don't know	13.7%	14.6%	12.1%	17.7%	14.6%	19.9%	15.8%	13.4%	12.2%	12.6%	13.6%	14.1%
	NR	14.7%	21.2%	18.9%	15.4%	23.1%	9.0%	14.0%	16.5%	19.1%	33.1%	22.1%	17.8%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Routine diagnostic services	Excellent	18.0%	14.8%	17.0%	15.8%	12.7%	20.1%	17.8%	15.1%	15.9%	16.5%	13.4%	16.5%
	Very Good	30.4%	28.9%	30.3%	28.8%	27.9%	32.0%	33.4%	27.4%	28.6%	28.0%	29.1%	29.7%
	Good	27.3%	25.2%	25.6%	27.6%	26.6%	27.2%	25.8%	28.1%	26.0%	22.8%	24.7%	26.3%
	Fair	10.4%	10.0%	9.3%	11.9%	10.9%	8.6%	9.1%	12.0%	11.1%	6.8%	11.3%	10.2%
	Poor	3.1%	2.5%	2.6%	3.3%	2.5%	2.0%	2.3%	3.2%	3.5%	2.4%	2.8%	2.9%
	Not available	.4%	.3%	.4%	.3%	1.0%	.5%	.1%	.4%	.4%	.5%	1.4%	.4%
	Don't know	.7%	2.2%	1.4%	1.5%	1.1%	1.5%	1.1%	1.4%	1.7%	1.9%	1.5%	1.4%
	NR	9.6%	16.0%	13.5%	10.8%	17.3%	8.2%	10.3%	12.3%	12.9%	21.0%	16.0%	12.6%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461
Access: Advanced diagnostic services	Excellent	5.0%	7.8%	7.3%	4.5%	6.4%	6.9%	6.6%	5.6%	6.5%	6.3%	6.7%	6.3%
	Very Good	14.2%	19.1%	17.1%	15.6%	14.5%	19.4%	19.8%	15.0%	15.4%	13.4%	15.4%	16.5%
	Good	23.7%	24.4%	23.7%	24.8%	23.3%	30.2%	26.9%	23.6%	21.4%	20.2%	22.0%	24.0%
	Fair	25.8%	17.9%	20.8%	24.5%	20.6%	20.6%	21.8%	23.7%	22.0%	19.1%	22.6%	22.1%
	Poor	18.9%	10.6%	14.3%	16.0%	15.0%	11.7%	12.3%	16.5%	17.6%	13.6%	14.3%	14.9%
	Not available	1.3%	.8%	1.0%	1.2%	1.1%	1.3%	.7%	1.1%	1.2%	1.7%	1.4%	1.1%
	Don't know	1.1%	3.2%	1.9%	2.5%	1.2%	2.1%	1.6%	2.1%	2.4%	2.6%	1.6%	2.1%
	NR	10.0%	16.3%	14.0%	10.8%	17.9%	7.9%	10.2%	12.3%	13.5%	23.0%	16.0%	13.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Drugs and appliances	Excellent	7.2%	6.2%	7.4%	5.6%	7.0%	6.5%	7.2%	5.4%	6.7%	9.5%	6.6%	6.7%
	Very Good	22.1%	21.8%	22.5%	21.1%	21.9%	25.7%	23.2%	19.8%	22.4%	21.2%	20.9%	21.9%
	Good	34.2%	26.6%	29.4%	32.7%	30.4%	34.4%	31.9%	31.7%	29.1%	24.9%	30.1%	30.6%
	Fair	16.4%	12.6%	13.8%	16.3%	10.6%	15.3%	15.7%	15.9%	14.6%	8.5%	12.1%	14.6%
	Poor	2.6%	3.1%	3.0%	2.7%	1.3%	1.3%	2.4%	3.4%	3.5%	2.2%	1.6%	2.8%
	Not available	.7%	1.0%	.9%	.7%	.5%	1.2%	.6%	.7%	.9%	1.3%	.9%	.8%
	Don't know	4.4%	8.2%	5.6%	7.2%	5.5%	5.9%	5.9%	7.1%	5.8%	5.4%	5.4%	6.2%
	NR	12.4%	20.5%	17.4%	13.7%	22.9%	9.8%	13.0%	16.0%	17.0%	26.9%	22.4%	16.3%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461
Access: Other	Excellent	.3%	.2%	.2%	.3%	.0%	.1%	.2%	.2%	.2%	.6%	.0%	.2%
	Very Good	.5%	.3%	.5%	.2%	.5%	.2%	.3%	.3%	.5%	.8%	.5%	.4%
	Good	.6%	.5%	.5%	.6%	.2%	.8%	.4%	.5%	.5%	.6%	.9%	.5%
	Fair	.4%	.6%	.4%	.7%	.0%	.4%	.5%	.5%	.4%	.8%	.0%	.5%
	Poor	2.8%	1.6%	1.8%	3.0%	1.7%	2.0%	2.1%	2.7%	2.2%	1.6%	1.9%	2.2%
	Not available	.6%	.7%	.7%	.8%	.2%	.4%	.7%	.7%	.7%	1.0%	.2%	.7%
	Don't know	1.9%	3.3%	2.6%	2.7%	1.8%	2.7%	2.6%	2.6%	2.2%	3.4%	1.7%	2.6%
	NR	93.0%	92.7%	93.4%	91.8%	95.5%	93.5%	93.2%	92.4%	93.3%	91.3%	94.8%	92.9%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.

Question asked of other specialists only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Family physicians/ general practitioners	Excellent	**	5.9%	6.3%	4.5%	9.6%	5.1%	4.9%	5.9%	5.1%	9.0%	10.9%	5.9%
	Very Good	**	14.2%	14.8%	13.1%	9.8%	16.9%	14.2%	11.9%	14.8%	18.1%	7.0%	14.2%
	Good	**	18.4%	18.2%	18.8%	20.4%	18.9%	20.4%	20.8%	15.8%	13.8%	18.3%	18.4%
	Fair	**	15.0%	14.4%	16.6%	11.0%	14.9%	17.8%	15.4%	14.8%	8.2%	14.8%	15.0%
	Poor	**	12.0%	11.1%	14.3%	9.5%	16.0%	12.1%	12.6%	11.7%	9.1%	13.3%	12.0%
	Not available	**	3.2%	2.7%	4.4%	2.3%	3.7%	3.3%	3.4%	3.4%	1.7%	3.5%	3.2%
	Don't know	**	4.5%	4.6%	4.3%	6.2%	5.7%	5.2%	4.6%	4.3%	3.4%	2.2%	4.5%
	NR	**	26.8%	27.9%	24.0%	31.3%	18.8%	22.1%	25.6%	30.2%	36.8%	30.0%	26.8%
Total	%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	0	29881	20208	9013	661	1853	8215	8275	7152	3700	687	29881
	n	0	5124	3305	1701	118	338	1233	1314	1317	802	120	5124

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: General internal medicine	Excellent	18.8%	24.1%	21.9%	18.3%	23.7%	26.3%	19.9%	21.0%	18.5%	22.1%	26.3%	20.8%
	Very Good	30.2%	36.4%	33.4%	30.7%	32.6%	32.1%	34.5%	31.8%	31.1%	34.0%	29.2%	32.6%
	Good	30.2%	24.5%	26.5%	31.0%	28.2%	27.1%	28.8%	27.0%	28.1%	29.2%	28.8%	28.0%
	Fair	16.1%	10.9%	13.8%	15.0%	10.6%	12.5%	12.8%	16.1%	15.7%	10.2%	11.1%	14.1%
	Poor	4.6%	3.9%	4.2%	4.6%	4.9%	1.9%	3.6%	4.0%	6.5%	4.5%	3.1%	4.3%
	Not available	.1%	.0%	.0%	.1%	.0%	.0%	.0%	.1%	.0%	.0%	.0%	.0%
	Don't know	.1%	.2%	.1%	.2%	.0%	.0%	.3%	.0%	.1%	.0%	1.5%	.2%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	9758	6121	10442	5092	345	1318	4226	4619	3767	1573	377	15879
	n	1833	1030	1776	1022	65	254	662	803	731	342	71	2863
Access: Cardiology	Excellent	16.9%	28.1%	23.0%	16.9%	25.3%	20.9%	23.7%	18.3%	19.9%	23.3%	27.1%	21.0%
	Very Good	31.9%	38.0%	34.5%	33.3%	34.6%	34.5%	37.3%	33.5%	31.4%	33.8%	37.9%	34.1%
	Good	32.3%	23.0%	26.8%	33.1%	26.8%	33.9%	26.5%	29.6%	30.5%	26.8%	24.3%	29.0%
	Fair	14.8%	8.0%	12.2%	12.8%	10.2%	8.8%	10.0%	14.3%	13.7%	12.8%	7.9%	12.4%
	Poor	4.1%	2.7%	3.5%	3.9%	3.1%	1.9%	2.5%	4.3%	4.5%	3.3%	2.9%	3.6%
	Not available	.0%	.1%	.0%	.1%	.0%	.0%	.0%	.1%	.0%	.0%	.0%	.0%
	Don't know	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	8644	4932	8512	4694	369	1002	3269	4011	3499	1396	399	13576
	n	1650	813	1454	939	70	194	518	692	680	304	75	2463
Access: Orthopaedic Surgery	Excellent	7.0%	21.4%	11.5%	7.7%	4.9%	8.1%	12.2%	9.3%	9.5%	10.0%	16.5%	10.2%
	Very Good	16.7%	28.3%	21.1%	15.7%	13.8%	29.0%	20.6%	18.9%	15.6%	17.8%	20.8%	19.2%
	Good	21.5%	22.3%	21.6%	21.6%	25.3%	24.1%	21.7%	21.9%	20.7%	21.8%	20.2%	21.7%
	Fair	21.7%	15.1%	19.7%	22.2%	10.8%	19.6%	19.7%	20.2%	20.9%	21.9%	15.7%	20.3%
	Poor	32.5%	12.5%	25.6%	32.3%	45.2%	18.7%	25.0%	29.4%	32.9%	27.8%	26.8%	28.2%
	Not available	.5%	.0%	.4%	.5%	.0%	.6%	.4%	.3%	.5%	.7%	.0%	.4%
	Don't know	.0%	.3%	.1%	.0%	.0%	.0%	.3%	.0%	.0%	.0%	.0%	.1%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	9087	2514	7640	3698	262	907	2702	3665	2895	1173	259	11601
	n	1718	435	1345	757	51	179	439	650	577	259	49	2153

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Unspecified surgical specialties	Excellent	21.8%	31.8%	26.0%	24.0%	27.7%	31.2%	25.9%	25.8%	24.0%	23.0%	23.8%	25.4%
	Very Good	30.5%	40.1%	35.1%	32.5%	25.9%	38.4%	38.6%	32.4%	32.6%	31.2%	22.9%	34.0%
	Good	29.3%	18.8%	24.5%	26.7%	35.1%	15.8%	22.1%	26.1%	27.1%	31.9%	35.6%	25.5%
	Fair	15.1%	7.1%	11.8%	13.4%	6.0%	13.1%	10.4%	12.4%	13.0%	11.8%	15.9%	12.2%
	Poor	3.1%	1.9%	2.5%	2.9%	5.3%	1.5%	2.8%	2.8%	3.2%	2.2%	1.8%	2.7%
	Not available	.1%	.2%	.0%	.4%	.0%	.0%	.0%	.4%	.0%	.0%	.0%	.1%
	Don't know	.1%	.1%	.1%	.1%	.0%	.0%	.3%	.0%	.2%	.0%	.0%	.1%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	6023	3401	5989	3175	260	678	2175	2772	2524	1045	229	9423
	n	1138	591	1034	646	49	128	344	490	494	228	45	1729
Access: General surgery	Excellent	21.7%	32.5%	26.5%	22.6%	21.7%	26.6%	28.0%	22.7%	22.4%	30.0%	29.3%	25.2%
	Very Good	35.5%	39.1%	36.6%	35.8%	53.4%	38.6%	33.8%	38.8%	37.7%	32.3%	42.4%	36.7%
	Good	30.0%	22.3%	27.4%	28.8%	11.9%	23.4%	27.1%	28.0%	29.1%	31.2%	16.3%	27.5%
	Fair	9.9%	4.4%	7.4%	9.9%	2.6%	9.0%	9.7%	7.6%	7.7%	4.6%	5.0%	8.1%
	Poor	2.8%	1.3%	2.0%	2.6%	10.4%	2.5%	1.0%	2.9%	2.9%	1.9%	6.9%	2.3%
	Not available	.1%	.0%	.1%	.0%	.0%	.0%	.0%	.0%	.2%	.0%	.0%	.1%
	Don't know	.0%	.4%	.0%	.4%	.0%	.0%	.4%	.0%	.0%	.0%	.0%	.1%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	6296	3044	6286	2876	179	959	2703	2735	2096	664	183	9340
	n	1169	508	1076	568	33	187	431	471	410	146	32	1677
Access: Obstetrics & Gynecology	Excellent	20.3%	31.5%	22.7%	21.7%	15.9%	27.5%	20.9%	22.0%	21.0%	23.1%	15.4%	22.0%
	Very Good	31.9%	34.3%	32.8%	31.5%	44.6%	39.2%	33.9%	27.4%	30.8%	38.9%	43.3%	32.3%
	Good	27.9%	20.1%	28.1%	25.7%	28.8%	19.6%	27.1%	28.5%	28.8%	21.4%	29.3%	26.7%
	Fair	14.4%	11.0%	10.1%	17.0%	8.4%	10.8%	14.6%	15.5%	13.7%	10.7%	9.9%	13.9%
	Poor	5.4%	2.2%	6.3%	4.0%	2.2%	2.9%	3.6%	6.4%	5.6%	5.2%	2.1%	4.9%
	Not available	.1%	.5%	.1%	.1%	.0%	.0%	.0%	.2%	.0%	.6%	.0%	.1%
	Don't know	.0%	.3%	.0%	.1%	.0%	.0%	.0%	.0%	.2%	.0%	.0%	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	7294	1308	3591	4832	179	872	2274	2769	1821	671	195	8602
	n	1436	238	642	998	34	172	386	538	384	157	37	1674

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Gastroenterology	Excellent	7.8%	17.6%	14.7%	7.0%	12.9%	8.1%	11.7%	7.2%	12.9%	23.4%	12.0%	11.3%
	Very Good	18.0%	29.6%	23.3%	21.0%	17.3%	22.9%	24.8%	18.1%	24.0%	23.4%	16.7%	22.1%
	Good	20.9%	26.7%	23.7%	21.9%	25.8%	19.2%	21.6%	21.8%	29.1%	14.9%	28.0%	23.0%
	Fair	25.4%	17.2%	20.8%	24.1%	32.4%	21.7%	23.5%	25.2%	17.6%	21.8%	34.6%	22.5%
	Poor	27.3%	8.9%	17.7%	25.4%	9.0%	27.3%	17.8%	27.7%	16.4%	15.7%	5.9%	20.8%
	Not available	.5%	.0%	.0%	.6%	2.6%	.8%	.6%	.0%	.0%	.7%	2.8%	.3%
	Don't know	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	4682	2561	3892	3155	196	674	1835	2142	1838	572	181	7243
	n	914	427	666	639	36	130	301	384	365	128	33	1341
Access: Psychiatry	Excellent	13.0%	14.3%	15.3%	11.2%	**	14.4%	17.2%	12.0%	10.7%	15.6%	11.7%	13.4%
	Very Good	15.8%	22.4%	18.1%	17.5%	**	17.5%	16.3%	16.6%	20.4%	20.1%	14.5%	17.9%
	Good	15.0%	19.5%	16.2%	17.1%	**	16.9%	13.8%	17.2%	18.8%	16.1%	7.5%	16.5%
	Fair	20.0%	23.8%	19.1%	24.5%	**	23.8%	23.3%	19.9%	21.3%	18.6%	21.4%	21.2%
	Poor	35.1%	19.3%	29.9%	29.2%	**	27.4%	29.5%	33.0%	26.9%	28.1%	44.9%	29.9%
	Not available	1.2%	.7%	1.4%	.6%	**	.0%	.0%	1.3%	1.8%	1.6%	.0%	1.0%
	Don't know	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	4592	2203	3713	2933	149	587	1485	2089	1726	750	159	6795
	n	890	399	656	604	29	119	241	381	343	175	30	1289
Access: Dermatology	Excellent	10.1%	17.2%	13.0%	10.1%	11.1%	12.6%	12.3%	11.0%	10.5%	13.5%	10.9%	11.6%
	Very Good	20.2%	24.8%	23.2%	19.0%	19.5%	26.8%	20.5%	20.7%	19.3%	24.8%	15.7%	21.2%
	Good	28.0%	28.5%	28.0%	28.8%	19.0%	29.0%	29.9%	24.4%	30.3%	30.2%	23.4%	28.1%
	Fair	20.6%	14.9%	19.3%	19.6%	21.2%	17.9%	17.9%	19.3%	22.5%	17.2%	23.1%	19.5%
	Poor	20.5%	14.5%	16.4%	21.9%	29.2%	11.8%	19.1%	24.7%	17.1%	13.7%	26.8%	19.3%
	Not available	.5%	.0%	.2%	.7%	.0%	1.8%	.4%	.0%	.3%	.7%	.0%	.4%
	Don't know	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	4885	1249	3166	2805	162	585	1503	1828	1448	608	162	6134
	n	953	217	559	579	32	115	250	339	295	138	33	1170

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Neurology	Excellent	14.4%	13.0%	14.3%	11.8%	**	10.8%	12.7%	10.3%	13.2%	21.7%	**	13.4%
	Very Good	21.4%	24.1%	24.9%	19.8%	**	23.2%	22.6%	20.3%	24.2%	27.4%	**	23.3%
	Good	27.1%	29.8%	27.6%	32.1%	**	31.7%	30.8%	31.3%	28.2%	23.7%	**	29.0%
	Fair	20.2%	22.0%	20.4%	23.4%	**	20.5%	23.6%	23.9%	19.7%	16.8%	**	21.4%
	Poor	15.6%	10.7%	12.1%	12.3%	**	13.9%	9.4%	13.8%	14.4%	9.1%	**	12.2%
	Not available	.8%	.4%	.6%	.5%	**	.0%	.9%	.4%	.3%	1.0%	**	.5%
	Don't know	.5%	.0%	.2%	.0%	**	.0%	.0%	.0%	.0%	.4%	**	.1%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1936	4376	4021	2154	137	228	1639	1820	1637	845	143	6312
	n	379	748	677	424	26	44	253	304	314	185	27	1127
Access: Pediatrics*	Excellent	31.7%	29.6%	28.9%	32.3%	**	36.4%	28.8%	33.5%	24.2%	27.6%	**	30.8%
	Very Good	35.1%	36.0%	35.7%	35.9%	**	34.9%	33.0%	36.2%	43.5%	35.4%	**	35.5%
	Good	22.3%	18.7%	22.7%	18.7%	**	21.9%	21.2%	15.5%	22.2%	30.0%	**	20.8%
	Fair	8.2%	9.0%	9.3%	8.0%	**	4.2%	10.1%	10.9%	7.4%	3.0%	**	8.6%
	Poor	2.4%	5.7%	3.3%	4.0%	**	2.6%	6.9%	2.5%	1.8%	4.1%	**	3.8%
	Not available	.2%	.4%	.0%	.6%	**	.0%	.0%	.6%	.9%	.0%	**	.3%
	Don't know	.0%	.5%	.0%	.4%	**	.0%	.0%	.8%	.0%	.0%	**	.2%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	2040	1538	1681	1799	97	423	1125	1055	564	292	117	3578
	n	381	272	287	348	18	82	187	186	113	63	22	653
Access: Otolaryngology	Excellent	16.7%	25.5%	24.2%	16.4%	**	22.0%	24.5%	19.2%	19.9%	19.8%	**	20.9%
	Very Good	28.4%	38.9%	34.4%	30.5%	**	32.7%	36.6%	28.8%	32.5%	37.6%	**	33.4%
	Good	37.6%	22.9%	29.7%	32.5%	**	36.4%	22.6%	32.0%	36.2%	28.6%	**	30.6%
	Fair	14.6%	8.7%	9.2%	16.0%	**	6.8%	15.7%	15.3%	8.1%	8.0%	**	11.8%
	Poor	2.7%	3.9%	2.5%	4.6%	**	2.0%	.7%	4.7%	3.3%	6.0%	**	3.2%
	Not available	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Don't know	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1675	1520	1901	1229	65	296	749	916	786	384	63	3194
	n	320	261	328	240	13	56	122	159	151	81	12	581

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Diagnostic Radiology	Excellent	31.1%	28.0%	26.7%	33.1%	**	20.9%	28.7%	33.3%	26.4%	26.6%	**	29.0%
	Very Good	37.5%	36.3%	37.4%	36.1%	**	38.9%	36.1%	34.1%	39.4%	38.1%	**	36.7%
	Good	18.5%	20.6%	20.9%	17.0%	**	20.1%	19.5%	22.1%	17.0%	23.8%	**	19.9%
	Fair	9.0%	9.7%	10.2%	8.1%	**	14.0%	9.8%	5.2%	11.8%	11.6%	**	9.5%
	Poor	3.9%	5.4%	4.7%	5.8%	**	6.1%	6.0%	5.2%	5.5%	.0%	**	4.9%
	Not available	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Don't know	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1010	2167	2330	798	49	182	894	818	873	378	32	3177
	n	183	370	388	156	9	35	134	134	164	80	6	553
Access: Respiriology	Excellent	19.2%	24.2%	21.2%	23.5%	**	26.5%	26.8%	18.8%	19.1%	21.0%	**	22.0%
	Very Good	31.6%	39.0%	35.8%	35.9%	**	32.5%	38.7%	30.5%	36.9%	43.8%	**	35.8%
	Good	35.0%	25.6%	29.3%	30.8%	**	33.3%	26.8%	36.1%	28.5%	19.6%	**	29.7%
	Fair	11.4%	7.2%	9.4%	7.9%	**	3.9%	7.2%	9.1%	10.8%	13.0%	**	9.0%
	Poor	2.5%	3.6%	4.0%	1.3%	**	3.6%	.0%	5.5%	4.7%	.0%	**	3.1%
	Not available	.4%	.4%	.4%	.5%	**	.0%	.6%	.0%	.0%	2.5%	**	.4%
	Don't know	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1353	1737	1970	1018	103	253	865	843	761	275	94	3091
	n	253	275	315	194	19	45	134	137	139	56	17	528

Notes:

Includes only respondents who provide patient care, and who indicated the specific specialty as one of the top 3 with whom they interact.

The specialties presented include only those that received 500 or more mentions.

*Pediatrics does not include any pediatric subspecialties (e.g., pediatric cardiology)

Information for specialties not listed is available upon request provided there are more than 30 mentions per category.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Physiotherapists/ Rehab therapists/ kinesiologists	Excellent	23.0%	17.3%	21.9%	20.5%	21.5%	18.4%	23.2%	19.7%	22.9%	20.3%	21.6%	21.3%
	Very Good	35.5%	30.6%	34.6%	33.3%	34.4%	34.1%	33.7%	32.5%	33.9%	43.1%	31.9%	34.0%
	Good	23.5%	29.1%	25.6%	24.3%	28.1%	25.8%	21.7%	27.9%	25.3%	22.1%	32.7%	25.2%
	Fair	10.9%	16.3%	11.4%	14.1%	13.0%	14.9%	13.6%	12.4%	11.7%	8.9%	10.5%	12.5%
	Poor	6.6%	6.0%	6.1%	7.1%	3.0%	6.3%	7.1%	6.9%	6.0%	4.9%	3.2%	6.4%
	Don't Know	.4%	.4%	.3%	.5%	.0%	.3%	.6%	.5%	.1%	.4%	.0%	.4%
	Not available	.1%	.2%	.2%	.1%	.0%	.2%	.3%	.1%	.0%	.3%	.0%	.1%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	13854	6012	11125	8289	451	2142	5196	6063	4648	1391	426	19865
	n	2646	1009	1901	1667	87	410	848	1088	918	308	83	3655
Access: Psychologists	Excellent	11.7%	10.3%	12.2%	9.5%	20.6%	6.5%	10.1%	10.2%	10.8%	20.1%	20.7%	11.2%
	Very Good	25.1%	21.6%	25.5%	21.2%	35.0%	14.5%	19.3%	21.9%	30.3%	29.0%	36.9%	23.8%
	Good	25.6%	31.4%	27.8%	28.0%	25.1%	33.9%	28.4%	28.6%	25.9%	24.1%	25.7%	27.8%
	Fair	21.8%	18.1%	19.1%	22.2%	14.0%	30.6%	21.6%	22.6%	17.0%	13.4%	4.6%	20.4%
	Poor	14.6%	17.3%	14.7%	17.3%	5.3%	13.0%	19.1%	16.0%	14.7%	12.5%	8.4%	15.6%
	Don't Know	1.0%	1.1%	.4%	1.7%	.0%	1.5%	1.0%	.7%	1.0%	.9%	3.6%	1.0%
	Not available	.1%	.2%	.3%	.0%	.0%	.0%	.4%	.0%	.3%	.0%	.0%	.2%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	4851	3068	4125	3594	199	613	1790	2681	1917	723	194	7919
	n	922	532	706	711	37	118	295	473	375	156	37	1454

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Social workers	Excellent	26.1%	23.1%	25.7%	23.0%	**	19.8%	28.8%	22.3%	25.1%	20.2%	**	24.6%
	Very Good	27.5%	32.8%	31.1%	28.9%	**	32.8%	28.7%	29.3%	29.4%	40.8%	**	30.2%
	Good	29.0%	26.9%	27.3%	28.5%	**	31.0%	24.9%	28.8%	29.4%	25.2%	**	27.9%
	Fair	11.4%	11.2%	10.5%	12.5%	**	13.7%	10.7%	11.6%	10.7%	12.3%	**	11.3%
	Poor	5.8%	5.1%	4.8%	6.5%	**	2.7%	6.4%	7.9%	4.2%	.8%	**	5.5%
	Don't Know	.2%	.7%	.5%	.4%	**	.0%	.6%	.2%	.9%	.7%	**	.5%
	Not available	.0%	.1%	.0%	.1%	**	.0%	.0%	.0%	.2%	.0%	**	.1%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	4059	4200	4536	3589	135	865	2456	2391	1866	551	130	8260
	n	761	712	747	701	25	165	389	417	359	119	24	1473
Access: Dieticians/nutritionists	Excellent	21.3%	24.6%	25.3%	20.1%	15.0%	19.7%	25.5%	22.7%	20.3%	22.5%	18.7%	22.6%
	Very Good	30.3%	29.3%	31.5%	28.4%	29.9%	32.5%	30.9%	28.1%	28.8%	36.4%	25.9%	30.0%
	Good	25.7%	28.1%	27.1%	26.2%	26.2%	29.4%	23.7%	25.3%	30.8%	29.2%	25.5%	26.6%
	Fair	14.6%	11.5%	10.5%	16.0%	21.3%	11.0%	13.5%	16.0%	11.5%	4.5%	27.5%	13.5%
	Poor	7.3%	5.6%	5.3%	7.9%	7.6%	5.9%	6.2%	6.9%	7.5%	7.4%	2.4%	6.6%
	Don't Know	.6%	.6%	.3%	1.0%	.0%	1.5%	.0%	.6%	1.2%	.0%	.0%	.6%
	Not available	.1%	.2%	.0%	.3%	.0%	.0%	.3%	.2%	.0%	.0%	.0%	.2%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	4972	3053	3939	3931	156	1007	2335	2515	1622	374	172	8025
	n	957	509	654	782	30	199	378	450	329	78	32	1466
Access: Nurses (unspecified)	Excellent	45.9%	36.2%	41.2%	38.7%	60.5%	35.4%	45.3%	37.3%	39.1%	44.1%	54.1%	40.7%
	Very Good	35.4%	35.0%	36.6%	33.9%	25.0%	41.4%	31.7%	35.1%	37.8%	33.8%	31.6%	35.2%
	Good	15.0%	20.3%	16.4%	20.4%	9.8%	20.4%	16.7%	19.8%	18.2%	13.9%	7.3%	17.9%
	Fair	3.1%	6.2%	4.6%	5.0%	4.7%	2.7%	4.9%	5.2%	3.9%	7.1%	6.9%	4.8%
	Poor	.5%	1.8%	.9%	1.7%	.0%	.0%	1.2%	2.1%	1.0%	.0%	.0%	1.2%
	Don't Know	.1%	.1%	.0%	.3%	.0%	.0%	.2%	.2%	.0%	.0%	.0%	.1%
	Not available	.0%	.3%	.3%	.0%	.0%	.0%	.0%	.3%	.0%	1.0%	.0%	.2%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	3777	4328	4624	3276	206	796	2284	2364	1866	589	207	8105
	n	710	738	765	646	37	153	354	412	366	125	38	1448

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Occupational therapists	Excellent	18.5%	16.8%	18.2%	15.9%	**	14.1%	18.2%	16.2%	19.2%	20.1%	**	17.6%
	Very Good	28.6%	29.5%	29.6%	29.0%	**	30.4%	33.1%	25.6%	23.6%	48.1%	**	29.1%
	Good	28.8%	28.1%	29.2%	27.6%	**	31.7%	26.8%	29.0%	31.1%	14.7%	**	28.4%
	Fair	15.1%	16.0%	14.6%	16.6%	**	15.0%	12.0%	19.8%	15.0%	13.3%	**	15.6%
	Poor	8.5%	9.1%	7.9%	10.4%	**	8.9%	9.4%	9.1%	9.7%	3.8%	**	8.8%
	Don't Know	.5%	.4%	.4%	.5%	**	.0%	.4%	.3%	1.0%	.0%	**	.4%
	Not available	.0%	.2%	.2%	.0%	**	.0%	.0%	.0%	.4%	.0%	**	.1%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	2576	3104	3149	2394	136	581	1696	1703	1228	336	135	5679
	n	478	524	513	464	25	111	271	289	234	73	24	1002
Access: Pharmacists	Excellent	46.2%	43.1%	43.2%	48.1%	**	53.1%	48.5%	40.6%	45.3%	41.8%	**	45.0%
	Very Good	37.0%	38.4%	38.8%	35.0%	**	26.0%	36.6%	40.1%	39.4%	34.8%	**	37.6%
	Good	14.0%	14.8%	14.8%	13.6%	**	16.1%	13.8%	15.7%	11.0%	19.3%	**	14.3%
	Fair	2.3%	1.9%	2.2%	2.1%	**	3.5%	.5%	1.9%	3.9%	2.8%	**	2.2%
	Poor	.5%	1.8%	.9%	1.2%	**	1.3%	.6%	1.6%	.4%	1.3%	**	1.0%
	Don't Know	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Not available	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	2405	1514	2299	1572	48	317	1116	1178	934	324	50	3919
	n	468	258	394	323	9	60	175	216	192	73	10	726
Access: Mental health workers/ counsellors/ psychiatric nurses	Excellent	17.9%	21.0%	21.4%	14.3%	**	8.2%	24.0%	17.0%	18.0%	17.8%	**	18.6%
	Very Good	19.2%	19.5%	16.5%	22.9%	**	29.0%	15.8%	20.6%	18.8%	18.0%	**	19.3%
	Good	26.1%	18.4%	25.3%	22.9%	**	27.5%	20.6%	27.0%	24.5%	21.7%	**	24.6%
	Fair	21.5%	22.9%	21.5%	22.8%	**	23.3%	23.5%	18.5%	24.0%	21.3%	**	21.8%
	Poor	15.3%	18.2%	15.3%	17.1%	**	12.1%	16.2%	16.8%	14.7%	21.1%	**	15.8%
	Don't Know	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Not available	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1985	481	1361	1071	34	209	681	693	648	206	29	2467
	n	382	91	244	222	7	41	115	132	132	47	6	473

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Access: Home care nurses/workers	Excellent	18.7%	21.6%	20.2%	17.8%	**	**	21.0%	18.6%	18.3%	17.3%	**	19.5%
	Very Good	32.6%	22.6%	32.6%	24.9%	**	**	26.0%	24.9%	36.0%	35.8%	**	29.8%
	Good	31.7%	31.2%	30.0%	35.2%	**	**	33.9%	32.1%	33.6%	25.1%	**	31.6%
	Fair	11.1%	17.6%	11.8%	15.2%	**	**	11.8%	18.5%	9.0%	13.5%	**	12.9%
	Poor	5.4%	7.0%	5.5%	6.0%	**	**	6.6%	5.8%	3.1%	6.4%	**	5.8%
	Don't Know	.5%	.0%	.0%	1.0%	**	**	.7%	.0%	.0%	1.9%	**	.4%
	Not available	.0%	.0%	.0%	.0%	**	**	.0%	.0%	.0%	.0%	**	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	**
	N	1721	666	1500	839	48	149	680	713	613	188	43	2387
	n	330	112	260	173	9	29	110	127	125	43	8	442
Access: Nurse practitioners/advance practice nurses	Excellent	50.0%	37.9%	42.6%	50.5%	**	48.6%	51.7%	41.7%	44.3%	42.0%	.0%	45.4%
	Very Good	30.5%	36.8%	35.6%	27.7%	**	37.0%	26.0%	36.1%	32.1%	37.9%	**	32.9%
	Good	11.7%	16.5%	15.2%	11.0%	**	11.7%	11.3%	16.2%	14.7%	10.8%	**	13.5%
	Fair	7.0%	8.8%	6.3%	10.3%	**	2.7%	10.2%	6.0%	8.0%	9.4%	**	7.7%
	Poor	.7%	.0%	.4%	.6%	**	.0%	.8%	.0%	1.0%	.0%	**	.5%
	Don't Know	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Not available	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	.0%	**	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1449	880	1469	843	17	181	663	718	578	173	17	2329
	n	274	154	251	174	3	37	107	126	115	40	3	428
Access: Respiratory/inhalo therapists/ asthma educators	Excellent	41.5%	44.6%	42.0%	45.6%	**	44.7%	50.9%	39.1%	37.8%	**	**	43.3%
	Very Good	34.9%	42.8%	41.7%	34.9%	**	41.0%	30.7%	40.4%	48.4%	**	**	39.5%
	Good	17.5%	11.2%	12.7%	16.2%	**	14.4%	14.1%	16.1%	11.5%	**	**	13.8%
	Fair	5.8%	1.4%	3.6%	2.8%	**	.0%	4.3%	3.8%	2.3%	**	**	3.3%
	Poor	.4%	.0%	.0%	.5%	**	.0%	.0%	.5%	.0%	**	**	.2%
	Don't Know	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	**	**	.0%
	Not available	.0%	.0%	.0%	.0%	**	.0%	.0%	.0%	.0%	**	**	.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	100.0%	100.0%	**	**
	N	1013	1426	1558	856	25	184	724	764	655	93	19	2439
	n	187	237	252	167	5	35	110	129	125	21	4	424

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Notes:

Includes only respondents who provide patient care, and who indicated the specific health profession as one of the top 3 with whom they interact.

The health professions presented include only those that received 400 or more mentions.

Information for health professions not listed is available upon request provided there are more than 30 mentions per category.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14ai Typically, if a patient contacts your office or is referred to you URGENTLY, how long would that patient wait until the first available appointment WITH YOU OR YOUR PRACTICE?

		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Wait for urgent referral	Same day	57.8%	28.5%	44.1%	43.8%	42.2%	44.5%	41.0%	43.4%	46.6%	45.6%	45.9%	43.9%
	Days	20.7%	44.8%	32.3%	31.7%	32.8%	30.2%	33.9%	32.9%	31.2%	29.4%	30.5%	32.1%
	Unsure	1.7%	2.5%	1.9%	2.5%	2.3%	2.4%	2.3%	2.0%	2.0%	2.2%	2.4%	2.1%
	Not applicable	13.1%	15.3%	13.8%	15.2%	8.9%	17.5%	16.0%	13.5%	12.7%	13.3%	9.8%	14.2%
	NR	6.7%	8.9%	8.0%	6.8%	13.8%	5.4%	6.9%	8.2%	7.5%	9.5%	11.5%	7.7%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14ai Typically, if a patient contacts your office or is referred to you URGENTLY, how long would that patient wait until the first available appointment WITH YOU OR YOUR PRACTICE?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Wait for urgent referral: number of days	One day or less	61.2%	31.8%	47.5%	47.2%	45.5%	47.7%	44.0%	46.7%	50.7%	48.8%	48.7%	47.3%
	More than one day, up to one week	14.4%	29.3%	21.5%	21.3%	22.5%	20.8%	22.4%	21.6%	20.8%	20.4%	22.1%	21.5%
	More than one week, up to 2 weeks	1.4%	6.8%	4.2%	3.5%	3.3%	3.8%	4.8%	4.5%	3.1%	2.9%	2.5%	4.0%
	More than two weeks	1.1%	4.6%	2.6%	2.9%	3.2%	2.2%	3.1%	3.1%	2.5%	1.9%	2.4%	2.7%
	Unsure	1.7%	2.5%	1.9%	2.5%	2.3%	2.4%	2.3%	2.0%	2.0%	2.2%	2.4%	2.1%
	Not applicable	13.1%	15.3%	13.8%	15.2%	8.9%	17.5%	16.0%	13.5%	12.7%	13.3%	9.8%	14.2%
	NR	7.0%	9.7%	8.5%	7.4%	14.3%	5.6%	7.4%	8.7%	8.2%	10.4%	12.2%	8.3%
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14ai Number of DAYS that a patient contacting your office URGENTLY, will wait until the first available appointment with you or your practice.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Wait for urgent referral: number of days	Mean	1.35	5.03	3.03	2.98	3.40	2.63	3.43	3.21	2.69	2.65	2.89	3.02
	Median	.00	2.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	Mode	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	Standard Deviation	4.75	9.17	7.26	7.37	8.90	5.28	7.53	7.53	7.32	7.37	8.31	7.34
	Minimum	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	Maximum	90.00	99.00	99.00	99.00	90.00	45.00	90.00	99.00	99.00	90.00	90.00	99.00
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461	

Notes:

Includes only respondents who indicated number of days.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14aii Typically, if a patient contacts your office or is referred to you NON-URGENTLY, how long would that patient wait until the first available appointment WITH YOU OR YOUR PRACTICE?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Wait for non-urgent referral	Same week	34.7%	8.4%	22.7%	21.4%	21.9%	24.1%	18.7%	21.4%	24.3%	27.2%	22.1%	22.2%
	Weeks	42.3%	66.7%	53.2%	54.9%	55.7%	47.3%	55.2%	54.4%	54.8%	51.0%	55.6%	53.8%
	Unsure	2.2%	3.0%	2.2%	3.3%	1.9%	4.0%	2.6%	2.6%	2.1%	2.6%	2.2%	2.6%
	Not applicable	13.2%	14.0%	13.7%	13.7%	8.7%	18.2%	16.4%	13.4%	11.0%	10.4%	10.0%	13.6%
	NR	7.7%	8.0%	8.3%	6.7%	11.8%	6.4%	7.1%	8.2%	7.8%	8.9%	10.1%	7.8%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14aii Typically, if a patient contacts your office or is referred to you NON-URGENTLY, how long would that patient wait until the first available appointment WITH YOU OR YOUR PRACTICE?

		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Wait for non-urgent referral: number of weeks	Up to one week	39.6%	10.5%	26.0%	25.6%	25.7%	29.0%	22.6%	24.5%	27.9%	30.3%	26.1%	25.8%
	More than 1 week, up to 2 weeks	12.5%	9.5%	10.7%	12.0%	9.0%	10.5%	10.6%	11.6%	11.4%	11.3%	8.6%	11.1%
	More than 2 weeks, up to 4 weeks	10.9%	14.5%	12.3%	12.8%	14.5%	13.7%	11.1%	11.9%	13.4%	14.9%	14.5%	12.6%
	More than 4 weeks, up to 6 weeks	4.2%	7.8%	6.2%	5.4%	6.2%	4.2%	6.0%	6.1%	6.0%	5.6%	8.0%	5.9%
	More than 6 weeks, up to 2 months	2.9%	6.6%	4.7%	4.5%	5.6%	4.1%	5.3%	4.6%	4.5%	3.9%	5.1%	4.7%
	More than 2 months, up to 3 months	3.4%	8.4%	5.6%	5.9%	7.6%	4.4%	6.0%	5.7%	6.3%	4.8%	6.9%	5.8%
	More than 3 months, up to 6 months	1.7%	9.6%	5.4%	5.4%	5.7%	2.9%	6.7%	5.9%	4.9%	3.9%	5.1%	5.4%
	More than 6 months	1.0%	7.0%	4.1%	3.6%	2.1%	2.2%	4.8%	4.8%	3.6%	1.3%	2.0%	3.9%
	Unsure	2.2%	3.0%	2.2%	3.3%	1.9%	4.0%	2.6%	2.6%	2.1%	2.6%	2.2%	2.6%
	Not applicable	13.2%	14.0%	13.7%	13.7%	8.7%	18.2%	16.4%	13.4%	11.0%	10.4%	10.0%	13.6%
	NR	8.4%	9.1%	9.1%	7.8%	13.0%	6.7%	8.0%	9.0%	8.8%	11.0%	11.5%	8.8%
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14a_{ii} Number of WEEKS that a patient contacting your office NON-URGENTLY will wait until the first available appointment with you or your practice.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Wait for non-urgent referral: number of weeks	Mean	3.27	11.87	7.57	6.75	7.42	5.07	8.48	8.00	7.02	4.60	7.10	7.28
	Median	1.00	6.00	3.00	3.00	3.00	2.00	3.00	3.00	2.00	2.00	3.00	3.00
	Mode	.00	2.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	Standard Deviation	9.82	21.78	18.48	13.45	23.62	11.35	16.10	18.67	18.69	10.01	23.39	17.06
	Minimum	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
	Maximum	312.00	390.00	390.00	180.00	312.00	156.00	182.00	390.00	365.00	180.00	312.00	390.00
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461	

Notes:

Includes only respondents who indicated number of weeks.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14b To what extent is your practice accepting new patients into your MAIN patient care setting? Check only one.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
To what extent is your practice accepting new patients?	No restrictions	17.5%	48.5%	36.3%	25.2%	27.4%	33.0%	36.7%	29.2%	29.0%	37.1%	29.0%	32.2%
	Partially closed	40.8%	14.3%	25.0%	33.1%	38.3%	26.2%	22.6%	31.0%	32.5%	24.0%	37.3%	28.2%
	Completely closed	16.9%	2.4%	9.1%	11.7%	9.6%	6.7%	7.7%	10.5%	12.7%	11.3%	8.9%	10.1%
	N/A to my practice setting	20.2%	28.8%	24.0%	25.3%	17.5%	29.1%	27.9%	23.7%	21.1%	22.2%	19.0%	24.3%
	NR	4.6%	6.0%	5.5%	4.6%	7.2%	5.0%	5.2%	5.7%	4.8%	5.4%	5.8%	5.2%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14b If your practice is partially closed, please estimate the number of new patients you accepted into your practice in the last 12 months

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Estimated number of new patients in past 12 months	Up to 10	14.4%	8.4%	10.9%	15.6%	14.6%	9.5%	12.8%	13.2%	12.7%	15.3%	15.7%	13.0%
	More than 10, up to 20	21.4%	10.3%	17.8%	20.2%	16.1%	14.4%	21.5%	18.9%	17.6%	19.6%	15.8%	18.7%
	More than 20, up to 30	15.7%	8.8%	14.7%	13.0%	15.2%	13.9%	11.3%	15.5%	15.3%	11.1%	14.5%	14.0%
	More than 30, up to 50	18.3%	11.8%	16.8%	17.0%	14.7%	16.4%	17.7%	18.7%	16.2%	11.8%	11.2%	16.8%
	More than 50, up to 100	13.3%	14.9%	15.2%	11.7%	12.8%	14.4%	12.6%	13.1%	15.0%	12.9%	15.6%	13.7%
	More than 100, up to 200	4.7%	12.1%	6.9%	6.0%	5.0%	7.6%	6.5%	6.4%	5.8%	7.4%	7.6%	6.5%
	More than 200, up to 500	2.7%	11.1%	4.4%	5.0%	6.5%	7.1%	6.0%	3.9%	4.0%	4.9%	6.0%	4.7%
	More than 500	1.6%	8.1%	3.8%	2.5%	.8%	5.9%	4.3%	2.6%	3.0%	2.1%	.0%	3.2%
	NR	7.9%	14.5%	9.5%	9.0%	14.1%	10.9%	7.4%	7.7%	10.4%	15.0%	13.6%	9.5%
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	13558	4262	9827	7360	633	1280	3661	5754	4912	1584	629	17820
	n	2603	742	1721	1505	119	250	605	1041	974	355	120	3345

Notes:

Includes only respondents who indicated that their practice was partially closed.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14b If your practice is partially closed, please estimate the number of new patients you accepted into your practice in the last 12 months.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Estimated number of new patients in past 12 months	Mean	66.75	193.27	104.48	83.95	85.34	139.22	103.41	87.88	90.88	91.48	71.28	95.32
	Median	30.00	70.00	40.00	30.00	30.00	50.00	40.00	30.00	30.00	30.00	30.00	30.00
	Mode	20.00	50.00	50.00	20.00	20.00	50.00	20.00	50.00	50.00	20.00	10.00	20.00
	Standard Deviation	139.54	309.97	218.83	167.05	209.86	246.89	191.46	198.54	198.30	200.88	95.04	198.91
	Minimum	1.00	2.00	1.00	1.00	2.00	4.00	2.00	2.00	2.00	1.00	2.00	1.00
	Maximum	2000.00	2000.00	2000.00	2000.00	2000.00	1600.00	1360.00	2000.00	2000.00	2000.00	500.00	2000.00
	N	12483	3641	8889	6691	543	1135	3391	5312	4399	1343	543	16124
n	2389	632	1551	1368	102	222	560	961	874	301	103	3021	

Notes:

Includes only respondents who indicated greater than zero patients.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14c Approximately how many patients are in your practice?

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Estimated number of patients in practice	Up to 500	10.5%	.0%	8.7%	13.1%	9.3%	20.5%	10.9%	8.6%	8.5%	11.3%	9.4%	10.5%
	More than 500, up to 1000	13.5%	.0%	10.2%	18.2%	16.5%	16.6%	16.4%	13.8%	10.9%	8.6%	14.7%	13.5%
	More than 1000, up to 1500	13.9%	.0%	13.6%	14.4%	11.9%	11.1%	12.9%	15.6%	14.7%	12.5%	9.0%	13.9%
	More than 1500, up to 2000	11.5%	.0%	13.1%	9.2%	10.5%	4.6%	8.7%	13.2%	15.1%	10.1%	11.2%	11.5%
	More than 2000, up to 2500	4.6%	.0%	6.4%	2.0%	4.5%	.8%	2.8%	5.1%	7.0%	5.1%	4.3%	4.6%
	More than 2500, up to 3000	3.9%	.0%	4.5%	2.9%	4.3%	.6%	2.8%	4.2%	5.4%	4.8%	4.7%	3.9%
	More than 3000 patients	5.4%	.0%	6.7%	3.4%	7.1%	3.3%	3.9%	5.0%	7.7%	5.5%	9.8%	5.4%
	Not Applicable	26.5%	.0%	28.1%	24.7%	20.2%	34.7%	33.0%	23.4%	20.6%	29.3%	20.5%	26.5%
	NR	10.3%	.0%	8.7%	12.1%	15.7%	7.7%	8.5%	11.2%	10.1%	12.8%	16.3%	10.3%
Total	%	100%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999	33233
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14c Approximately how many patients are in your practice?

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Estimated number of patients in practice	Mean	1700.84	.	1906.08	1395.76	1823.75	1157.88	1549.91	1733.79	1901.45	1779.90	1999.01	1700.84
	Median	1400.00	.	1500.00	1100.00	1400.00	800.00	1200.00	1500.00	1600.00	1500.00	1500.00	1400.00
	Mode	2000.00	.	2000.00	1000.00	1000.00	1000.00	1000.00	2000.00	2000.00	2000.00	1000.00	2000.00
	Standard Deviation	1547.61	.	1640.32	1329.96	1732.29	1401.42	1609.78	1506.97	1486.26	1582.47	1833.48	1547.61
	Minimum	1.00	.	1.00	7.00	30.00	8.00	30.00	16.00	1.00	7.00	30.00	1.00
	Maximum	9999.00	.	9999.00	9999.00	9999.00	9999.00	9999.00	9999.00	9999.00	9999.00	9999.00	9999.00
	N	21002	0	12022	8344	636	1743	4681	6734	5533	1680	631	21002
n	4021	0	2155	1743	123	342	786	1257	1128	384	124	4021	

Notes:

Includes only respondents who indicated greater than zero patients.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14d Please estimate the number of patients you see in a TYPICAL WEEK, EXCLUDING patient visits while you are on-call (on-call is defined as time outside of regularly scheduled activity during which you are available to patients).

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Number of patients you see per week	Up to 25	7.0%	.0%	6.2%	8.3%	4.7%	6.4%	8.0%	6.2%	6.4%	10.5%	4.7%	7.0%
	More than 25, up to 50	13.7%	.0%	11.3%	17.3%	13.6%	14.5%	14.0%	14.2%	12.3%	15.1%	12.2%	13.7%
	More than 50, up to 75	12.0%	.0%	9.0%	16.5%	10.6%	16.5%	14.7%	11.5%	9.4%	10.1%	7.9%	12.0%
	More than 75, up to 100	19.4%	.0%	17.0%	23.3%	14.8%	27.9%	21.1%	19.4%	16.6%	15.0%	16.1%	19.4%
	More than 100, up to 125	11.0%	.0%	11.3%	10.6%	10.0%	9.2%	11.5%	11.6%	11.3%	9.3%	9.5%	11.0%
	More than 125, up to 150	12.6%	.0%	14.6%	9.5%	17.0%	10.6%	11.8%	12.2%	14.1%	12.7%	18.5%	12.6%
	More than 150, up to 175	3.6%	.0%	4.6%	2.0%	4.3%	1.1%	2.0%	3.8%	5.5%	4.8%	2.9%	3.6%
	More than 175, up to 200	7.2%	.0%	10.0%	3.4%	4.2%	3.2%	5.8%	8.1%	9.7%	6.5%	3.8%	7.2%
	More than 200	5.0%	.0%	7.1%	1.7%	7.5%	2.2%	3.4%	4.6%	7.3%	5.7%	8.6%	5.0%
	NR	8.4%	.0%	8.9%	7.4%	13.2%	8.4%	7.7%	8.4%	7.5%	10.3%	15.9%	8.4%
	Total	%	100%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999	33233
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q14d Please estimate the number of patients you see in a TYPICAL WEEK, EXCLUDING patient visits while you are on-call (on-call is defined as time outside of regularly scheduled activity during which you are available to patients).

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Number of patients you see per week	Mean	106.92	.	119.44	88.45	117.20	92.33	98.98	107.91	118.19	105.00	121.05	106.92
	Median	100.00	.	120.00	80.00	100.00	85.00	90.00	100.00	115.00	100.00	110.00	100.00
	Mode	100.00	.	100.00	100.00	150.00	100.00	100.00	100.00	100.00	100.00	150.00	100.00
	Standard Deviation	64.37	.	69.08	50.65	76.15	50.37	58.84	63.81	69.28	68.79	77.96	64.37
	Minimum	2.00	.	2.00	2.00	2.00	5.00	2.00	4.00	2.00	2.00	6.00	2.00
	Maximum	500.00	.	500.00	400.00	500.00	300.00	400.00	500.00	500.00	450.00	500.00	500.00
	N	30380	0	17312	12207	861	2770	7388	9416	7365	2600	841	30380
n	5797	0	3088	2542	167	547	1233	1756	1502	593	166	5797	

Notes:

Includes only respondents who indicated greater than zero patients.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15a Are you practising within the main areas of the specialty as broadly taught during your residency?

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Are you practising within the main areas of the specialty as broadly taught during your residency?	Yes	.0%	78.5%	78.7%	78.5%	71.1%	84.4%	82.6%	77.6%	74.5%	75.5%	79.8%	78.5%	
	No	.0%	16.1%	15.6%	16.6%	22.5%	9.6%	11.6%	16.9%	20.2%	19.6%	14.7%	16.1%	
	NR	.0%	5.5%	5.7%	5.0%	6.4%	6.0%	5.7%	5.5%	5.3%	4.9%	5.5%	5.5%	
	Total	%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	0	29881	20208	9013	661	1853	8215	8275	7152	3700	687	29881
	n	0	5124	3305	1701	118	338	1233	1314	1317	802	120	5124	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15ai If you are not practising within the main areas of the specialty as broadly taught during your residency, please indicate why your practice differs from your training? Check all that apply.

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Developments in my specialty	New medical information regarding my specialty	.0%	43.3%	46.2%	37.7%	**	10.2%	35.6%	43.7%	50.4%	47.0%	**	43.3%
	New indications for treatment	.0%	33.7%	36.8%	28.0%	**	8.0%	27.8%	31.8%	41.7%	37.2%	**	33.7%
	New diagnostics	.0%	31.7%	34.9%	26.1%	**	5.8%	18.0%	28.4%	41.7%	43.0%	**	31.7%
	CPGs	.0%	8.8%	8.8%	8.3%	**	2.1%	3.6%	7.4%	13.4%	10.3%	**	8.8%
	Technology	.0%	36.8%	42.9%	23.7%	**	20.5%	30.5%	32.2%	44.4%	43.0%	**	36.8%
	Drugs	.0%	26.0%	28.1%	21.2%	**	9.5%	16.0%	20.5%	36.8%	31.9%	**	26.0%
	Other	.0%	20.1%	20.0%	20.4%	**	11.0%	19.6%	21.7%	23.0%	15.5%	**	20.1%
	NR	.0%	30.4%	26.2%	39.6%	**	60.1%	36.6%	30.9%	22.7%	28.6%	**	30.4%
Total	N	0	4799	3158	1493	148	177	956	1398	1443	724	101	4799
	n	0	865	550	287	28	34	143	236	273	160	19	865

Notes:

Includes only respondents who provide patient care.

Excludes those who are practising within the main areas of their specialty as broadly taught during residency.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15aii If you are not practising within the main areas of the specialty as broadly taught during your residency, please indicate why you practice differs from your training? Check all that apply.

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Non-specialty specific	Changing disease patterns	.0%	18.8%	20.4%	16.5%	**	5.4%	12.1%	17.8%	23.7%	24.7%	**	18.8%
	Increasing demands due to an aging population	.0%	23.3%	26.3%	16.7%	**	9.7%	22.9%	20.1%	26.8%	26.5%	**	23.3%
	Shortages of other health care providers	.0%	24.0%	25.3%	21.8%	**	27.3%	24.3%	18.5%	28.9%	23.0%	**	24.0%
	Implementation of interprofessional care	.0%	14.0%	15.1%	12.5%	**	.0%	6.7%	16.5%	16.4%	17.7%	**	14.0%
	New health care restructuring arrangements	.0%	14.0%	16.0%	9.8%	**	5.6%	7.9%	10.9%	20.6%	16.1%	**	14.0%
	Patient needs	.0%	33.0%	34.5%	31.1%	**	16.4%	33.6%	27.8%	39.7%	34.3%	**	33.0%
	Personal choice	.0%	42.8%	40.1%	48.0%	**	33.5%	43.4%	39.1%	47.1%	41.6%	**	42.8%
	Other differences between training and practice	.0%	14.9%	13.6%	18.3%	**	29.9%	19.3%	15.1%	10.5%	13.9%	**	14.9%
	NR	.0%	22.1%	22.2%	21.7%	**	30.2%	24.3%	24.9%	17.6%	22.0%	**	22.1%
	Total	N	0	4799	3158	1493	148	177	956	1398	1443	724	101
	n	0	865	550	287	28	34	143	236	273	160	19	865

Notes:

Includes only respondents who provide patient care.

Excludes those who are practising within the main areas of their specialty as broadly taught during residency.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15b If your practice extends beyond what you were taught during residency, what extra training did you pursue? Check all that apply.

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Extra training did you pursue	No additional formal training	.0%	10.7%	10.4%	11.9%	**	15.3%	7.2%	11.3%	8.9%	17.6%	**	10.7%
	A fellowship after residency	.0%	46.7%	45.5%	50.0%	**	66.2%	64.7%	49.8%	40.7%	25.8%	**	46.7%
	Continuing professional development offered by a national specialty society in Canada	.0%	41.3%	42.2%	38.9%	**	19.6%	31.0%	38.5%	50.2%	45.9%	**	41.3%
	Continuing professional development offered by a medical society outside of Canada	.0%	37.2%	39.5%	33.3%	**	10.0%	24.6%	40.1%	46.4%	36.5%	**	37.2%
	Continuing professional development offered by industry	.0%	20.3%	24.2%	12.0%	**	10.5%	15.3%	18.9%	26.2%	20.0%	**	20.3%
	Other substantive training	.0%	26.0%	26.0%	25.8%	**	13.4%	22.7%	24.1%	31.2%	27.4%	**	26.0%
	NR	.0%	5.7%	5.3%	6.0%	**	3.3%	6.7%	5.7%	3.4%	8.9%	**	5.7%
	Total	N	0	4799	3158	1493	148	177	956	1398	1443	724	101
	n	0	865	550	287	28	34	143	236	273	160	19	865

Notes:

Includes only respondents who provide patient care.

Excludes those who are practising within the main areas of their specialty as broadly taught during residency.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15 Please indicate if you OFFER the following to your patients. Check all that apply.

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
I (physician) offer	Emergency medicine	35.6%	.0%	40.7%	28.4%	34.2%	46.4%	41.7%	34.2%	29.7%	29.3%	34.4%	35.6%
	Alternative/complementary medicine	7.4%	.0%	7.7%	7.0%	7.0%	4.7%	5.9%	6.8%	10.3%	8.2%	8.5%	7.4%
	Travel/tropical medicine	26.7%	.0%	28.1%	25.0%	21.3%	28.1%	26.3%	26.3%	29.4%	22.0%	22.1%	26.7%
	Cosmetic medicine	5.1%	.0%	5.6%	4.6%	3.1%	3.4%	5.9%	5.6%	5.1%	3.3%	3.8%	5.1%
	Anesthesia	4.8%	.0%	6.8%	1.8%	3.7%	4.1%	6.0%	4.2%	5.0%	3.9%	2.7%	4.8%
	Community medicine/public health services/ health promotion	30.2%	.0%	27.8%	33.9%	26.4%	29.4%	31.3%	31.6%	29.8%	24.8%	28.7%	30.2%
	Dermatology	45.7%	.0%	46.0%	45.6%	42.7%	38.4%	38.2%	48.2%	53.5%	44.0%	44.9%	45.7%
	Gynecology	52.1%	.0%	46.3%	60.7%	50.4%	53.2%	47.5%	54.5%	56.4%	44.0%	51.0%	52.1%
	Liaison to Homecare	43.8%	.0%	43.2%	45.0%	38.7%	32.6%	39.6%	44.9%	52.1%	41.6%	41.1%	43.8%
	Hospitalist care	21.3%	.0%	22.2%	20.4%	16.9%	35.1%	26.0%	20.2%	17.3%	11.3%	15.9%	21.3%
	Housecalls	42.4%	.0%	43.4%	41.1%	42.3%	30.8%	35.8%	42.8%	52.6%	43.6%	41.7%	42.4%
	Infectious disease care	41.2%	.0%	43.3%	38.9%	31.9%	29.8%	36.4%	43.3%	49.6%	39.6%	30.9%	41.2%
	Mental health care	60.3%	.0%	56.8%	65.4%	60.5%	57.7%	56.8%	62.2%	65.3%	52.4%	60.2%	60.3%
	Psychotherapy/counseling	49.2%	.0%	46.6%	53.1%	49.0%	35.7%	40.7%	51.8%	58.5%	51.4%	52.6%	49.2%
	Substance abuse care	29.9%	.0%	31.2%	28.4%	26.2%	26.8%	28.4%	30.7%	33.7%	26.1%	25.7%	29.9%
	Nutritional counseling	38.0%	.0%	34.3%	43.8%	34.3%	33.4%	35.6%	39.6%	41.0%	37.0%	35.9%	38.0%
	Pain management	56.9%	.0%	57.2%	56.6%	57.7%	50.8%	52.0%	58.3%	64.3%	52.4%	55.5%	56.9%
	Palliative medicine	45.7%	.0%	45.4%	46.1%	46.0%	43.6%	42.2%	47.4%	51.5%	35.7%	45.2%	45.7%
	Occupational/industrial medicine	16.4%	.0%	20.1%	11.1%	17.1%	10.2%	13.5%	16.3%	21.4%	17.1%	18.0%	16.4%
	Rehabilitation medicine	14.6%	.0%	16.4%	12.1%	12.6%	8.2%	13.6%	15.7%	17.5%	12.8%	13.5%	14.6%
Sports medicine	25.2%	.0%	28.9%	20.1%	21.1%	22.7%	23.7%	26.9%	28.1%	19.3%	21.5%	25.2%	
Surgery	7.7%	.0%	10.6%	3.6%	7.5%	3.9%	7.6%	7.9%	9.0%	8.0%	8.2%	7.7%	
Day Surgery	10.9%	.0%	14.7%	5.3%	11.2%	3.7%	9.9%	10.9%	14.7%	9.7%	12.6%	10.9%	

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15 Please indicate if you OFFER the following to your patients. Check all that apply.(cont.)

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
I (physician) offer	Surgical assisting	13.9%	.0%	15.1%	12.2%	12.5%	15.0%	12.8%	15.4%	14.0%	11.2%	11.0%	13.9%
	In-patient hospital care	31.4%	.0%	32.3%	30.7%	22.4%	43.1%	36.4%	31.1%	27.5%	19.8%	23.6%	31.4%
	Intrapartum care	10.5%	.0%	8.2%	14.0%	7.2%	17.6%	12.7%	9.8%	9.1%	4.7%	5.6%	10.5%
	Pre-natal care	42.2%	.0%	36.7%	50.5%	34.4%	51.3%	46.2%	42.4%	40.4%	28.0%	35.3%	42.2%
	Ante-natal care	33.0%	.0%	28.7%	39.6%	27.0%	40.6%	36.1%	33.5%	31.1%	20.9%	28.3%	33.0%
	Well child care	54.8%	.0%	49.6%	62.6%	49.9%	62.5%	55.2%	55.9%	55.9%	40.6%	48.5%	54.8%
	Legal/ medico-legal consultations	9.2%	.0%	11.7%	5.5%	10.1%	4.0%	6.4%	9.5%	13.1%	11.1%	8.6%	9.2%
	other service	9.7%	.0%	9.1%	10.3%	13.2%	5.5%	9.4%	10.7%	9.6%	10.8%	10.9%	9.7%
	NR	6.4%	.0%	7.2%	5.3%	7.6%	5.6%	5.7%	6.5%	6.5%	8.4%	8.5%	6.4%
Total	N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999	33233
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca .

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15c Considering the generally accepted domain of practice of your specialty, please describe the main focus of your practice.

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
The main focus of practice	Full spectrum of my specialty	.0%	71.0%	71.5%	70.0%	69.9%	80.6%	76.4%	69.9%	66.6%	66.2%	65.3%	71.0%
	Limited to anatomy specific	.0%	8.3%	9.8%	4.8%	11.3%	7.4%	10.2%	8.6%	7.1%	5.2%	13.7%	8.3%
	Limited to organ specific	.0%	7.2%	7.9%	5.5%	8.8%	8.7%	8.4%	7.0%	6.4%	5.7%	8.4%	7.2%
	Limited to disease/condition specific	.0%	16.1%	15.6%	17.5%	13.3%	12.1%	15.8%	17.3%	16.8%	15.4%	13.4%	16.1%
	Limited to treatment specific	.0%	8.4%	9.0%	7.2%	7.8%	6.2%	7.6%	8.1%	9.5%	10.4%	4.8%	8.4%
	Limited to specific populations	.0%	17.4%	14.4%	24.3%	15.7%	13.3%	18.1%	16.6%	19.1%	15.6%	23.3%	17.4%
	Other focus of practice	.0%	6.1%	5.9%	6.6%	4.6%	2.3%	3.4%	6.3%	7.9%	10.0%	4.9%	6.1%
Total	N	0	27681	18686	8381	615	1707	7606	7667	6649	3413	638	27681
	n	0	4739	3053	1577	109	311	1144	1216	1223	734	111	4739

Notes:

Includes only respondents who provide patient care and who indicated "yes" to at least one part of the question.

Excludes all responses of "no" and "not applicable", as well as those who did not respond to any part of the question.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15 Please indicate if this is a SPECIFIC AREA OF FOCUS in your practice. Check all that apply.

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Specific area of focus	Emergency medicine	10.6%	.0%	12.6%	8.0%	7.0%	22.0%	16.8%	9.5%	4.6%	2.9%	7.1%	10.6%
	Alternative/ complementary medicine	1.2%	.0%	1.3%	1.0%	1.9%	.7%	1.1%	.9%	1.7%	1.4%	2.5%	1.2%
	Travel/ tropical medicine	1.4%	.0%	1.5%	1.2%	1.1%	2.1%	1.1%	1.4%	1.5%	1.3%	1.1%	1.4%
	Cosmetic medicine	1.3%	.0%	1.3%	1.2%	1.7%	.8%	1.4%	1.4%	1.1%	1.3%	1.6%	1.3%
	Anesthesia	2.4%	.0%	3.2%	1.1%	2.7%	2.2%	3.0%	2.1%	2.5%	1.3%	1.7%	2.4%
	Community medicine/ public health services/ health promotion	2.3%	.0%	1.7%	3.1%	2.4%	2.7%	2.2%	2.5%	2.1%	1.3%	3.3%	2.3%
	Dermatology	1.1%	.0%	1.2%	.9%	1.6%	1.0%	1.0%	1.1%	1.2%	.6%	1.6%	1.1%
	Gynecology	2.7%	.0%	1.3%	4.8%	3.0%	4.1%	2.9%	3.2%	2.0%	1.0%	2.5%	2.7%
	Liaison to Homecare	1.5%	.0%	1.4%	1.5%	2.6%	1.5%	1.6%	1.6%	1.4%	.9%	2.6%	1.5%
	Hospitalist care	4.7%	.0%	4.8%	4.5%	5.7%	8.9%	7.2%	4.1%	2.8%	1.0%	4.6%	4.7%
	Housecalls	2.0%	.0%	2.0%	1.9%	2.3%	2.5%	1.6%	2.3%	1.9%	1.6%	2.4%	2.0%
	Infectious disease care	1.3%	.0%	1.5%	.8%	1.8%	.3%	1.4%	1.4%	1.4%	.7%	1.8%	1.3%
	Mental health care	4.9%	.0%	4.2%	5.9%	3.6%	2.5%	3.8%	6.4%	5.2%	4.5%	4.0%	4.9%
	Psychotherapy/ counseling	4.1%	.0%	3.7%	4.7%	3.7%	2.0%	2.3%	5.2%	4.7%	5.5%	3.7%	4.1%
	Substance abuse care	2.5%	.0%	2.8%	2.1%	3.2%	1.7%	1.8%	3.2%	2.8%	2.2%	3.1%	2.5%
	Nutritional counseling	1.1%	.0%	1.1%	1.2%	2.1%	1.1%	.9%	1.1%	1.3%	1.3%	2.1%	1.1%
	Pain management	4.3%	.0%	4.6%	3.7%	5.7%	3.3%	4.6%	4.4%	4.3%	3.7%	4.1%	4.3%
	Palliative medicine	4.5%	.0%	4.1%	5.0%	5.8%	5.6%	4.4%	5.5%	3.7%	3.0%	3.6%	4.5%
	Occupational/ industrial medicine	2.0%	.0%	2.5%	1.1%	2.1%	1.2%	1.3%	2.3%	2.7%	1.4%	2.1%	2.0%
	Rehabilitation medicine	1.8%	.0%	2.0%	1.3%	3.9%	1.0%	1.3%	2.4%	2.2%	.7%	2.7%	1.8%
Sports medicine	2.0%	.0%	2.7%	1.2%	1.1%	1.9%	2.0%	2.2%	2.4%	1.0%	1.1%	2.0%	
Surgery	1.6%	.0%	2.2%	.7%	1.1%	.6%	2.1%	1.7%	1.5%	1.2%	1.1%	1.6%	
Day Surgery	1.2%	.0%	1.6%	.5%	1.9%	.4%	1.2%	1.4%	1.2%	.6%	1.6%	1.2%	
Surgical assisting	1.7%	.0%	2.0%	1.2%	2.8%	1.2%	1.8%	2.0%	1.4%	1.9%	2.0%	1.7%	
In-patient hospital care	4.6%	.0%	4.5%	4.7%	4.1%	7.2%	6.2%	4.9%	2.5%	2.0%	4.1%	4.6%	

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15 Please indicate if this is a SPECIFIC AREA OF FOCUS in your practice. Check all that apply.(cont.)

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Specific area of focus	Intrapartum care	4.1%	.0%	2.2%	6.9%	4.3%	9.7%	5.8%	3.5%	2.2%	1.3%	2.9%	4.1%
	Pre-natal care	4.1%	.0%	1.8%	7.4%	4.3%	9.6%	5.9%	3.8%	2.0%	1.0%	2.9%	4.1%
	Ante-natal care	3.7%	.0%	1.8%	6.4%	4.3%	8.2%	5.4%	3.2%	2.0%	.9%	2.9%	3.7%
	Well child care	3.5%	.0%	1.8%	6.1%	3.5%	7.8%	4.7%	3.8%	1.5%	.6%	3.9%	3.5%
	Legal/ medico-legal consultations	.8%	.0%	1.2%	.3%	1.1%	.3%	.3%	1.1%	1.1%	.7%	1.7%	.8%
	Other service	4.6%	.0%	4.3%	5.0%	6.4%	2.9%	4.7%	6.5%	3.6%	2.6%	4.3%	4.6%
	NR	62.3%	.0%	62.9%	60.9%	70.5%	51.0%	55.1%	60.3%	70.3%	74.7%	76.2%	62.3%
Total	N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999	33233
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15 Intrapartum care - number of births attended per year.

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Number of births attended per year	Up to 10	7.3%	.0%	11.9%	3.7%	**	2.0%	7.6%	8.9%	8.2%	12.2%	**	7.3%
	More than 10, up to 25	20.0%	.0%	24.3%	16.3%	**	18.1%	14.4%	22.8%	24.5%	24.9%	**	20.0%
	More than 25, up to 50	33.2%	.0%	34.4%	32.6%	**	35.8%	37.6%	27.1%	36.2%	18.7%	**	33.2%
	More than 50, up to 75	10.7%	.0%	6.9%	14.0%	**	14.3%	11.1%	10.4%	8.6%	8.0%	**	10.7%
	More than 75, up to 100	12.0%	.0%	5.9%	17.1%	**	16.0%	10.2%	14.0%	9.3%	10.3%	**	12.0%
	More than 100, up to 150	5.3%	.0%	3.3%	6.9%	**	5.9%	6.9%	4.1%	4.5%	3.4%	**	5.3%
	More than 150, up to 200	2.4%	.0%	1.3%	3.0%	**	.9%	4.4%	3.0%	.0%	2.8%	**	2.4%
	More than 200	3.6%	.0%	3.2%	4.0%	**	4.2%	3.8%	4.4%	.7%	10.5%	**	3.6%
	NR	5.5%	.0%	8.7%	2.4%	**	2.8%	4.2%	5.3%	7.9%	9.2%	**	5.5%
Total	%	100%	0%	100%	100%	**	100%	100%	100%	100%	100%	**	100%
	N	3480	0	1562	1848	71	533	1017	1011	726	137	56	3480
	n	658	0	271	375	12	103	174	193	148	30	10	658

Notes:

Includes only respondents who indicated that intrapartum care is offered to patients.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q15 Intrapartum care - number of births attended per year.

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Number of births attended per year	Mean	61.66	.	49.82	70.79	**	67.08	65.60	64.85	45.69	**	**	61.66
	Median	40.00	.	33.00	50.00	**	50.00	50.00	40.00	35.00	**	**	40.00
	Mode	50.00	.	50.00	50.00	**	40.00	50.00	20.00	30.00	**	**	50.00
	Standard Deviation	64.83	.	60.28	67.03	**	62.69	63.35	74.81	43.78	**	**	64.83
	Minimum	1.00	.	1.00	3.00	**	5.00	1.00	1.00	3.00	**	**	1.00
	Maximum	500.00	.	400.00	500.00	**	350.00	350.00	500.00	400.00	**	**	500.00
	N	3288	0	1425	1803	60	518	974	958	669	125	45	3288
n	625	0	248	366	11	100	169	183	137	27	9	625	

Notes:

Includes only respondents who indicated greater than zero number of births attended per year.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q16 Please indicate if you care for the following. Check all that apply.

Other specialists only		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Please indicate if you care for the following	Neonates (<1 month)	.0%	25.6%	23.6%	30.2%	21.6%	25.7%	29.5%	27.9%	22.3%	18.5%	21.7%	25.6%
	Infants (1-12 months)	.0%	31.0%	30.1%	33.7%	25.1%	29.2%	34.9%	33.4%	28.1%	25.6%	21.9%	31.0%
	Children (1-11 years)	.0%	43.2%	42.6%	44.8%	38.7%	43.8%	46.6%	45.3%	38.3%	41.2%	34.9%	43.2%
	Adolescents (12-19 years)	.0%	63.8%	65.1%	61.5%	58.0%	64.3%	65.3%	65.7%	62.1%	61.3%	53.8%	63.8%
	Women	.0%	79.4%	82.3%	72.7%	81.8%	80.1%	79.2%	79.5%	80.5%	77.4%	78.5%	79.4%
	Pregnant women	.0%	58.6%	59.5%	56.7%	53.3%	65.9%	63.2%	62.0%	54.8%	46.0%	48.1%	58.6%
	Men	.0%	74.1%	79.2%	62.5%	76.6%	70.7%	73.4%	74.4%	75.5%	73.9%	73.6%	74.1%
	Aged 65-74	.0%	74.3%	78.3%	65.0%	78.1%	75.0%	74.5%	74.6%	74.7%	72.1%	73.7%	74.3%
	Aged 75 - 89	.0%	71.6%	75.8%	61.6%	77.8%	73.9%	72.6%	72.3%	71.1%	67.3%	72.5%	71.6%
	Aged 90 and over	.0%	66.0%	70.5%	55.6%	68.4%	71.8%	69.9%	67.9%	62.7%	56.2%	66.1%	66.0%
	Aboriginal peoples	.0%	73.5%	75.2%	70.3%	63.9%	75.5%	75.1%	76.0%	74.4%	63.3%	63.3%	73.5%
	Ethnic minorities	.0%	81.0%	81.6%	80.4%	72.2%	83.6%	83.4%	83.1%	81.2%	71.3%	72.6%	81.0%
	Recent immigrants	.0%	76.6%	77.3%	75.4%	71.9%	80.0%	79.1%	78.2%	76.6%	67.2%	69.2%	76.6%
	People living in poverty	.0%	77.3%	77.9%	76.8%	64.5%	78.3%	80.2%	80.3%	76.7%	66.9%	66.7%	77.3%
	Homeless	.0%	53.8%	57.9%	45.4%	44.0%	56.9%	57.5%	57.9%	51.9%	40.1%	45.6%	53.8%
	Street Involved	.0%	50.8%	53.0%	46.0%	47.3%	57.7%	56.4%	55.2%	46.9%	33.2%	46.9%	50.8%
	Gay/ Lesbian/ Bisexual/ Transgender	.0%	65.8%	66.9%	64.0%	58.1%	71.3%	68.8%	69.6%	64.2%	53.3%	53.5%	65.8%
	Transient/ seasonal populations	.0%	48.8%	52.0%	42.2%	41.8%	53.8%	53.5%	52.9%	45.8%	33.8%	41.2%	48.8%
	Populations with specific conditions	.0%	87.8%	87.7%	88.2%	84.1%	89.3%	88.6%	89.1%	87.7%	82.6%	86.7%	87.8%
	Other patients	.0%	5.2%	5.2%	5.2%	6.0%	2.9%	3.2%	5.6%	6.7%	7.3%	4.8%	5.2%
NR	.0%	5.9%	6.1%	5.1%	7.7%	6.4%	6.4%	5.8%	5.5%	5.3%	5.5%	5.9%	
Total	N	0	29881	20208	9013	661	1853	8215	8275	7152	3700	687	29881
	n	0	5124	3305	1701	118	338	1233	1314	1317	802	120	5124

Notes:

Includes only respondents who provide patient care.

Results for patients with specific conditions were aggregated given the complexity and variability of responses

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q16 Please indicate if you care for the following. Check all that apply.

FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
I provide health care for these patients	Neonates (<1 month)	64.0%	.0%	60.8%	69.1%	56.9%	79.2%	70.5%	64.4%	59.7%	44.9%	51.6%	64.0%
	Infants (1-12 months)	72.1%	.0%	70.2%	75.5%	63.3%	86.3%	76.4%	71.7%	69.4%	58.2%	60.5%	72.1%
	Children (1-11 years)	76.8%	.0%	76.1%	78.4%	71.3%	87.2%	80.2%	76.6%	75.1%	65.4%	68.0%	76.8%
	Adolescents (12-19 years)	82.1%	.0%	80.9%	83.9%	80.6%	89.3%	84.1%	82.1%	81.6%	71.8%	78.1%	82.1%
	Women	89.3%	.0%	88.2%	91.0%	86.6%	92.4%	90.0%	89.6%	89.9%	82.5%	84.9%	89.3%
	Pregnant women	64.9%	.0%	62.1%	69.6%	55.9%	78.5%	73.3%	65.7%	58.7%	45.3%	54.8%	64.9%
	Men	88.4%	.0%	88.5%	88.6%	85.1%	92.6%	89.2%	88.1%	88.8%	83.4%	84.6%	88.4%
	Aged 65-74	89.7%	.0%	89.8%	89.6%	87.7%	92.7%	90.0%	89.1%	89.7%	88.0%	87.9%	89.7%
	Aged 75 - 89	88.1%	.0%	88.2%	88.0%	86.3%	92.3%	88.9%	87.3%	87.7%	84.8%	87.2%	88.1%
	Aged 90 and over	82.9%	.0%	83.6%	81.9%	82.6%	88.1%	85.2%	81.3%	83.0%	76.6%	81.3%	82.9%
	Aboriginal peoples	63.3%	.0%	65.4%	61.0%	52.3%	66.5%	67.7%	62.6%	63.1%	54.3%	53.2%	63.3%
	Ethnic minorities	74.2%	.0%	74.7%	74.4%	61.6%	76.6%	76.8%	74.9%	73.4%	68.0%	62.9%	74.2%
	Recent immigrants	62.9%	.0%	64.9%	60.8%	54.5%	63.6%	66.9%	64.4%	60.2%	56.5%	54.4%	62.9%
	People living in poverty	71.8%	.0%	71.7%	72.4%	66.8%	75.7%	74.6%	73.2%	70.7%	60.0%	66.9%	71.8%
	Homeless	37.9%	.0%	42.2%	32.0%	33.1%	44.1%	43.9%	37.0%	33.6%	32.4%	30.3%	37.9%
	Street Involved	33.3%	.0%	35.9%	29.8%	27.9%	42.5%	42.1%	31.7%	28.3%	21.3%	24.4%	33.3%
	Gay/ Lesbian/ Bisexual/ Transgender	67.4%	.0%	65.4%	70.7%	61.0%	74.3%	72.6%	68.7%	65.6%	48.8%	59.5%	67.4%
	Transient/ seasonal populations	41.8%	.0%	44.7%	37.9%	36.9%	53.5%	47.6%	39.5%	38.5%	32.9%	36.2%	41.8%
	Patients with hypertension	86.5%	.0%	85.6%	88.0%	81.6%	92.1%	87.5%	86.7%	85.8%	79.6%	83.1%	86.5%
	Patients with diabetes	87.2%	.0%	86.1%	89.1%	83.5%	92.4%	87.9%	87.7%	86.1%	82.0%	83.2%	87.2%
Patients with heart disease/ conditions	86.2%	.0%	85.3%	87.7%	83.9%	91.4%	87.4%	86.4%	85.2%	80.0%	84.3%	86.2%	
Patients with mental illness	87.0%	.0%	85.1%	89.9%	84.8%	90.8%	88.3%	87.1%	86.7%	80.5%	85.0%	87.0%	
Patients with obesity	85.6%	.0%	84.0%	88.2%	81.6%	91.5%	86.8%	86.5%	84.6%	77.5%	79.3%	85.6%	
Patients with cancer	84.3%	.0%	83.3%	85.8%	81.8%	90.9%	86.0%	83.9%	84.1%	75.6%	81.5%	84.3%	

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q16 Please indicate if you care for the following. Check all that apply.(cont.)

FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
I provide health care for these patients	Patients with neurological conditions	84.2%	.0%	83.4%	85.7%	81.9%	87.9%	86.5%	84.5%	83.7%	76.1%	80.9%	84.2%
	Patients with respiratory conditions	85.4%	.0%	84.5%	87.0%	81.9%	91.7%	86.5%	85.4%	85.0%	78.5%	80.4%	85.4%
	Patients with HIV/AIDS	44.8%	.0%	48.4%	39.9%	40.3%	51.3%	48.2%	45.7%	43.8%	30.9%	37.4%	44.8%
	Patients with addictions	68.6%	.0%	68.5%	69.4%	59.9%	78.6%	73.3%	69.9%	65.7%	52.7%	57.2%	68.6%
	Patients with permanent physical disabilities	80.5%	.0%	79.9%	81.7%	77.9%	82.2%	82.2%	81.1%	81.6%	70.4%	76.5%	80.5%
	Other patients	2.6%	.0%	2.5%	2.6%	2.9%	1.4%	2.4%	2.9%	2.7%	2.9%	2.0%	2.6%
	NR	4.9%	.0%	5.6%	3.9%	6.1%	4.8%	4.2%	5.1%	5.1%	5.3%	6.2%	4.9%
Total													
	N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999	33233
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q16 Please indicate if this patient population represents more than 10% of your practice population. Check all that apply.

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
This patient population represents more than 10% of my practice population	Aged 65-74	29.0%	.0%	31.7%	25.0%	31.7%	26.3%	30.8%	29.9%	28.3%	26.0%	28.6%	29.0%
	Aged 75 - 89	21.5%	.0%	23.9%	17.8%	23.8%	18.5%	22.3%	21.7%	21.8%	20.3%	22.0%	21.5%
	Aged 90 and over	4.6%	.0%	4.7%	4.3%	4.5%	3.5%	5.3%	4.2%	4.5%	5.3%	3.6%	4.6%
	Aboriginal peoples	4.2%	.0%	4.8%	3.3%	5.5%	6.4%	5.3%	3.6%	3.6%	2.8%	5.1%	4.2%
	Ethnic minorities	5.9%	.0%	5.9%	6.0%	6.6%	4.1%	7.7%	6.1%	4.7%	6.0%	6.2%	5.9%
	Recent immigrants	3.3%	.0%	3.1%	3.6%	4.1%	3.3%	4.4%	3.1%	2.7%	2.4%	3.5%	3.3%
	People living in poverty	6.3%	.0%	6.4%	6.1%	7.3%	8.8%	7.6%	6.4%	4.7%	4.7%	5.6%	6.3%
	Homeless	1.6%	.0%	1.6%	1.6%	3.0%	1.7%	2.4%	1.9%	1.0%	.3%	2.2%	1.6%
	Street Involved	1.8%	.0%	2.0%	1.5%	2.3%	1.7%	2.5%	2.3%	1.3%	.1%	1.5%	1.8%
	Gay/ Lesbian/ Bisexual/ Transgender	1.2%	.0%	1.4%	.8%	2.6%	.3%	1.6%	1.2%	1.2%	.6%	1.1%	1.2%
	Transient/ seasonal populations	1.2%	.0%	1.1%	1.5%	1.3%	1.8%	1.6%	1.1%	1.3%	.3%	.8%	1.2%
	Patients with hypertension	22.9%	.0%	22.7%	22.8%	25.6%	26.0%	25.4%	22.3%	20.7%	20.1%	23.5%	22.9%
	Patients with diabetes	21.3%	.0%	21.9%	20.0%	26.4%	21.4%	22.5%	21.1%	20.0%	20.1%	26.3%	21.3%
	Patients with heart disease/ conditions	17.4%	.0%	18.3%	15.8%	20.3%	15.7%	19.5%	16.4%	16.7%	18.3%	18.4%	17.4%
	Patients with mental illness	15.4%	.0%	13.3%	18.0%	18.7%	17.5%	17.5%	16.4%	11.8%	12.4%	17.3%	15.4%
	Patients with obesity	14.3%	.0%	13.6%	15.3%	14.2%	18.2%	17.0%	14.5%	10.8%	11.7%	13.8%	14.3%
	Patients with cancer	5.2%	.0%	5.1%	5.2%	6.1%	4.3%	6.6%	5.0%	4.3%	4.9%	5.3%	5.2%
	Patients with neurological conditions	3.6%	.0%	3.6%	3.6%	2.4%	2.0%	4.3%	3.6%	3.2%	5.0%	1.6%	3.6%
	Patients with respiratory conditions	10.0%	.0%	10.3%	9.6%	11.4%	9.0%	11.0%	10.6%	8.2%	11.6%	10.5%	10.0%
	Patients with HIV/AIDS	1.1%	.0%	1.3%	.7%	1.5%	.5%	1.6%	1.2%	.7%	.6%	1.0%	1.1%
Patients with addictions	3.8%	.0%	4.0%	3.4%	4.8%	4.1%	4.7%	4.2%	2.6%	2.6%	4.5%	3.8%	

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q16 Please indicate if this patient population represents more than 10% of your practice population. Check all that apply.(cont.)

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
This patient population represents more than 10% of my practice population	Patients with permanent physical disabilities	3.0%	.0%	2.9%	3.0%	5.4%	1.3%	3.8%	3.2%	2.8%	2.4%	4.5%	3.0%
	Other patients	1.2%	.0%	1.2%	1.3%	.6%	.5%	.8%	1.7%	1.3%	1.0%	1.0%	1.2%
	NR to '10% of practice'	49.8%	.0%	48.3%	52.0%	49.3%	48.9%	47.6%	48.5%	51.5%	56.4%	51.5%	49.8%
	NR	4.9%	.0%	5.6%	3.9%	6.1%	4.8%	4.2%	5.1%	5.1%	5.3%	6.2%	4.9%
	Total												
	N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999	33233
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q17a Do you do call?

		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Do you do call	Yes	67.1%	73.7%	70.4%	70.5%	65.0%	77.1%	78.5%	74.2%	66.9%	42.9%	64.6%	70.3%	
	No	28.0%	19.7%	23.7%	24.4%	29.6%	16.0%	15.3%	19.8%	28.2%	53.0%	28.7%	24.1%	
	NR	4.9%	6.6%	6.0%	5.1%	5.4%	6.9%	6.3%	6.0%	4.9%	4.1%	6.8%	5.7%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q17a Describe your on-call activity. Check all that apply.

	FP/GP or Specialist		Sex			Age Group							
	FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Obstetrical on-call	14.7%	12.1%	11.0%	17.8%	11.7%	19.5%	14.7%	13.0%	11.5%	10.2%	7.4%	13.4%	
On-call for hospital in-patients	51.9%	83.8%	70.4%	63.4%	61.9%	73.4%	73.6%	68.1%	62.6%	52.4%	62.1%	67.7%	
On-call for non-hospitalized patients - telephone availability only	20.4%	14.7%	17.2%	18.3%	17.3%	19.6%	17.3%	17.0%	17.7%	18.3%	18.6%	17.6%	
On-call for non-hospitalized patients - telephone availability and see patients as required	37.3%	39.4%	39.9%	35.9%	35.4%	27.2%	37.9%	38.7%	42.5%	40.9%	34.5%	38.4%	
On-call for regional referrals	8.1%	44.6%	30.0%	19.8%	24.1%	20.7%	29.9%	26.1%	25.5%	20.3%	25.6%	26.2%	
Emergency room on-call	26.2%	51.2%	43.1%	30.6%	41.8%	42.5%	43.9%	38.6%	33.2%	28.7%	41.2%	38.6%	
Nursing home/ LTC facility on-call	30.3%	3.0%	16.9%	16.3%	17.7%	14.0%	13.0%	17.2%	19.9%	22.0%	18.9%	16.7%	
Call: Other	11.2%	5.6%	7.6%	9.8%	7.0%	6.0%	6.0%	9.4%	9.8%	12.4%	8.0%	8.4%	
NR	1.2%	.6%	.8%	.9%	2.3%	.5%	.4%	.7%	1.4%	2.8%	1.3%	.9%	
Total	N	22308	22035	27610	15659	1074	3766	12737	13786	10132	2833	1089	44343
	n	4208	3645	4570	3087	196	716	2008	2361	1952	618	198	7853

Notes:

Includes only respondents who indicated that they provide on-call.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q17b Please estimate your average number of on-call work hours PER MONTH.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Your average number of on-call work hours PER MONTH:	Up to 120 hours/month	62.7%	63.4%	62.4%	64.4%	59.8%	65.5%	64.0%	63.5%	61.7%	60.6%	57.5%	63.0%
	More than 120, up to 180	14.7%	18.6%	16.9%	16.3%	15.1%	17.8%	18.1%	16.7%	15.1%	13.9%	18.3%	16.7%
	More than 180, up to 240	6.8%	8.4%	8.1%	6.4%	10.3%	8.2%	7.1%	7.7%	7.6%	7.4%	9.3%	7.6%
	More than 240	12.0%	7.5%	10.1%	8.9%	11.4%	7.0%	8.4%	9.9%	11.5%	12.6%	9.2%	9.8%
	NR	3.8%	2.1%	2.5%	3.9%	3.4%	1.5%	2.5%	2.2%	4.1%	5.6%	5.7%	3.0%
	Total												
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	22308	22035	27610	15659	1074	3766	12737	13786	10132	2833	1089	44343
	n	4208	3645	4570	3087	196	716	2008	2361	1952	618	198	7853

Notes:

Includes only respondents who indicated that they provide on-call.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q17b Please estimate your average number of on-call work hours PER MONTH.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Your average number of on-call work hours PER MONTH:	Mean	134.30	120.84	130.37	121.47	142.64	115.55	122.94	127.09	134.80	139.29	133.53	127.55
	Median	92.00	96.00	100.00	90.00	100.00	100.00	96.00	96.00	96.00	90.00	100.00	96.00
	Mode	100.00	120.00	100.00	100.00	200.00	100.00	100.00	100.00	100.00	60.00	100.00	100.00
	Standard Deviation	152.47	107.84	131.57	131.13	156.75	98.59	120.82	129.31	148.62	164.95	138.76	132.16
	Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	Maximum	720.00	720.00	720.00	720.00	720.00	720.00	720.00	720.00	720.00	720.00	720.00	720.00
	N	21453	21565	26933	15048	1037	3708	12415	13478	9716	2675	1027	43018
n	4039	3565	4453	2962	189	704	1955	2304	1869	586	186	7604	

Notes:

Includes only respondents who indicated greater than zero on-call hours.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q17c Please estimate how many of your on-call hours each month are actually spent in direct patient care (e.g., phone, email, face-to-face).

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Estimate how many of your on-call hours each month are actually spent in direct patient care	Up to 10 hours/month	39.7%	24.1%	30.5%	34.6%	32.6%	29.7%	26.5%	32.9%	36.6%	38.7%	30.4%	32.0%
	More than 10, up to 40	27.2%	33.9%	31.9%	28.3%	27.5%	27.0%	32.6%	30.2%	30.1%	30.4%	28.3%	30.6%
	More than 40	24.9%	37.2%	32.3%	28.8%	31.9%	37.2%	34.9%	30.9%	26.3%	22.5%	31.1%	31.0%
	NR or zero hours	8.2%	4.8%	5.4%	8.3%	8.0%	6.1%	6.0%	6.0%	7.0%	8.4%	10.2%	6.5%
	Total												
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	22308	22035	27610	15659	1074	3766	12737	13786	10132	2833	1089	44343
	n	4208	3645	4570	3087	196	716	2008	2361	1952	618	198	7853

Notes:

Includes only respondents who indicated that they provide on-call.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q17c Please estimate how many of your on-call hours each month are actually spent in direct patient care (e.g., phone, email, face-to-face).

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Estimate how many of your on-call hours each month are actually spent in direct patient care	Mean	35.46	45.31	41.92	37.58	43.07	43.82	41.66	41.53	37.05	36.81	41.45	40.45
	Median	15.00	30.00	24.00	20.00	24.00	30.00	30.00	20.00	20.00	15.00	24.00	20.00
	Mode	10.00	20.00	10.00	10.00	10.00	10.00	20.00	10.00	10.00	10.00	10.00	10.00
	Standard Deviation	49.97	53.34	52.80	50.27	50.90	46.38	42.99	56.92	55.10	59.09	47.83	51.93
	Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	Maximum	720.00	720.00	720.00	720.00	312.00	470.00	336.00	720.00	600.00	600.00	312.00	720.00
	N	20484	20986	26129	14352	988	3536	11974	12963	9424	2595	977	41469
n	3861	3473	4328	2826	180	672	1884	2221	1813	568	176	7334	

Notes:

Includes only respondents who indicated greater than zero on-call hours spent in direct patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q17d Do you ever spend continuous 24-hour periods of on-call time in direct patient care?

		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Do you ever spend continuous 24-hour periods of on-call time in direct patient care?	Yes	40.0%	53.7%	49.1%	42.9%	43.9%	45.5%	47.7%	48.4%	45.8%	42.7%	40.5%	46.8%	
	No	58.3%	45.4%	49.7%	55.8%	51.2%	53.5%	51.5%	50.6%	52.2%	55.3%	55.6%	51.9%	
	NR	1.6%	1.0%	1.2%	1.3%	5.0%	1.0%	.8%	.9%	2.1%	2.0%	3.9%	1.3%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	22308	22035	27610	15659	1074	3766	12737	13786	10132	2833	1089	44343
	n	4208	3645	4570	3087	196	716	2008	2361	1952	618	198	7853	

Notes:

Includes only respondents who indicated that they provide on-call.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q17d After spending a continuous 24-hour period of on-call time in direct patient care, are you ever required to provide direct patient care immediately after these 24-hour periods?

		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
If yes, are you ever required to provide direct patient care immediately after these 24-hour periods?	Yes	81.7%	78.4%	81.0%	77.2%	82.2%	76.4%	79.3%	79.1%	83.2%	77.9%	80.0%	79.8%	
	No	16.6%	20.6%	17.8%	21.2%	16.6%	22.1%	19.4%	19.9%	15.1%	20.6%	18.8%	18.9%	
	NR	1.8%	1.0%	1.2%	1.6%	1.2%	1.5%	1.3%	1.1%	1.7%	1.5%	1.2%	1.3%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	8927	11825	13568	6713	471	1714	6073	6679	4636	1210	441	20752
	n	1670	1940	2223	1301	86	324	945	1122	877	260	82	3610	

Notes:

Includes only respondents who indicated that they spend 24-hour periods of on-call time in direct patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q17e Please estimate the number of patients you SEE on-call per month.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Estimate the number of patients you SEE on-call per month:	Up to 15 patients/month	41.4%	31.6%	34.0%	41.4%	31.7%	35.8%	34.1%	36.1%	39.0%	44.6%	30.5%	36.6%
	More than 15, up to 30	17.2%	24.1%	21.6%	19.0%	18.2%	18.4%	21.5%	21.8%	20.3%	16.7%	17.6%	20.6%
	More than 30, up to 45	5.8%	10.6%	8.7%	7.1%	10.3%	7.5%	9.8%	7.8%	7.4%	5.2%	10.9%	8.2%
	More than 45, up to 60	6.6%	11.5%	9.6%	8.3%	7.2%	9.5%	9.7%	9.4%	8.3%	7.5%	6.7%	9.0%
	More than 60	19.2%	13.8%	17.7%	14.3%	17.9%	21.6%	17.3%	16.6%	14.3%	13.5%	16.4%	16.5%
	NR or zero	9.7%	8.4%	8.4%	9.9%	14.8%	7.2%	7.7%	8.4%	10.6%	12.4%	17.9%	9.1%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	22308	22035	27610	15659	1074	3766	12737	13786	10132	2833	1089	44343
	n	4208	3645	4570	3087	196	716	2008	2361	1952	618	198	7853

Notes:

Includes only respondents who indicated that they provide on-call.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q17e Please estimate the number of patients you SEE on-call per month.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Estimate the number of patients you SEE on-call per month:	Mean	57.89	43.57	54.11	43.75	52.99	56.46	50.47	50.26	48.34	48.42	60.15	50.53
	Median	20.00	26.00	25.00	20.00	25.00	30.00	30.00	25.00	20.00	20.00	25.00	25.00
	Mode	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	20.00	10.00	20.00
	Standard Deviation	105.05	71.25	91.72	84.39	98.99	78.88	80.45	96.33	88.40	98.56	122.46	89.58
	Minimum	.00	1.00	.01	.00	1.00	.00	1.00	1.00	.01	1.00	1.00	.00
	Maximum	2600.00	1000.00	1000.00	2600.00	1000.00	700.00	1000.00	2600.00	1000.00	850.00	1000.00	2600.00
	N	18538	19598	24199	13069	867	3296	11118	11975	8574	2332	841	38136
n	3483	3221	3991	2555	158	625	1746	2037	1639	505	152	6704	

Notes:

Includes only respondents who indicated greater than zero on-call hours.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q18 Average weekly work hours - excluding on-call activities.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Direct patient care without a teaching component, regardless of setting	Mean	28.40	23.45	27.16	23.86	28.82	26.54	24.87	26.66	27.27	23.33	28.60	26.04
Direct patient care with a teaching component, regardless of setting	Mean	4.46	9.08	7.02	6.14	5.27	7.71	8.70	6.82	5.74	3.31	5.74	6.66
Teaching/Education without direct patient care	Mean	1.11	2.20	1.64	1.62	1.42	1.69	2.03	1.72	1.42	.95	1.54	1.63
Indirect patient care	Mean	6.62	5.44	5.66	6.76	5.98	6.79	6.54	6.09	5.97	4.55	6.32	6.06
Health facility committees (academic planning committees)	Mean	.62	1.07	.91	.71	.61	.71	.95	.88	.87	.46	.79	.83
Administration	Mean	2.05	3.06	2.83	2.09	1.42	1.17	2.04	3.00	3.44	1.48	1.70	2.53
Research (including management of research and publications)	Mean	.68	2.53	1.73	1.31	.98	1.25	1.99	1.55	1.48	1.08	1.40	1.56
Managing your practice	Mean	1.59	1.69	1.78	1.38	1.78	1.13	1.60	1.74	1.77	1.47	1.84	1.64
Continuing medical education/professional development	Mean	3.09	3.25	3.22	3.06	3.49	2.77	2.95	3.21	3.32	3.38	3.56	3.17
Other work activity, specified	Mean	1.15	1.48	1.33	1.26	1.23	.86	.82	1.40	1.67	1.69	1.03	1.31
Total hours worked per week	Mean	49.77	53.25	53.29	48.20	51.01	50.62	52.49	53.06	52.95	41.69	52.52	51.43
Total	N	31827	28987	37682	21521	1612	4490	15085	17920	14955	6782	1582	60814
	n	6081	4988	6454	4313	302	856	2388	3115	2913	1500	297	11069

Notes:

Includes only respondents who indicated greater than zero hours per week.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q19a In the last year, have you used any locum tenens?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Used any locum tenens?	Yes	20.9%	12.5%	16.0%	18.3%	20.3%	15.6%	19.7%	17.5%	16.9%	9.8%	17.5%	16.9%
	No, locum not available	30.9%	27.6%	29.2%	28.7%	41.4%	18.7%	23.0%	32.3%	33.5%	31.2%	40.6%	29.3%
	No, locum not needed	39.8%	51.0%	46.3%	44.4%	29.2%	53.7%	48.4%	42.2%	42.1%	50.5%	29.2%	45.2%
	NR	8.4%	8.9%	8.6%	8.6%	9.1%	12.0%	8.9%	8.0%	7.5%	8.5%	12.7%	8.6%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q19b In the last year, have you personally provided locum tenens services for another physician?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Personally provided locum tenens services for another physician?	Yes	13.9%	10.2%	11.3%	13.9%	9.6%	26.3%	14.1%	10.2%	8.5%	12.0%	8.7%	12.2%
	No	75.3%	78.1%	77.0%	75.9%	78.8%	62.5%	75.0%	78.5%	80.5%	77.0%	76.3%	76.7%
	NR	10.7%	11.7%	11.8%	10.2%	11.6%	11.2%	10.9%	11.3%	11.0%	11.0%	15.1%	11.2%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q20a Do you regularly work as a visiting physician?

		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Do you regularly work as a visiting physician?	Yes	4.8%	9.7%	8.2%	5.5%	6.7%	7.7%	7.2%	6.7%	7.9%	6.6%	6.3%	7.2%	
	No	88.6%	82.9%	84.7%	87.9%	85.5%	83.7%	85.1%	86.4%	86.0%	87.9%	84.1%	85.9%	
	NR	6.6%	7.3%	7.1%	6.6%	7.8%	8.7%	7.7%	6.9%	6.1%	5.4%	9.6%	6.9%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q20b How many days per month do you practice as a visiting physician?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
How many days per month do you practice as a visiting physician?	1 day	19.2%	35.2%	28.0%	33.5%	**	26.9%	34.1%	32.1%	26.3%	21.4%	**	29.6%
	2 days	18.0%	21.1%	20.5%	17.4%	**	10.3%	20.6%	20.6%	21.4%	21.1%	**	20.0%
	3 days	13.2%	9.0%	10.5%	10.7%	**	21.0%	8.9%	9.8%	10.3%	8.2%	**	10.5%
	4 days	12.4%	7.1%	10.0%	6.5%	**	3.3%	7.9%	9.2%	10.6%	8.9%	**	8.9%
	5 days	8.5%	6.2%	6.8%	7.7%	**	9.0%	5.6%	8.0%	6.7%	8.6%	**	7.0%
	More than 5 days	23.0%	14.5%	17.8%	17.7%	**	20.7%	18.3%	15.0%	17.3%	21.7%	**	17.5%
	NR	5.7%	6.9%	6.4%	6.5%	**	8.8%	4.5%	5.4%	7.4%	10.2%	**	6.5%
	Total	%	100%	100%	100%	100%	**	100%	100%	100%	100%	100%	**
	N	1671	3091	3372	1271	119	387	1190	1310	1276	485	114	4762
	n	306	533	569	248	22	71	187	215	241	103	22	839

Notes:

Includes only respondents who regularly work as a visiting physician.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q20b How many days per month do you practice as a visiting physician?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
How many days per month do you practice as a visiting physician?	Mean	4.65	3.57	4.01	3.87	**	4.49	3.45	3.84	4.19	4.56	**	3.95
	Median	3.00	2.00	2.00	2.00	**	3.00	2.00	2.00	2.00	3.00	**	2.00
	Mode	1.00	1.00	1.00	1.00	**	1.00	1.00	1.00	1.00	1.00	**	1.00
	Standard Deviation	4.61	4.50	4.65	4.32	**	5.11	3.28	4.86	5.01	4.61	**	4.57
	Minimum	1.00	1.00	1.00	1.00	**	1.00	1.00	1.00	1.00	1.00	**	1.00
	Maximum	30.00	31.00	31.00	25.00	**	31.00	18.00	30.00	30.00	30.00	**	31.00
	N	1576	2877	3155	1189	110	353	1137	1240	1181	436	107	4453
n	288	494	532	230	20	65	179	203	222	93	20	782	

Notes:

Includes only respondents who regularly work as a visiting physician, and who indicated greater than zero days.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Accredited conferences/courses or events in person		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Use: Attending live accredited conferences, courses or events in-person	Never	1.9%	1.4%	1.9%	1.3%	2.3%	1.3%	.9%	1.5%	1.9%	3.6%	1.7%	1.7%	
	Once a year	13.5%	15.8%	15.9%	12.4%	12.7%	12.3%	16.7%	13.6%	13.6%	17.3%	10.8%	14.6%	
	Once every six months	42.0%	43.4%	41.5%	44.9%	39.3%	45.4%	46.5%	43.8%	41.4%	33.7%	34.8%	42.7%	
	Once a month	20.8%	14.8%	17.2%	19.0%	20.3%	17.3%	14.9%	18.7%	19.0%	19.6%	23.0%	17.9%	
	More than once a month	14.3%	15.5%	14.8%	14.8%	17.8%	11.8%	11.8%	14.3%	17.6%	18.5%	20.3%	14.9%	
	NR	7.4%	9.1%	8.7%	7.6%	7.6%	11.9%	9.3%	8.1%	6.5%	7.3%	9.5%	8.3%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	
Impact: Attending live accredited conferences, courses or events in-person	Very insignificant	3.3%	2.7%	3.2%	2.5%	3.5%	1.9%	2.7%	2.4%	3.6%	4.3%	3.4%	3.0%	
	Somewhat insignificant	4.3%	4.2%	5.0%	3.0%	4.5%	2.0%	3.9%	4.3%	4.5%	6.5%	3.9%	4.3%	
	Neutral	7.3%	8.5%	9.1%	5.9%	6.3%	6.6%	7.2%	7.4%	9.3%	9.1%	5.9%	7.9%	
	Somewhat significant	39.8%	39.6%	38.8%	41.6%	36.0%	44.2%	42.1%	40.7%	38.7%	32.0%	34.3%	39.7%	
	Very significant	30.8%	30.4%	28.8%	33.9%	27.1%	29.4%	30.3%	31.9%	30.6%	28.8%	29.3%	30.6%	
	Don't use	1.0%	.8%	1.0%	.8%	1.6%	.9%	.5%	.8%	1.0%	2.0%	1.2%	.9%	
	NR	13.5%	13.8%	14.0%	12.4%	21.0%	14.9%	13.4%	12.5%	12.2%	17.3%	22.0%	13.6%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
N		34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383	
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Unaccredited conferences/courses or events in person		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Use: Attending live unaccredited conferences, courses or events in-person	Never	18.2%	17.9%	17.1%	20.0%	14.0%	25.3%	21.4%	16.8%	16.5%	14.1%	10.9%	18.1%	
	Once a year	18.2%	18.7%	18.5%	18.4%	17.6%	19.2%	20.1%	18.1%	18.4%	15.0%	17.6%	18.4%	
	Once every six months	24.2%	25.3%	24.4%	25.6%	22.7%	20.9%	24.7%	26.5%	24.4%	23.8%	23.3%	24.7%	
	Once a month	17.7%	15.3%	16.9%	16.0%	16.7%	15.3%	14.2%	17.2%	18.0%	17.8%	16.1%	16.5%	
	More than once a month	8.7%	9.1%	8.9%	8.7%	12.2%	6.8%	7.5%	9.0%	10.0%	9.7%	13.7%	8.9%	
	NR	13.0%	13.7%	14.3%	11.4%	16.8%	12.6%	12.2%	12.3%	12.6%	19.8%	18.3%	13.3%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	
Impact: Attending live unaccredited conferences, courses or events in-person	Very insignificant	4.9%	4.3%	4.7%	4.3%	6.9%	4.4%	4.1%	4.4%	5.5%	4.3%	5.5%	4.6%	
	Somewhat insignificant	6.6%	6.1%	6.9%	5.5%	4.9%	5.6%	6.1%	6.8%	6.8%	5.4%	5.1%	6.3%	
	Neutral	16.4%	17.3%	17.5%	15.7%	15.7%	15.6%	17.0%	18.5%	16.5%	14.0%	15.5%	16.8%	
	Somewhat significant	28.6%	30.1%	28.5%	31.0%	24.9%	28.2%	30.3%	30.5%	29.1%	25.9%	26.3%	29.3%	
	Very significant	11.0%	10.8%	10.7%	11.3%	10.7%	8.4%	8.6%	11.5%	13.0%	11.4%	12.0%	10.9%	
	Don't use	14.3%	13.9%	13.0%	16.4%	10.0%	22.1%	17.9%	12.5%	11.9%	10.5%	8.1%	14.1%	
	NR	18.2%	17.6%	18.8%	15.8%	26.8%	15.6%	15.9%	15.9%	17.3%	28.5%	27.5%	17.9%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
N		34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383	
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Reading peer-reviewed journals		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Use: Reading peer-reviewed journals	Never	7.1%	3.2%	4.7%	5.8%	8.5%	7.2%	4.2%	4.8%	5.5%	5.5%	8.6%	5.2%
	Once a year	4.3%	2.6%	3.8%	2.9%	3.7%	4.0%	3.2%	3.6%	3.1%	4.4%	3.6%	3.5%
	Once every six months	8.8%	6.0%	7.6%	7.2%	8.8%	9.0%	8.3%	7.2%	6.2%	7.9%	8.6%	7.5%
	Once a month	25.5%	21.8%	22.3%	26.4%	22.8%	28.8%	27.1%	23.3%	21.5%	19.1%	22.4%	23.7%
	More than once a month	44.1%	56.1%	50.9%	48.6%	41.3%	38.9%	47.2%	51.2%	54.6%	51.5%	40.5%	49.8%
	NR	10.2%	10.4%	10.7%	9.2%	14.9%	12.1%	10.0%	9.9%	9.2%	11.5%	16.3%	10.3%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Impact: Reading peer-reviewed journals	Very insignificant	3.5%	2.9%	3.3%	3.0%	3.8%	2.4%	3.3%	3.2%	3.2%	3.3%	4.0%	3.2%
	Somewhat insignificant	5.7%	3.5%	5.2%	3.6%	4.7%	3.7%	4.4%	4.5%	4.9%	5.9%	4.1%	4.6%
	Neutral	12.7%	11.1%	12.1%	11.7%	10.7%	12.0%	12.4%	12.5%	11.4%	10.8%	11.0%	11.9%
	Somewhat significant	35.7%	34.6%	33.6%	38.6%	29.4%	39.0%	38.3%	35.8%	33.8%	28.8%	28.7%	35.2%
	Very significant	20.9%	30.2%	26.2%	24.3%	21.0%	21.9%	24.4%	26.1%	27.7%	24.2%	20.9%	25.4%
	Don't use	5.3%	2.2%	3.3%	4.6%	5.8%	5.6%	3.0%	3.8%	3.9%	3.9%	5.5%	3.8%
	NR	16.1%	15.5%	16.3%	14.3%	24.5%	15.4%	14.4%	14.2%	14.9%	23.1%	25.8%	15.8%
Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Reading non peer-reviewed medical publications		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Use: Reading non peer-reviewed medical publications	Never	18.2%	19.5%	17.9%	20.7%	14.9%	26.5%	23.4%	18.3%	15.3%	13.0%	14.4%	18.8%	
	Once a year	9.5%	11.5%	11.0%	9.7%	8.6%	10.6%	12.2%	10.4%	10.3%	7.3%	8.0%	10.5%	
	Once every six months	12.9%	13.5%	13.1%	13.5%	12.4%	15.1%	13.5%	13.7%	12.0%	12.9%	11.2%	13.2%	
	Once a month	21.7%	20.6%	20.7%	21.9%	21.7%	18.9%	21.5%	19.9%	22.1%	22.4%	23.6%	21.1%	
	More than once a month	23.6%	21.2%	22.7%	21.8%	26.7%	14.8%	16.8%	24.4%	26.3%	26.3%	25.8%	22.5%	
	NR	14.1%	13.8%	14.7%	12.5%	15.8%	14.2%	12.5%	13.1%	14.0%	18.1%	16.9%	13.9%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	
Impact: Reading non peer-reviewed medical publications	Very insignificant	6.2%	8.2%	7.6%	6.6%	5.8%	5.7%	7.4%	6.7%	8.6%	5.8%	6.7%	7.2%	
	Somewhat insignificant	9.9%	12.1%	11.9%	9.5%	7.4%	8.4%	10.5%	12.3%	11.7%	10.0%	6.1%	11.0%	
	Neutral	19.5%	21.9%	20.4%	21.2%	18.1%	17.8%	21.5%	21.3%	21.1%	18.2%	18.5%	20.6%	
	Somewhat significant	22.1%	18.1%	19.4%	21.6%	20.5%	21.1%	18.7%	20.2%	20.7%	21.6%	20.9%	20.2%	
	Very significant	7.9%	6.7%	7.6%	6.9%	8.5%	7.6%	6.0%	7.8%	7.9%	7.8%	7.9%	7.4%	
	Don't use	14.5%	15.1%	13.8%	16.9%	11.3%	22.8%	19.4%	14.8%	10.5%	9.4%	10.4%	14.8%	
	NR	19.8%	17.9%	19.4%	17.2%	28.4%	16.7%	16.5%	16.9%	19.5%	27.1%	29.5%	18.9%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
N		34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383	
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Using evidence-based resources		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Use: Using evidence-based resources	Never	4.1%	5.8%	5.7%	3.2%	8.1%	1.6%	2.5%	4.2%	6.4%	10.5%	7.5%	4.9%	
	Once a year	5.9%	9.2%	8.7%	5.3%	7.2%	2.5%	5.2%	8.2%	9.5%	9.5%	7.2%	7.4%	
	Once every six months	15.6%	20.0%	18.7%	15.9%	20.1%	13.1%	15.1%	19.7%	18.4%	19.8%	18.9%	17.7%	
	Once a month	26.6%	24.8%	24.9%	27.4%	24.1%	22.4%	27.4%	26.0%	25.8%	23.7%	25.5%	25.8%	
	More than once a month	36.4%	27.2%	28.6%	38.4%	25.9%	48.1%	38.9%	30.9%	28.4%	17.8%	24.6%	32.0%	
	NR	11.4%	13.0%	13.4%	9.8%	14.7%	12.2%	11.0%	11.0%	11.4%	18.8%	16.3%	12.2%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	
Impact: Using evidence-based resources	Very insignificant	3.3%	3.4%	3.8%	2.8%	2.1%	2.2%	2.8%	3.4%	3.9%	4.3%	3.4%	3.4%	
	Somewhat insignificant	4.1%	5.2%	5.4%	3.3%	5.5%	2.6%	4.4%	4.9%	5.1%	4.9%	4.9%	4.6%	
	Neutral	9.7%	12.5%	12.6%	8.5%	8.1%	7.7%	9.1%	11.4%	13.1%	12.5%	9.9%	11.0%	
	Somewhat significant	29.0%	27.9%	27.6%	30.2%	24.2%	28.4%	30.2%	30.1%	27.6%	23.5%	22.1%	28.5%	
	Very significant	32.2%	28.7%	27.4%	36.4%	26.2%	41.3%	35.6%	30.8%	27.6%	18.4%	25.1%	30.5%	
	Don't use	3.1%	4.1%	4.0%	2.6%	7.4%	1.4%	1.8%	3.1%	4.7%	7.3%	6.2%	3.6%	
	NR	18.5%	18.2%	19.3%	16.2%	26.6%	16.4%	15.9%	16.3%	18.0%	29.0%	28.4%	18.4%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
N		34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383	
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Using computer-based, offline education (e.g., CD-ROM, DVD)		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Use: Using computer-based, offline education (e.g., CD-ROM, DVD)	Never	35.5%	28.4%	29.4%	36.9%	29.1%	36.8%	33.5%	32.1%	30.6%	30.1%	26.6%	32.1%
	Once a year	17.0%	20.1%	18.2%	18.8%	19.9%	19.1%	18.9%	19.0%	19.5%	13.6%	18.5%	18.5%
	Once every six months	13.5%	17.9%	16.4%	14.4%	13.5%	13.1%	15.0%	16.9%	15.6%	15.1%	15.2%	15.6%
	Once a month	9.6%	10.8%	10.7%	9.2%	11.0%	8.3%	9.8%	10.0%	10.9%	11.0%	10.5%	10.2%
	More than once a month	11.1%	9.4%	10.7%	9.5%	12.3%	9.5%	11.0%	9.8%	10.2%	10.4%	11.8%	10.3%
	NR	13.4%	13.4%	14.6%	11.1%	14.2%	13.2%	11.7%	12.2%	13.2%	19.8%	17.3%	13.4%
	Total												
	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Impact: Using computer-based, offline education (e.g., CD-ROM, DVD)	Very insignificant	8.2%	7.3%	8.0%	7.2%	8.0%	6.2%	7.2%	7.8%	8.8%	7.6%	7.5%	7.8%
	Somewhat insignificant	7.6%	8.4%	8.5%	7.2%	7.3%	8.9%	7.0%	8.7%	8.7%	6.4%	6.8%	8.0%
	Neutral	12.8%	17.3%	15.1%	14.8%	14.8%	15.1%	15.4%	15.7%	14.8%	11.6%	17.4%	15.0%
	Somewhat significant	15.4%	18.8%	17.9%	15.6%	14.8%	13.4%	18.1%	17.8%	17.0%	16.0%	13.6%	17.0%
	Very significant	9.1%	8.7%	9.1%	8.6%	9.2%	8.5%	9.0%	8.8%	9.4%	8.6%	7.6%	8.9%
	Don't use	28.3%	21.8%	22.1%	30.9%	21.1%	31.8%	27.2%	24.8%	23.3%	22.7%	19.8%	25.2%
	NR	18.5%	17.7%	19.3%	15.6%	24.8%	16.1%	16.0%	16.4%	18.0%	27.1%	27.3%	18.1%
Total													
	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Using internet-based education/ eLearning		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Use: Using internet-based education / eLearning (e.g., online courses, webinars)	Never	23.6%	16.6%	19.5%	21.1%	24.5%	17.6%	18.3%	19.8%	21.6%	23.3%	24.4%	20.2%
	Once a year	12.2%	13.5%	12.8%	13.4%	7.4%	12.4%	13.3%	13.8%	13.9%	8.8%	7.6%	12.9%
	Once every six months	15.8%	17.6%	16.6%	17.1%	13.3%	18.5%	18.4%	16.3%	15.7%	15.3%	14.5%	16.7%
	Once a month	17.7%	17.9%	17.6%	18.1%	18.6%	17.2%	17.2%	18.4%	18.2%	17.3%	16.3%	17.8%
	More than once a month	17.8%	22.3%	20.0%	19.9%	21.3%	20.9%	21.2%	20.0%	19.1%	18.3%	20.6%	20.0%
	NR	12.9%	12.0%	13.5%	10.5%	14.9%	13.5%	11.7%	11.7%	11.5%	16.9%	16.7%	12.5%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Impact: Using internet-based education / eLearning (e.g., online courses, webinars)	Very insignificant	6.4%	6.2%	6.8%	5.4%	5.3%	3.7%	5.9%	5.8%	7.8%	7.2%	5.4%	6.3%
	Somewhat insignificant	6.8%	7.1%	7.4%	6.3%	5.2%	7.1%	6.3%	7.2%	7.9%	6.1%	5.5%	6.9%
	Neutral	13.7%	16.4%	14.7%	15.6%	14.3%	15.2%	15.6%	16.1%	15.1%	10.3%	16.2%	15.0%
	Somewhat significant	21.4%	23.3%	22.4%	22.6%	18.3%	25.4%	24.7%	23.3%	21.1%	16.3%	17.1%	22.3%
	Very significant	13.9%	12.0%	12.7%	13.6%	10.9%	16.8%	14.1%	13.4%	11.7%	10.7%	9.6%	13.0%
	Don't use	13.9%	11.3%	11.8%	14.2%	11.4%	12.1%	12.7%	12.0%	12.7%	14.7%	11.5%	12.7%
	NR	23.8%	23.6%	24.2%	22.2%	34.6%	19.8%	20.7%	22.2%	23.7%	34.7%	34.6%	23.7%
Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Participating in hospital/ clinical rounds, journal clubs and other small group activities		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Use: Participating in hospital/clinical rounds, journal clubs and other small group activities	Never	24.6%	8.4%	16.4%	17.0%	24.3%	16.0%	12.2%	16.4%	18.6%	23.4%	23.4%	16.8%	
	Once a year	9.9%	5.5%	7.8%	7.9%	7.0%	8.5%	7.0%	8.3%	8.4%	6.8%	6.5%	7.8%	
	Once every six months	14.2%	10.9%	12.8%	12.4%	11.5%	12.0%	12.0%	12.8%	12.6%	14.1%	12.0%	12.6%	
	Once a month	21.9%	23.7%	22.1%	24.3%	19.5%	24.3%	25.2%	22.8%	21.6%	19.3%	19.5%	22.8%	
	More than once a month	17.2%	40.4%	28.4%	28.6%	22.4%	26.1%	32.9%	28.9%	27.8%	20.3%	22.2%	28.3%	
	NR	12.2%	11.2%	12.6%	9.9%	15.2%	13.1%	10.8%	10.8%	10.9%	16.1%	16.4%	11.7%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	
Impact: Participating in hospital/ clinical rounds, journal clubs and other small group activities	Very insignificant	6.4%	3.4%	5.3%	4.2%	7.0%	3.7%	4.1%	4.5%	5.5%	7.4%	6.4%	5.0%	
	Somewhat insignificant	5.0%	5.0%	5.6%	4.0%	4.7%	4.3%	5.0%	5.0%	5.4%	5.3%	2.7%	5.0%	
	Neutral	10.9%	11.7%	11.7%	10.5%	9.2%	13.1%	12.0%	11.1%	11.4%	8.7%	9.2%	11.2%	
	Somewhat significant	22.4%	30.6%	26.1%	27.2%	20.0%	29.9%	30.2%	26.8%	24.3%	19.3%	21.9%	26.3%	
	Very significant	18.3%	25.9%	20.7%	24.6%	16.9%	19.6%	23.5%	24.0%	21.5%	17.0%	15.8%	22.0%	
	Don't use	19.1%	6.2%	12.1%	14.1%	17.6%	12.1%	9.7%	12.9%	14.2%	17.0%	17.3%	12.9%	
	NR	17.9%	17.2%	18.5%	15.4%	24.5%	17.2%	15.4%	15.7%	17.7%	25.3%	26.7%	17.6%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
N		34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383	
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Doing self-assessment activities		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Use: Doing self-assessment activities	Never	31.7%	26.9%	28.4%	31.1%	31.5%	26.3%	28.5%	28.4%	31.1%	32.8%	28.0%	29.4%	
	Once a year	16.1%	23.6%	20.5%	18.4%	17.6%	17.9%	19.7%	20.7%	20.7%	16.5%	17.0%	19.7%	
	Once every six months	17.2%	18.9%	17.2%	19.4%	17.3%	22.7%	20.0%	17.9%	16.8%	13.7%	14.8%	18.0%	
	Once a month	14.8%	11.7%	12.9%	14.5%	9.1%	15.1%	14.1%	14.3%	11.7%	11.8%	12.1%	13.3%	
	More than once a month	6.9%	5.8%	6.6%	5.8%	9.1%	4.7%	6.0%	6.9%	7.0%	5.0%	10.2%	6.4%	
	NR	13.3%	13.1%	14.5%	10.8%	15.4%	13.4%	11.7%	11.8%	12.7%	20.2%	18.0%	13.2%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	
Impact: Doing self-assessment activities	Very insignificant	7.5%	8.1%	8.4%	6.7%	6.4%	4.7%	7.0%	7.4%	9.5%	9.2%	6.9%	7.8%	
	Somewhat insignificant	7.7%	9.3%	9.0%	7.7%	6.2%	9.0%	9.0%	8.8%	8.5%	6.6%	6.8%	8.5%	
	Neutral	15.0%	18.7%	16.6%	17.2%	15.5%	20.8%	18.7%	17.8%	15.0%	11.4%	14.9%	16.8%	
	Somewhat significant	17.6%	18.4%	17.4%	19.3%	13.8%	21.1%	18.6%	18.4%	18.4%	13.0%	15.2%	18.0%	
	Very significant	8.3%	8.4%	8.7%	7.9%	6.4%	6.0%	7.8%	9.7%	8.3%	8.3%	6.9%	8.3%	
	Don't use	24.9%	19.8%	20.8%	25.2%	24.7%	21.7%	23.0%	21.7%	22.4%	24.1%	20.6%	22.4%	
	NR	18.9%	17.3%	19.1%	15.9%	27.0%	16.9%	15.8%	16.2%	17.9%	27.6%	28.6%	18.2%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
N		34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383	
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Undergoing practice audits		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Use: Undergoing practice audits	Never	55.0%	48.5%	50.1%	55.3%	48.7%	58.1%	53.4%	51.3%	51.6%	48.2%	44.3%	51.9%	
	Once a year	17.6%	23.3%	21.1%	19.0%	18.4%	14.4%	20.2%	22.1%	21.3%	18.2%	17.5%	20.3%	
	Once every six months	7.1%	8.9%	8.0%	7.8%	7.4%	9.4%	8.6%	8.1%	7.6%	5.7%	8.6%	7.9%	
	Once a month	2.4%	2.9%	2.5%	2.8%	4.5%	2.4%	2.6%	2.7%	2.8%	2.0%	5.1%	2.7%	
	More than once a month	1.6%	1.8%	1.7%	1.7%	1.7%	1.1%	1.6%	1.8%	1.9%	1.6%	.8%	1.7%	
	NR	16.3%	14.6%	16.5%	13.4%	19.4%	14.5%	13.6%	13.9%	14.7%	24.4%	23.8%	15.5%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	
Impact: Undergoing practice audits	Very insignificant	10.7%	10.2%	11.2%	9.1%	11.4%	8.0%	8.8%	10.2%	12.6%	12.0%	11.2%	10.5%	
	Somewhat insignificant	5.2%	6.6%	6.6%	4.6%	5.9%	5.3%	6.3%	5.6%	6.3%	5.2%	5.4%	5.9%	
	Neutral	8.7%	11.2%	10.3%	9.1%	10.1%	9.6%	10.4%	11.0%	9.2%	7.4%	10.9%	9.9%	
	Somewhat significant	8.2%	11.0%	9.5%	9.4%	10.5%	8.2%	9.4%	10.4%	10.0%	7.2%	9.9%	9.5%	
	Very significant	4.3%	6.3%	5.1%	5.7%	3.0%	3.5%	5.5%	5.9%	5.6%	4.5%	1.6%	5.3%	
	Don't use	43.3%	36.7%	37.4%	45.5%	33.9%	48.3%	43.4%	39.8%	38.1%	35.0%	31.3%	40.2%	
	NR	19.6%	18.0%	19.8%	16.6%	25.2%	17.2%	16.2%	17.1%	18.3%	28.8%	29.7%	18.8%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
N		34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383	
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Using simulation		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Use: Using simulation	Never	63.6%	66.7%	64.5%	66.3%	63.3%	57.5%	62.0%	65.8%	69.2%	67.3%	61.5%	65.1%	
	Once a year	12.2%	10.5%	11.0%	12.4%	8.6%	17.5%	13.9%	12.0%	9.5%	4.8%	7.9%	11.4%	
	Once every six months	5.4%	5.1%	4.8%	6.2%	3.4%	8.8%	7.3%	5.4%	3.8%	1.6%	3.7%	5.3%	
	Once a month	1.6%	1.5%	1.5%	1.7%	2.6%	1.4%	2.2%	1.7%	1.0%	.6%	3.2%	1.6%	
	More than once a month	1.1%	1.4%	1.2%	1.3%	1.5%	.6%	1.6%	1.4%	1.2%	.7%	.7%	1.2%	
	NR	15.9%	14.8%	17.0%	12.2%	20.5%	14.2%	12.9%	13.7%	15.2%	25.0%	23.1%	15.4%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	
Impact: Using simulation	Very insignificant	12.4%	13.6%	14.2%	10.7%	13.9%	8.5%	9.9%	12.6%	16.9%	15.3%	13.6%	13.0%	
	Somewhat insignificant	3.0%	3.6%	3.5%	2.9%	2.4%	3.6%	3.9%	3.2%	3.1%	2.2%	3.5%	3.3%	
	Neutral	5.4%	6.4%	5.9%	5.9%	6.1%	8.4%	7.8%	6.3%	4.1%	2.8%	5.6%	5.9%	
	Somewhat significant	6.6%	6.4%	6.2%	7.2%	5.7%	10.5%	8.2%	6.9%	5.4%	2.2%	4.3%	6.5%	
	Very significant	5.1%	3.7%	4.0%	5.3%	2.5%	5.3%	5.8%	5.3%	3.2%	1.8%	1.3%	4.4%	
	Don't use	49.5%	49.7%	47.4%	53.7%	44.9%	47.0%	49.5%	50.2%	50.3%	49.3%	44.7%	49.6%	
	NR	18.1%	16.6%	18.8%	14.2%	24.4%	16.7%	14.9%	15.6%	17.1%	26.4%	27.1%	17.4%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
N		34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383	
n		6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Other CPE method		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Use: Other CPE method	Never	.0%	.1%	.1%	.0%	.0%	.0%	.0%	.0%	.0%	.2%	.0%	.0%
	Once a year	.3%	.3%	.4%	.2%	.3%	.3%	.1%	.3%	.4%	.5%	.6%	.3%
	Once every six months	.5%	.7%	.5%	.8%	.2%	1.0%	.5%	.8%	.4%	.6%	.2%	.6%
	Once a month	.9%	.7%	.7%	1.1%	.7%	.5%	.5%	1.1%	.8%	.8%	.6%	.8%
	More than once a month	1.9%	1.7%	1.6%	2.0%	2.7%	1.3%	1.2%	2.0%	2.1%	2.2%	1.3%	1.8%
	NR	96.3%	96.5%	96.8%	95.9%	96.1%	96.9%	97.6%	95.7%	96.3%	95.8%	97.3%	96.4%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Impact: Other CPE method	Very insignificant	.1%	.1%	.1%	.2%	.0%	.0%	.0%	.1%	.1%	.4%	.0%	.1%
	Somewhat insignificant	.1%	.1%	.1%	.1%	.0%	.0%	.0%	.1%	.1%	.2%	.4%	.1%
	Neutral	.1%	.2%	.2%	.2%	.3%	.5%	.0%	.2%	.2%	.3%	.3%	.2%
	Somewhat significant	.8%	.6%	.6%	.8%	1.3%	.9%	.6%	.9%	.6%	.6%	1.1%	.7%
	Very significant	1.9%	2.1%	1.7%	2.5%	1.8%	1.5%	1.5%	2.4%	2.4%	2.0%	1.0%	2.0%
	Don't use	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	NR	96.9%	96.8%	97.2%	96.2%	96.6%	97.1%	97.8%	96.3%	96.6%	96.4%	97.3%	96.9%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21b Please rate how significantly each of the following has served as a barrier to your participation in CME/CPD.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Time away from practice	not a barrier	22.6%	25.6%	25.6%	21.0%	27.7%	21.0%	18.9%	20.9%	26.7%	39.8%	25.6%	24.0%
	somewhat significant barrier	33.7%	33.7%	31.4%	37.8%	33.5%	37.5%	36.2%	35.1%	33.1%	24.0%	30.1%	33.7%
	very significant barrier	33.0%	27.5%	30.3%	30.7%	25.5%	28.2%	33.4%	33.9%	29.4%	18.2%	27.2%	30.4%
	Not applicable	2.8%	3.6%	3.4%	2.8%	2.7%	1.5%	1.8%	2.0%	3.8%	8.8%	2.9%	3.2%
	NR	8.0%	9.6%	9.3%	7.6%	10.7%	11.8%	9.6%	8.0%	6.9%	9.2%	14.2%	8.7%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Lack of locum relief	not a barrier	35.8%	43.6%	41.2%	36.5%	40.0%	41.9%	39.8%	37.1%	40.1%	43.2%	36.3%	39.5%
	somewhat significant barrier	17.1%	12.5%	13.7%	16.9%	15.2%	16.4%	15.3%	17.1%	14.9%	7.0%	13.7%	14.9%
	very significant barrier	19.3%	9.2%	13.9%	15.3%	17.6%	12.1%	13.8%	16.7%	15.5%	8.9%	17.7%	14.5%
	Not applicable	17.2%	23.0%	19.7%	21.1%	11.6%	16.3%	19.9%	19.0%	20.0%	26.7%	13.6%	20.0%
	NR	10.6%	11.8%	11.5%	10.1%	15.6%	13.3%	11.2%	10.1%	9.5%	14.2%	18.8%	11.2%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Time away from family	not a barrier	25.4%	24.6%	26.3%	22.6%	26.7%	23.2%	13.6%	20.9%	34.2%	43.2%	23.7%	25.0%
	somewhat significant barrier	29.6%	30.4%	30.2%	29.2%	34.0%	29.4%	27.8%	34.2%	31.3%	20.9%	31.6%	30.0%
	very significant barrier	32.0%	30.2%	28.8%	35.8%	22.8%	31.9%	46.9%	33.5%	20.7%	13.0%	24.1%	31.1%
	Not applicable	4.4%	4.6%	4.7%	4.1%	3.5%	3.7%	2.3%	2.7%	5.8%	11.8%	4.2%	4.5%
	NR	8.5%	10.3%	9.9%	8.2%	12.9%	11.8%	9.4%	8.7%	7.9%	11.1%	16.3%	9.4%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21b Please rate how significantly each of the following has served as a barrier to your participation in CME/CPD. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Cost of travel	not a barrier	34.3%	30.3%	32.9%	31.4%	33.5%	29.2%	29.8%	32.8%	34.4%	35.2%	30.1%	32.4%
	somewhat significant barrier	34.5%	37.2%	34.9%	37.4%	34.8%	38.4%	39.0%	36.2%	34.4%	29.4%	33.4%	35.8%
	very significant barrier	18.6%	19.1%	18.5%	19.5%	17.4%	19.4%	19.5%	19.6%	18.5%	15.9%	18.4%	18.9%
	Not applicable	3.5%	3.0%	3.5%	2.9%	2.8%	1.2%	1.8%	2.3%	4.3%	8.5%	3.3%	3.3%
	NR	9.1%	10.3%	10.1%	8.8%	11.5%	11.8%	9.9%	9.2%	8.4%	11.0%	14.8%	9.7%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Cost of actual CME/CPD activities	not a barrier	35.7%	33.9%	35.1%	34.2%	36.0%	30.3%	33.6%	36.0%	36.1%	35.3%	32.6%	34.8%
	somewhat significant barrier	36.3%	37.2%	36.2%	37.8%	35.1%	37.0%	39.0%	36.8%	36.9%	31.7%	33.7%	36.8%
	very significant barrier	16.7%	15.9%	15.8%	17.3%	13.8%	19.9%	16.3%	16.2%	15.5%	15.8%	15.7%	16.3%
	Not applicable	2.4%	2.7%	2.7%	2.3%	3.2%	.9%	1.5%	2.0%	3.0%	6.5%	2.6%	2.5%
	NR	8.8%	10.4%	10.1%	8.4%	11.9%	11.8%	9.5%	8.9%	8.5%	10.7%	15.4%	9.6%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Lack of opportunity	not a barrier	53.1%	54.0%	53.1%	54.5%	50.9%	53.6%	54.3%	54.4%	54.8%	48.6%	45.4%	53.5%
	somewhat significant barrier	22.0%	20.2%	21.6%	20.5%	18.0%	23.3%	23.4%	21.6%	19.1%	18.1%	19.4%	21.1%
	very significant barrier	6.7%	6.6%	6.7%	6.3%	7.6%	7.0%	6.6%	6.8%	6.7%	5.4%	8.3%	6.6%
	Not applicable	8.3%	8.3%	7.8%	9.1%	9.1%	3.6%	5.5%	7.3%	10.5%	15.5%	9.3%	8.3%
	NR	10.0%	10.9%	10.8%	9.6%	14.4%	12.4%	10.3%	10.0%	9.0%	12.3%	17.6%	10.5%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q21b Please rate how significantly each of the following has served as a barrier to your participation in CME/CPD. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Lack of relevance to my practice	not a barrier	52.9%	53.2%	52.2%	55.1%	45.8%	61.8%	58.0%	52.7%	51.0%	43.1%	43.9%	53.0%
	somewhat significant barrier	18.8%	17.0%	18.8%	16.4%	17.6%	15.2%	17.3%	19.3%	18.3%	17.7%	15.8%	18.0%
	very significant barrier	6.3%	6.0%	6.5%	5.4%	6.9%	3.1%	4.7%	6.0%	7.6%	8.7%	6.4%	6.2%
	Not applicable	11.5%	12.5%	11.4%	12.9%	12.9%	7.1%	9.7%	11.6%	13.6%	17.1%	13.8%	12.0%
	NR	10.5%	11.4%	11.1%	10.2%	16.8%	12.8%	10.3%	10.3%	9.6%	13.3%	20.2%	10.9%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Other barrier to CME participation	not a barrier	.1%	.0%	.0%	.0%	.0%	.1%	.0%	.0%	.0%	.1%	.0%	.0%
	somewhat significant barrier	.4%	.3%	.4%	.3%	.0%	.1%	.2%	.4%	.4%	.5%	.2%	.3%
	very significant barrier	1.5%	1.1%	1.1%	1.8%	.7%	1.7%	1.0%	1.4%	1.7%	.7%	.6%	1.3%
	Not applicable	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	NR	98.0%	98.7%	98.5%	97.9%	99.3%	98.1%	98.7%	98.1%	97.9%	98.8%	99.1%	98.3%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes: NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q22 Primary remuneration method.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Method of remuneration	90%+ Fee-for-service	40.0%	43.9%	44.4%	36.7%	49.6%	32.6%	37.6%	39.9%	43.3%	58.3%	48.5%	41.9%
	90%+ Salary	7.6%	9.5%	7.5%	10.3%	7.0%	8.6%	10.0%	8.6%	8.5%	5.1%	5.8%	8.5%
	90%+ Capitation	2.2%	.1%	1.2%	1.2%	1.2%	.5%	1.0%	1.4%	1.3%	1.6%	.8%	1.2%
	90%+ Sessional/per diem/hourly	4.2%	2.0%	2.5%	4.4%	3.5%	3.2%	3.0%	3.1%	3.2%	4.0%	2.8%	3.2%
	90%+ Service contract	2.6%	3.2%	3.0%	2.6%	2.4%	1.9%	3.1%	2.6%	3.0%	3.4%	2.8%	2.9%
	90%+ Incentives and premiums	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.1%	.0%	.0%
	90%+ Other	1.0%	2.6%	1.6%	2.1%	1.9%	1.5%	1.8%	1.6%	2.0%	1.8%	1.8%	1.8%
	Blended	34.8%	29.7%	31.3%	34.8%	25.3%	39.5%	34.0%	35.0%	31.6%	20.3%	23.6%	32.3%
	NR	7.6%	9.0%	8.5%	7.8%	9.1%	12.2%	9.4%	7.9%	7.0%	5.5%	13.9%	8.3%
Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q22 Average percent of income from each source for those receiving BLENDED INCOME.

<i>Blended income</i>		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
% Fee-for-service	Mean	43.82	49.60	47.61	44.53	43.57	45.58	44.49	46.61	47.51	49.46	46.18	46.36
% Salary	Mean	14.66	19.19	16.69	16.64	15.90	16.05	17.81	16.08	16.76	14.81	18.52	16.65
% Capitation	Mean	11.78	.64	7.18	6.49	5.38	5.90	6.34	7.37	7.87	4.76	6.18	6.88
% Sessional / per diem/hourly	Mean	16.26	16.44	15.00	18.49	15.99	20.76	17.67	16.39	13.37	16.91	10.86	16.34
% Service contract	Mean	7.02	6.78	7.03	6.52	10.69	6.17	6.68	6.98	7.01	7.33	9.85	6.92
% Incentives and premiums	Mean	3.50	2.39	2.92	3.10	4.05	3.00	3.71	2.87	2.70	1.84	3.89	3.01
% Other remuneration method	Mean	2.96	4.96	3.57	4.23	4.41	2.53	3.31	3.69	4.77	4.89	4.53	3.84
Total	N	12021	9449	12905	8118	446	1997	5639	6813	5103	1488	429	21470
	n	2259	1594	2152	1615	86	389	890	1178	991	323	82	3853

Notes:

NR=No Response.

Includes only those for whom no one payment method comprised 90% or more of their total income.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q23 Please indicate which of the following factors are increasing the demand for your time at work. Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Factors increasing the demand for the physician's time at work	Aging patient population	69.5%	47.4%	60.9%	55.2%	62.0%	60.2%	58.1%	60.5%	59.9%	53.4%	58.8%	58.9%
	Increasing complexity of patient caseload	75.8%	66.9%	70.2%	74.1%	69.2%	72.5%	73.6%	75.7%	71.7%	55.8%	66.7%	71.5%
	Management of patients with chronic diseases/conditions	72.5%	51.8%	61.8%	64.0%	60.4%	64.4%	64.9%	64.7%	62.6%	51.7%	57.7%	62.6%
	Increasing patient expectations	63.0%	52.4%	56.7%	60.2%	57.0%	58.5%	58.0%	60.3%	57.9%	51.2%	57.6%	57.9%
	Increasing administrative workload/paperwork	65.6%	55.9%	59.4%	64.1%	55.3%	61.5%	64.0%	64.8%	60.7%	44.8%	56.8%	60.9%
	Lack of availability of local/regional physician services in my specialty	22.9%	27.3%	24.1%	26.3%	28.7%	20.5%	25.7%	26.7%	25.3%	20.7%	28.0%	25.0%
	Lack of availability of local/regional physician services in other specialties	36.9%	18.1%	26.0%	31.3%	26.5%	29.0%	28.6%	30.1%	27.9%	19.9%	25.8%	27.9%
	Lack of availability of other local/regional health care professional services	27.5%	19.3%	21.8%	26.6%	24.7%	23.8%	23.6%	25.2%	24.4%	17.2%	24.2%	23.6%
	Medical liability concerns	20.2%	17.8%	18.2%	20.3%	21.2%	22.0%	20.6%	19.1%	18.0%	14.7%	22.0%	19.0%
	Other demands	7.7%	9.9%	8.1%	9.7%	9.1%	7.2%	8.7%	9.3%	9.6%	6.5%	8.7%	8.7%
	Demands on my time: none of the above	3.8%	5.3%	4.9%	3.8%	5.8%	2.5%	2.6%	2.5%	5.8%	13.0%	5.6%	4.5%
	NR		6.8%	8.6%	8.0%	7.1%	6.1%	11.3%	8.9%	7.3%	6.3%	5.6%	9.7%
Total	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q24 With reference to the LAST 2 YEARS, please check all of the following changes you have already made.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Changes made in the LAST 2 YEARS	Reduced weekly work hours (excluding on call)	25.2%	23.0%	25.0%	22.6%	26.8%	18.1%	18.6%	19.0%	27.9%	46.7%	24.6%	24.2%
	Increased weekly work hours (excluding on call)	36.8%	39.8%	37.4%	39.9%	35.3%	42.7%	47.0%	41.6%	33.0%	18.4%	37.8%	38.3%
	Reduced On-call hours	20.9%	23.5%	22.9%	20.9%	18.3%	20.5%	20.1%	20.1%	24.3%	29.4%	17.1%	22.1%
	Increased On-call hours	22.1%	22.8%	22.8%	22.0%	20.7%	31.2%	29.9%	23.8%	16.7%	8.1%	23.3%	22.4%
	Reduced clinical hours (excluding on call)	19.4%	19.1%	19.9%	18.1%	18.4%	14.3%	15.9%	15.5%	22.4%	33.2%	18.7%	19.3%
	Increased clinical hours (excluding on call)	28.6%	33.3%	30.4%	31.7%	30.9%	36.9%	39.4%	33.1%	25.5%	13.2%	32.2%	30.9%
	Reduced teaching	12.3%	17.1%	15.6%	12.8%	12.9%	11.9%	13.1%	13.7%	15.3%	21.4%	11.7%	14.6%
	Increased teaching	23.5%	30.6%	25.0%	30.7%	20.6%	40.7%	37.7%	26.9%	20.7%	8.4%	20.3%	26.9%
	Reduced research	10.8%	20.6%	16.7%	13.6%	13.4%	16.5%	17.3%	14.8%	13.8%	17.2%	12.4%	15.5%
	Increased research	6.5%	15.1%	11.3%	9.7%	7.8%	12.2%	15.0%	10.4%	9.1%	3.7%	9.6%	10.6%
	Reduced administration responsibilities	10.8%	16.6%	14.9%	11.3%	13.6%	9.6%	10.5%	12.7%	15.9%	20.9%	11.6%	13.6%
	Increased administration responsibilities	27.0%	33.2%	29.7%	30.9%	25.2%	32.4%	41.0%	32.8%	23.8%	10.1%	27.7%	30.0%
	Reduced scope of practice	11.7%	13.4%	13.9%	10.1%	12.9%	8.5%	9.1%	10.2%	14.9%	24.2%	12.4%	12.5%
	Increased scope of practice	17.8%	22.0%	20.3%	19.4%	15.6%	29.9%	26.4%	20.3%	15.2%	7.6%	16.5%	19.8%
	Retired from clinical practice	.8%	.8%	.9%	.4%	1.8%	.2%	.1%	.4%	.9%	3.6%	1.1%	.8%
Left Canada to practice in another country	.7%	.6%	.6%	.8%	.6%	2.0%	.9%	.3%	.5%	.3%	.3%	.6%	
Relocated my practice to another province/territory in Canada	1.5%	1.2%	1.3%	1.7%	.2%	4.0%	2.0%	1.2%	.6%	.3%	1.0%	1.4%	

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q24 With reference to the LAST 2 YEARS, please check all of the following changes you have already made. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Changes made in the LAST 2 YEARS	Focused practice in an area of special interest	5.2%	5.1%	5.0%	5.6%	3.4%	5.8%	4.5%	6.0%	5.0%	4.6%	3.0%	5.2%
	Stopped intrapartum practice	2.5%	.5%	1.5%	1.5%	1.8%	3.0%	1.5%	1.5%	1.5%	.9%	1.6%	1.5%
	Became part of a practice network	5.0%	.5%	2.3%	3.9%	2.1%	3.8%	3.0%	3.1%	2.8%	1.5%	2.3%	2.9%
	Other change(s) made	4.8%	2.9%	3.2%	5.4%	2.7%	5.4%	4.5%	3.6%	3.6%	3.8%	1.6%	3.9%
	Changes: No changes made or planned	8.3%	7.2%	8.1%	7.0%	9.9%	4.4%	4.6%	8.8%	9.4%	10.8%	7.6%	7.8%
	NR	15.8%	16.7%	16.6%	15.3%	18.3%	21.3%	15.3%	14.9%	16.8%	15.5%	21.7%	16.2%
Total	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes: NR=No Response

Column totals may exceed 100% as this question allowed for multiple responses.

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q24 With reference to the NEXT 2 YEARS, please check all of the following changes you are planning to make.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Changes planned for the NEXT 2 Years	Reduce weekly work hours (excluding on call)	37.7%	38.1%	41.2%	31.7%	42.1%	26.2%	27.5%	33.2%	48.2%	59.0%	39.1%	37.9%
	Increase weekly work hours (excluding on call)	14.3%	15.9%	14.6%	16.1%	12.1%	23.1%	22.6%	16.3%	8.5%	3.3%	15.7%	15.1%
	Reduce On-call hours	26.2%	30.2%	30.5%	23.8%	28.4%	24.8%	25.2%	26.1%	33.1%	30.8%	28.2%	28.1%
	Increase On-call hours	7.8%	9.1%	8.6%	8.3%	6.6%	14.9%	13.1%	8.8%	4.5%	1.3%	8.3%	8.5%
	Reduce clinical hours (excluding on call)	26.6%	31.0%	31.7%	23.2%	31.4%	19.8%	22.5%	25.4%	36.4%	40.4%	29.2%	28.7%
	Increase clinical hours (excluding on call)	12.9%	14.2%	13.2%	14.3%	9.9%	19.5%	21.1%	14.1%	7.8%	3.1%	13.2%	13.5%
	Reduce teaching	9.6%	15.7%	14.5%	8.9%	13.1%	6.5%	9.5%	10.6%	16.0%	21.1%	11.0%	12.5%
	Increase teaching	20.3%	25.4%	21.9%	24.7%	16.7%	42.7%	33.0%	22.3%	15.2%	4.6%	18.3%	22.8%
	Reduce research	7.6%	15.8%	13.0%	9.0%	11.8%	11.9%	10.8%	9.9%	12.7%	15.1%	10.3%	11.5%
	Increase research	8.4%	16.9%	13.2%	11.6%	8.6%	17.0%	19.4%	12.2%	8.7%	3.2%	10.6%	12.5%
	Reduce administration responsibilities	17.7%	23.7%	23.0%	16.3%	21.2%	12.6%	18.7%	19.1%	25.2%	24.2%	20.7%	20.6%
	Increase administration responsibilities	12.6%	18.9%	15.8%	15.7%	10.8%	24.8%	23.4%	16.9%	9.4%	2.9%	12.8%	15.7%
	Reduce scope of practice	13.0%	16.9%	17.7%	9.7%	17.3%	8.6%	9.7%	12.3%	20.5%	24.8%	16.3%	14.9%
	Increase scope of practice	11.6%	14.5%	13.2%	13.1%	6.4%	24.1%	19.7%	13.2%	7.6%	2.3%	8.9%	13.0%
	Retire from clinical practice	7.2%	7.5%	8.9%	4.4%	9.8%	.3%	.5%	1.6%	10.4%	35.6%	9.8%	7.3%
Leave Canada to practice in another country	2.4%	2.3%	2.6%	1.9%	2.3%	2.8%	3.6%	2.2%	1.7%	.9%	2.8%	2.3%	
Relocate my practice to another province/territory in Canada	3.7%	3.5%	3.9%	3.1%	3.2%	7.4%	5.5%	3.1%	2.2%	1.1%	3.7%	3.6%	

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q24 With reference to the NEXT 2 YEARS, please check all of the following changes you are planning to make. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Changes planned for the NEXT 2 Years	Focus practice in an area of special interest	9.6%	10.3%	10.5%	9.2%	6.7%	11.3%	10.5%	11.0%	9.5%	6.3%	7.8%	9.9%
	Stop intra-partum practice	2.2%	.6%	1.4%	1.4%	2.0%	1.6%	1.3%	1.4%	1.6%	1.4%	1.2%	1.4%
	Become part of a practice network	4.9%	1.3%	2.8%	3.9%	3.6%	4.8%	3.5%	3.7%	2.6%	1.3%	3.4%	3.2%
	Other change(s) planned	7.1%	5.0%	5.1%	8.0%	3.9%	7.7%	4.9%	6.7%	6.0%	7.7%	2.8%	6.1%
	Changes: No changes made or planned	8.3%	7.2%	8.1%	7.0%	9.9%	4.4%	4.6%	8.8%	9.4%	10.8%	7.6%	7.8%
	NR	21.6%	21.2%	20.4%	23.2%	21.9%	23.3%	23.7%	23.2%	19.3%	14.1%	23.8%	21.4%
Total	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q25 If you plan to retire in the near future, which of the following might entice you to practice longer? Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Which might entice you to practice longer	Ability to do locums only	6.8%	5.3%	7.0%	4.4%	6.4%	1.0%	1.5%	4.7%	12.2%	9.7%	7.5%	6.1%
	Increased flexibility in setting schedule	18.1%	19.3%	20.8%	14.7%	22.7%	2.5%	5.1%	14.6%	35.7%	33.0%	22.7%	18.7%
	Setting up a smaller practice in a new community	1.5%	1.7%	1.8%	1.0%	2.6%	.2%	.5%	1.4%	3.0%	2.0%	3.4%	1.6%
	Cash incentives	15.1%	14.3%	17.5%	9.4%	20.2%	2.1%	3.3%	9.0%	27.5%	34.8%	20.4%	14.7%
	Reduced on-call duties	10.9%	14.6%	14.6%	8.9%	17.2%	1.1%	3.9%	11.4%	24.5%	17.0%	16.0%	12.6%
	No hospital duties	6.4%	5.1%	6.8%	4.0%	4.9%	1.0%	1.9%	4.6%	10.4%	11.1%	4.7%	5.8%
	Academic appointment	2.6%	3.5%	3.5%	2.2%	1.8%	1.0%	1.4%	2.7%	5.1%	4.1%	3.2%	3.0%
	None of the above	3.0%	3.7%	3.9%	2.3%	5.0%	.2%	1.0%	1.2%	4.0%	14.7%	4.3%	3.3%
	Other reason to practice longer	3.4%	3.0%	3.4%	2.7%	6.0%	.4%	.6%	2.2%	5.6%	8.0%	5.1%	3.2%
	Not planning to retire in the near future	31.8%	30.3%	30.7%	32.5%	21.4%	35.0%	35.6%	37.1%	25.3%	17.8%	19.2%	31.1%
NR	39.0%	38.3%	35.1%	45.0%	37.1%	61.3%	56.7%	41.9%	21.2%	11.4%	40.7%	38.7%	
Total	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

No definition of "in the near future" was provided, therefore no assessment can be made as to the time span over which respondents plan to retire.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q26a Do you have a practice Web site?

		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Do you have a practice Web site?	Yes	18.4%	16.4%	17.5%	17.3%	18.9%	16.4%	19.0%	17.9%	17.7%	13.2%	17.8%	17.5%	
	No	72.8%	74.0%	73.6%	73.3%	70.0%	69.6%	70.9%	73.1%	74.9%	80.6%	68.1%	73.4%	
	NR	8.7%	9.6%	8.9%	9.4%	11.1%	14.0%	10.1%	9.0%	7.5%	6.2%	14.1%	9.1%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q26a Can patients contact your office to request an appointment through your website?

		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Can patients request an appointment through your website?	Yes	13.1%	14.4%	13.5%	13.5%	21.4%	13.6%	11.2%	15.0%	13.8%	15.2%	19.0%	13.7%	
	No	74.8%	70.2%	72.5%	73.7%	66.6%	73.2%	77.5%	72.4%	70.8%	66.4%	65.0%	72.8%	
	NR	12.0%	15.4%	14.0%	12.8%	11.9%	13.2%	11.3%	12.6%	15.3%	18.3%	16.1%	13.5%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	6375	5226	7236	4032	333	829	3152	3484	2849	965	323	11601
	n	1199	872	1208	804	59	158	489	608	556	203	57	2071	

Notes:

Includes only respondents who have a practice Web site.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q26b Do you refer your patients to any websites?

		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Do you refer your patients to any websites?	Yes	54.7%	44.2%	44.7%	59.0%	44.9%	54.1%	53.9%	52.3%	48.9%	33.1%	41.4%	49.7%	
	No	38.3%	47.5%	47.7%	33.5%	48.3%	34.7%	37.3%	40.5%	44.7%	61.7%	49.0%	42.7%	
	NR	7.0%	8.3%	7.7%	7.6%	6.9%	11.2%	8.9%	7.2%	6.4%	5.1%	9.7%	7.6%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	33233	29881	39245	22216	1653	4883	16229	18580	15135	6602	1686	63114
	n	6337	5124	6702	4449	310	935	2565	3234	2947	1464	316	11461	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q26b Please specify for what purpose do you refer your patients to websites. Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Purpose of referring patients to websites	Disease information	89.4%	87.7%	88.3%	89.0%	89.8%	88.0%	89.3%	87.8%	89.9%	86.1%	89.7%	88.6%
	Treatment information	62.5%	69.8%	67.6%	63.2%	57.0%	65.6%	65.6%	65.9%	66.6%	65.0%	49.7%	65.5%
	Patient support	64.4%	60.1%	59.8%	66.7%	55.2%	60.1%	62.6%	62.9%	64.3%	59.1%	60.5%	62.6%
	Other purpose for referring patients to websites	6.0%	5.6%	4.8%	7.0%	7.4%	5.8%	6.4%	6.3%	4.5%	4.9%	7.3%	5.8%
	NR	1.0%	1.0%	1.1%	.8%	.6%	.9%	.6%	1.4%	.8%	1.3%	1.3%	1.0%
Total	N	18163	13216	17537	13100	742	2639	8741	9719	7395	2188	697	31379
	n	3467	2281	2979	2633	136	516	1411	1744	1456	492	129	5748

Notes:

Includes only respondents who do patient care and who refer their patients to website.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q26c Do you use email IN ANY SETTING to communicate with:

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Use of email in any setting	Email with colleagues: Clinical purposes	50.1%	66.9%	57.5%	60.0%	48.4%	68.6%	67.4%	58.3%	54.0%	41.9%	45.5%	58.2%
	Email with colleagues: Other purposes	56.4%	66.6%	60.4%	64.3%	43.5%	68.6%	69.7%	62.9%	58.8%	43.2%	41.4%	61.3%
	Email with patients: Clinical purposes	14.4%	18.3%	16.6%	15.7%	16.3%	11.6%	16.6%	17.1%	18.2%	12.6%	15.1%	16.3%
	Email with patients: Other purposes	4.9%	5.8%	5.8%	4.6%	4.1%	3.0%	4.5%	5.6%	6.9%	4.6%	4.5%	5.3%
	Email with others	17.5%	19.7%	18.4%	19.5%	9.9%	11.0%	17.0%	20.1%	20.9%	19.9%	10.3%	18.6%
	Not applicable – I do not use email	16.5%	7.4%	12.5%	10.3%	28.7%	5.3%	6.0%	10.2%	14.0%	28.2%	27.6%	12.2%
	NR	8.4%	9.1%	9.2%	7.9%	9.9%	11.6%	9.1%	8.7%	7.8%	7.3%	12.7%	8.8%
Total	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q27 Thinking about your MAIN patient care setting, which of these describes your record keeping system? Check only one.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Record keeping system in main patient care setting	I use paper charts only	40.7%	34.1%	36.5%	38.6%	48.8%	28.8%	29.0%	36.4%	43.1%	51.1%	48.9%	37.6%
	I use a combination of paper and electronic charts	27.5%	41.2%	35.3%	32.8%	22.2%	37.7%	41.3%	34.8%	29.8%	25.7%	22.5%	34.1%
	I use electronic records instead of paper charts	21.5%	10.1%	15.5%	17.1%	14.9%	19.6%	19.2%	17.1%	14.7%	7.7%	11.6%	16.1%
	Not applicable - I do not provide patient care	3.7%	5.8%	4.9%	4.4%	5.5%	2.3%	1.9%	4.4%	6.1%	10.8%	5.0%	4.7%
	NR	6.5%	8.7%	7.8%	7.1%	8.5%	11.5%	8.6%	7.3%	6.3%	4.8%	12.0%	7.5%
	Total												
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q28a Where do you access electronic records for your patients? Check all that apply.

		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Records access location	Office/ community clinic/ community health centre	69.4%	38.3%	51.9%	57.4%	54.6%	54.2%	52.0%	54.4%	56.3%	52.5%	51.5%	53.9%
	Hospital/AHSC/ Emergency Department	49.4%	71.9%	63.0%	56.9%	51.2%	58.6%	65.7%	60.9%	59.3%	49.6%	45.1%	60.6%
	University/faculty of medicine/research unit	4.6%	14.8%	10.8%	7.8%	8.8%	7.5%	10.8%	9.5%	10.4%	7.0%	7.8%	9.7%
	Nursing home/home for aged	6.1%	.9%	3.4%	3.8%	3.3%	1.4%	3.0%	3.8%	4.8%	3.6%	2.7%	3.5%
	Other location	18.0%	8.6%	12.0%	15.7%	13.1%	13.7%	13.3%	14.9%	12.5%	10.1%	9.1%	13.3%
	Not applicable	.5%	.5%	.6%	.3%	2.0%	.0%	.2%	.4%	.7%	2.1%	1.2%	.5%
	NR	11.6%	14.2%	13.1%	12.3%	16.3%	16.7%	12.5%	12.3%	11.8%	12.9%	23.1%	12.9%
	Total												
	N	19209	19093	24202	13294	807	3481	11469	11525	8196	2793	839	38302
	n	3617	3248	4066	2654	145	671	1812	2001	1602	628	151	6865

Notes:

Includes only respondents who provide patient care and who use any electronic records according to question 27.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q28b In which setting do you use electronic records most often? Check only one.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Setting where electronic records used most often	Office/community clinic/community health centre	62.2%	23.9%	40.7%	47.5%	42.5%	43.5%	40.2%	43.9%	45.7%	43.8%	41.3%	43.1%
	Hospital/AHSC/Emergency Department	21.7%	56.0%	40.9%	35.2%	34.4%	37.3%	43.2%	39.0%	35.2%	35.0%	31.1%	38.8%
	University/faculty of medicine/research unit	.7%	2.4%	1.6%	1.4%	.6%	.8%	1.9%	1.6%	1.5%	1.0%	1.1%	1.5%
	Nursing home/home for aged	.7%	.1%	.4%	.4%	.9%	.1%	.2%	.3%	.8%	.9%	.5%	.4%
	Other	1.6%	1.4%	1.5%	1.4%	1.3%	.8%	1.1%	1.4%	1.9%	3.0%	1.2%	1.5%
	Not applicable	.9%	.9%	.8%	.9%	2.0%	.9%	.4%	.6%	1.4%	2.6%	1.2%	.9%
	NR	12.3%	15.3%	14.1%	13.0%	18.2%	16.6%	13.0%	13.3%	13.4%	13.8%	23.6%	13.8%
	Total												
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	19209	19093	24202	13294	807	3481	11469	11525	8196	2793	839	38302
	n	3617	3248	4066	2654	145	671	1812	2001	1602	628	151	6865

Notes:

Includes only respondents who provide patient care and who use any electronic records according to question 27.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q28c If you access electronic records in various locations, are the records in these locations electronically connected to each other to allow for access of the same electronic record from different settings?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Records in various locations connected to each other	Yes, connected	28.0%	27.8%	28.7%	26.4%	28.6%	28.8%	30.1%	27.2%	27.1%	25.2%	21.0%	27.9%
	Only some connected	23.9%	26.7%	26.2%	24.0%	20.8%	21.8%	25.5%	25.2%	26.7%	26.2%	22.2%	25.3%
	None of these settings connected	20.2%	16.3%	17.8%	19.1%	18.9%	17.9%	16.6%	19.7%	18.8%	18.4%	18.3%	18.3%
	NR	27.9%	29.1%	27.3%	30.6%	31.7%	31.5%	27.8%	27.9%	27.4%	30.2%	38.5%	28.5%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	19209	19093	24202	13294	807	3481	11469	11525	8196	2793	839	38302
	n	3617	3248	4066	2654	145	671	1812	2001	1602	628	151	6865

Notes:

Includes only respondents who provide patient care and who use any electronic records according to question 27.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q29 Please indicate which of the following you use in the care of your patients? Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Use it on a PC/ Laptop	Electronic patient appointment/scheduling system	51.9%	40.0%	44.6%	49.7%	39.6%	49.5%	49.1%	48.8%	46.7%	31.3%	35.0%	46.3%
	Electronic billing	58.9%	46.1%	53.1%	52.8%	48.5%	46.3%	50.0%	57.3%	57.9%	42.2%	46.9%	52.9%
	Electronic records to enter and retrieve clinical patient notes	41.3%	36.2%	38.7%	39.9%	30.2%	46.3%	45.4%	39.7%	35.9%	24.8%	26.9%	38.9%
	Electronic reminders for recommended patient care	27.9%	11.8%	19.9%	21.4%	16.1%	23.9%	23.5%	21.3%	18.9%	10.7%	17.2%	20.3%
	Electronic warning for adverse prescribing and/ or drug interactions	28.1%	11.9%	19.6%	22.2%	16.9%	26.0%	22.7%	21.3%	19.9%	10.9%	14.7%	20.4%
	Electronic interface to external pharmacy/pharmacist	9.9%	6.6%	8.7%	7.9%	6.0%	9.9%	9.1%	8.2%	8.7%	5.5%	6.2%	8.3%
	Electronic interface to external laboratory/diagnostic imaging	41.5%	33.4%	37.4%	38.9%	28.8%	43.8%	40.8%	40.3%	36.7%	22.2%	29.0%	37.7%
	Electronic interface to other external systems	24.6%	26.4%	26.8%	23.6%	17.9%	23.8%	29.1%	26.6%	26.0%	15.2%	16.5%	25.4%
	Telemedicine/webcasting/videoconferencing	20.5%	29.4%	24.6%	25.5%	18.4%	23.6%	27.1%	27.7%	24.3%	14.1%	18.4%	24.8%
	Online access to journals, clinical practice guidelines, medical databases	62.8%	69.7%	64.5%	69.9%	51.6%	74.0%	74.5%	68.5%	62.3%	45.3%	47.9%	66.0%
	Email	64.7%	71.9%	66.6%	72.1%	50.3%	76.6%	75.5%	71.6%	65.5%	45.0%	47.0%	68.1%
	Online CME	52.4%	53.7%	52.7%	54.7%	38.9%	61.4%	57.6%	55.9%	49.8%	38.9%	36.9%	53.0%
	Online discussion forums with other physicians for professional purposes	19.2%	24.3%	22.6%	20.6%	13.5%	18.3%	23.6%	23.4%	22.4%	14.1%	15.0%	21.6%
Online disease management tools	34.5%	24.4%	28.8%	32.1%	19.0%	33.9%	31.5%	32.5%	28.4%	19.7%	19.4%	29.7%	

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q29 Please indicate which of the following you use in the care of your patients? Check all that apply.(cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Use it on a PC/ Laptop	I do not use or plan to use any of the above electronic tools	5.5%	4.8%	5.9%	3.6%	9.3%	1.9%	1.7%	3.4%	5.9%	18.9%	7.2%	5.1%
	NR	11.0%	13.0%	12.3%	10.9%	17.7%	14.1%	11.9%	11.1%	10.7%	12.9%	23.6%	12.0%
	Total	N	33275	29959	39273	22294	1667	4939	16285	18604	15144	6532	1729
	n	6345	5134	6701	4466	312	945	2573	3241	2949	1448	323	11479

Notes:

Includes only respondents who provide patient care according to question 27.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q29 Please indicate which of the following you use in the care of your patients? Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Use it on a small handheld wireless device	Electronic patient appointment/scheduling system	1.1%	3.5%	2.8%	1.4%	1.1%	2.2%	3.0%	2.5%	1.9%	1.2%	.9%	2.3%
	Electronic billing	.6%	.8%	.8%	.5%	.6%	.3%	.7%	.7%	.6%	1.1%	.9%	.7%
	Electronic records to enter and retrieve clinical patient notes	1.0%	1.0%	1.2%	.6%	1.3%	.5%	1.0%	1.1%	.9%	1.0%	1.5%	1.0%
	Electronic reminders for recommended patient care	1.7%	2.4%	2.5%	1.2%	1.9%	1.2%	2.5%	1.8%	2.5%	1.1%	1.7%	2.0%
	Electronic warning for adverse prescribing and/or drug interactions	8.4%	4.5%	6.9%	6.1%	5.3%	7.6%	8.3%	6.4%	5.7%	4.3%	5.1%	6.6%
	Electronic interface to external pharmacy/pharmacist	.7%	.7%	.8%	.4%	1.5%	.4%	.6%	.8%	.5%	.9%	1.7%	.7%
	Electronic interface to external laboratory/diagnostic imaging	.6%	.7%	.8%	.3%	1.3%	.1%	.5%	.6%	.8%	.7%	1.5%	.6%
	Electronic interface to other external systems for accessing or sharing patient information	.4%	.7%	.7%	.2%	.3%	.2%	.5%	.5%	.6%	.5%	.3%	.5%
	Telemedicine/webcasting/videoconferencing	.7%	.8%	.9%	.5%	1.4%	.8%	.7%	.7%	.9%	.9%	1.3%	.8%
	Online access to journals, clinical practice guidelines, medical databases	8.4%	8.7%	8.8%	8.1%	6.8%	14.0%	12.3%	7.4%	6.3%	4.0%	5.4%	8.5%
	Email	11.7%	18.4%	15.3%	14.3%	10.9%	22.6%	23.0%	13.9%	10.1%	4.4%	8.3%	14.9%
	Online CME	4.3%	4.3%	4.8%	3.4%	3.7%	5.9%	5.9%	3.8%	3.5%	2.6%	2.7%	4.3%
	Online discussion forums with other physicians for professional purposes	1.3%	2.1%	1.9%	1.4%	2.1%	1.2%	2.5%	1.6%	1.5%	1.0%	1.6%	1.7%
	Online disease management tools	5.3%	3.8%	5.0%	3.9%	4.8%	5.8%	5.8%	4.5%	4.0%	2.5%	3.2%	4.6%

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q29 Please indicate which of the following you use in the care of your patients? Check all that apply.(cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Use it on a small handheld wireless device	I do not use or plan to use any of the above electronic tools	5.5%	4.8%	5.9%	3.6%	9.3%	1.9%	1.7%	3.4%	5.9%	18.9%	7.2%	5.1%
	NR	74.6%	72.5%	71.8%	76.5%	76.6%	69.5%	69.1%	76.0%	77.6%	70.3%	80.4%	73.6%
	Total	N	33275	29959	39273	22294	1667	4939	16285	18604	15144	6532	1729
	n	6345	5134	6701	4466	312	945	2573	3241	2949	1448	323	11479

Notes:

Includes only respondents who provide patient care according to question 27.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q29 Please indicate which of the following you plan to use in the care of your patients? Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Plan to start using on PC/laptop or wireless device in next 2 years	Electronic patient appointment/scheduling system	6.4%	5.3%	6.1%	5.5%	6.5%	6.5%	5.9%	6.2%	6.4%	3.2%	6.0%	5.9%
	Electronic billing	4.1%	4.0%	4.3%	3.6%	3.9%	5.6%	5.2%	4.0%	3.5%	1.7%	3.9%	4.1%
	Electronic records to enter and retrieve clinical patient notes	12.0%	9.1%	10.5%	11.0%	8.4%	11.8%	11.5%	12.1%	10.1%	5.5%	7.6%	10.6%
	Electronic reminders for recommended patient care	10.7%	6.8%	8.8%	9.2%	6.7%	10.5%	8.8%	10.3%	9.0%	4.2%	6.1%	8.9%
	Electronic warning for adverse prescribing and/ or drug interactions	11.2%	7.1%	9.0%	9.8%	9.0%	10.0%	9.5%	10.6%	9.3%	4.9%	7.6%	9.3%
	Electronic interface to external pharmacy/pharmacist	14.3%	7.3%	10.8%	11.2%	10.4%	11.4%	10.6%	12.7%	11.5%	6.1%	8.9%	11.0%
	Electronic interface to external laboratory/diagnostic imaging	11.3%	8.1%	9.7%	10.0%	9.1%	10.7%	9.7%	10.9%	10.1%	5.7%	8.5%	9.8%
	Electronic interface to other external systems	12.1%	6.9%	9.5%	10.0%	8.8%	10.3%	9.3%	11.2%	9.7%	5.6%	8.3%	9.6%
	Telemedicine/webcasting/videoconferencing	5.3%	4.6%	5.2%	4.8%	2.3%	4.5%	5.5%	5.5%	4.8%	3.5%	3.0%	5.0%
	Online access to journals, clinical practice guidelines, medical databases	3.8%	3.3%	3.4%	3.8%	3.6%	3.3%	3.5%	3.9%	3.9%	2.4%	2.9%	3.6%
	Email	2.7%	2.0%	2.4%	2.2%	4.0%	2.0%	2.7%	2.4%	2.4%	1.5%	3.8%	2.4%
	Online CME	4.1%	3.8%	3.8%	4.1%	3.8%	3.0%	3.8%	4.4%	4.5%	2.7%	3.4%	3.9%
	Online discussion forums with other physicians for professional purposes	3.9%	3.5%	3.9%	3.5%	2.6%	3.5%	3.6%	4.3%	3.6%	2.7%	3.0%	3.7%
	Online disease management tools	4.0%	3.1%	3.4%	3.8%	2.5%	3.5%	3.1%	4.6%	3.6%	1.9%	2.7%	3.6%

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q29 Please indicate which of the following you plan to use in the care of your patients? Check all that apply.(cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Plan to start using on PC/laptop or wireless device in next 2 years	I do not use or plan to use any of the above electronic tools	5.5%	4.8%	5.9%	3.6%	9.3%	1.9%	1.7%	3.4%	5.9%	18.9%	7.2%	5.1%
	NR	65.0%	73.6%	69.3%	68.5%	72.4%	69.0%	70.1%	67.4%	70.1%	67.1%	76.9%	69.1%
	Total	N	33275	29959	39273	22294	1667	4939	16285	18604	15144	6532	1729
	n	6345	5134	6701	4466	312	945	2573	3241	2949	1448	323	11479

Notes:

Includes only respondents who provide patient care according to question 27.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q30 Please rate your satisfaction with each of the following.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Satisfaction with current professional life	Very satisfied	29.6%	32.9%	34.1%	26.3%	27.8%	28.0%	26.3%	25.8%	34.8%	51.2%	29.4%	31.2%
	Somewhat satisfied	46.0%	41.9%	41.2%	48.9%	47.5%	48.6%	46.8%	45.8%	43.2%	32.0%	44.1%	44.1%
	Neutral	7.3%	6.1%	6.5%	7.0%	8.4%	5.9%	7.5%	7.4%	6.1%	5.3%	6.5%	6.7%
	Somewhat dissatisfied	8.0%	7.7%	7.7%	8.2%	7.1%	4.8%	8.1%	9.9%	7.8%	4.2%	7.7%	7.9%
	Very dissatisfied	2.7%	2.7%	2.7%	2.6%	2.6%	1.6%	2.7%	3.7%	2.4%	1.4%	2.4%	2.7%
	Not applicable	.1%	.1%	.1%	.1%	.0%	.0%	.0%	.1%	.0%	.3%	.0%	.1%
	NR	6.4%	8.5%	7.7%	6.9%	6.7%	11.0%	8.6%	7.3%	5.7%	5.5%	9.9%	7.4%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Satisfaction with balance between personal and professional commitments	Very satisfied	20.0%	20.0%	21.3%	17.9%	18.6%	17.5%	14.4%	14.9%	22.9%	42.3%	17.1%	20.0%
	Somewhat satisfied	38.3%	36.3%	36.2%	39.2%	39.3%	41.3%	38.3%	36.8%	38.5%	31.5%	37.5%	37.4%
	Neutral	11.5%	11.4%	12.2%	10.0%	13.4%	12.7%	11.1%	12.9%	10.8%	8.9%	12.6%	11.5%
	Somewhat dissatisfied	17.7%	17.3%	16.5%	19.3%	16.8%	13.6%	20.3%	20.5%	16.6%	8.1%	17.1%	17.5%
	Very dissatisfied	5.6%	5.8%	5.4%	6.2%	4.8%	3.8%	6.9%	7.3%	4.8%	2.0%	4.6%	5.7%
	Not applicable	.1%	.1%	.1%	.1%	.4%	.0%	.0%	.0%	.1%	.4%	.7%	.1%
	NR	6.8%	9.0%	8.2%	7.3%	6.8%	11.0%	9.0%	7.5%	6.3%	6.7%	10.4%	7.9%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q30 Please rate your satisfaction with each of the following. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Satisfaction with relationship with patients	Very satisfied	46.4%	48.2%	47.5%	46.7%	47.6%	36.3%	41.4%	45.3%	52.8%	61.0%	47.5%	47.3%
	Somewhat satisfied	36.1%	30.2%	32.1%	35.1%	36.1%	44.0%	38.4%	34.6%	28.9%	20.6%	33.1%	33.3%
	Neutral	5.8%	5.6%	6.2%	4.9%	6.5%	4.2%	7.2%	6.2%	5.1%	3.4%	6.9%	5.7%
	Somewhat dissatisfied	2.1%	1.1%	1.8%	1.4%	.3%	1.9%	2.1%	2.1%	1.2%	.5%	.3%	1.6%
	Very dissatisfied	.3%	.3%	.4%	.2%	.4%	.3%	.3%	.4%	.4%	.2%	.0%	.3%
	Not applicable	2.6%	5.5%	3.8%	4.4%	1.6%	2.0%	1.8%	4.0%	5.3%	7.8%	1.4%	4.0%
	NR	6.7%	9.0%	8.1%	7.3%	7.5%	11.3%	8.7%	7.5%	6.3%	6.5%	10.8%	7.8%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076
Satisfaction with relationship with family physicians	Very satisfied	40.2%	27.6%	33.8%	34.6%	36.7%	32.5%	29.1%	30.8%	37.9%	46.8%	37.6%	34.2%
	Somewhat satisfied	37.0%	35.0%	35.4%	37.1%	38.0%	41.2%	39.3%	37.2%	33.7%	27.5%	35.8%	36.1%
	Neutral	10.5%	15.5%	13.5%	11.9%	12.6%	9.2%	14.1%	14.1%	12.8%	9.9%	12.3%	12.9%
	Somewhat dissatisfied	2.7%	3.6%	3.1%	3.2%	1.3%	2.5%	3.5%	4.1%	2.6%	1.8%	.9%	3.1%
	Very dissatisfied	.7%	1.0%	1.1%	.4%	.6%	.1%	.9%	1.1%	.8%	.6%	.9%	.8%
	Not applicable	2.1%	7.8%	4.8%	5.1%	3.2%	3.3%	4.1%	5.0%	5.6%	6.4%	1.4%	4.8%
	NR	6.8%	9.4%	8.4%	7.6%	7.4%	11.2%	9.1%	7.7%	6.6%	6.9%	11.0%	8.1%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

(cont.)

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q30 Please rate your satisfaction with each of the following. (cont.)

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Satisfaction with relationship with physicians in other specialties	Very satisfied	23.3%	31.5%	29.4%	23.5%	27.5%	18.7%	21.9%	24.2%	31.1%	44.2%	30.0%	27.3%
	Somewhat satisfied	45.4%	44.6%	43.8%	47.3%	44.1%	52.5%	50.4%	45.2%	42.8%	32.8%	42.5%	45.0%
	Neutral	15.3%	9.9%	12.2%	13.5%	15.5%	13.0%	11.6%	15.0%	12.1%	10.0%	13.9%	12.7%
	Somewhat dissatisfied	6.6%	2.6%	4.1%	5.8%	4.0%	3.8%	5.2%	5.5%	4.7%	2.4%	2.5%	4.7%
	Very dissatisfied	1.6%	.7%	1.2%	1.2%	.3%	.8%	1.3%	1.2%	1.5%	.9%	.3%	1.2%
	Not applicable	.8%	1.4%	1.0%	1.2%	.9%	.0%	.3%	1.0%	1.4%	3.4%	.2%	1.1%
	NR	7.0%	9.1%	8.3%	7.5%	7.8%	11.2%	9.2%	7.9%	6.4%	6.3%	10.6%	8.0%
	Total												
	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q31a Do the referral documents you receive contain sufficient information?

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Do the referral documents you receive contain sufficient information?	Always	.0%	.9%	.9%	.9%	1.4%	.9%	.5%	.6%	.9%	2.2%	2.7%	.9%
	Most of the time	.0%	31.4%	32.7%	28.3%	34.5%	21.7%	28.5%	29.9%	33.7%	41.0%	31.4%	31.4%
	Sometimes	.0%	35.0%	34.2%	36.8%	35.3%	38.0%	37.9%	35.9%	34.4%	27.8%	32.8%	35.0%
	Rarely	.0%	17.6%	17.7%	17.7%	14.1%	20.4%	18.8%	19.4%	16.7%	12.7%	13.2%	17.6%
	Never	.0%	.8%	.7%	.9%	.0%	.0%	.8%	1.0%	.8%	.2%	1.6%	.8%
	Not Applicable	.0%	4.3%	3.8%	5.5%	3.6%	3.2%	2.6%	3.8%	5.1%	8.4%	2.3%	4.3%
	NR	.0%	9.9%	9.8%	10.0%	11.1%	15.8%	10.8%	9.4%	8.6%	7.8%	16.1%	9.9%
Total	%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	0	31818	21442	9653	723	1960	8477	8707	7700	4208	765	31818
	n	0	5474	3519	1826	129	354	1275	1379	1422	910	134	5474

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q31b If not satisfactory, which are the most important elements that could be enhanced in the referral documents you currently receive?
Check all that apply.

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Elements that could be enhanced in the referral documents	Information about the problem to be addressed	.0%	53.5%	53.2%	54.0%	53.0%	50.5%	54.6%	55.0%	53.7%	49.9%	48.9%	53.5%
	Clinical questions to be answered	.0%	45.3%	45.5%	45.1%	43.1%	49.4%	46.6%	47.6%	45.2%	37.9%	36.0%	45.3%
	Details the patient is unable or unlikely to provide	.0%	43.5%	42.9%	45.6%	32.1%	43.8%	43.2%	46.0%	44.0%	39.6%	31.6%	43.5%
	Concurrent medical problems	.0%	39.6%	39.4%	40.8%	29.6%	37.2%	40.2%	39.7%	42.4%	35.6%	30.7%	39.6%
	Relevant investigations and/or treatments already tried	.0%	55.6%	55.0%	57.8%	44.9%	54.8%	57.9%	56.4%	56.6%	50.4%	44.2%	55.6%
	Medications	.0%	39.5%	39.0%	41.4%	31.1%	36.3%	37.3%	38.7%	43.9%	40.4%	34.1%	39.5%
	Other enhancements to referral documents	.0%	5.7%	5.4%	6.5%	4.9%	4.9%	6.5%	5.9%	5.3%	4.9%	4.7%	5.7%
	NR	.0%	25.0%	25.0%	25.0%	27.5%	27.3%	22.6%	23.1%	25.4%	30.9%	32.9%	25.0%
Total	N	0	31818	21442	9653	723	1960	8477	8707	7700	4208	765	31818
	n	0	5474	3519	1826	129	354	1275	1379	1422	910	134	5474

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q32a Do the consultation reports you receive contain sufficient information?

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Do the consultation reports you receive contain sufficient information?	Always	.0%	4.4%	4.5%	4.2%	5.1%	2.3%	3.5%	4.8%	5.3%	4.9%	4.0%	4.4%
	Most of the time	.0%	45.5%	45.5%	46.1%	38.6%	40.4%	45.8%	46.2%	45.2%	47.2%	40.2%	45.5%
	Sometimes	.0%	10.8%	10.1%	11.9%	15.7%	11.6%	11.4%	9.7%	11.8%	8.2%	17.3%	10.8%
	Rarely	.0%	1.7%	1.8%	1.4%	1.0%	1.9%	1.8%	1.7%	1.5%	2.2%	.0%	1.7%
	Never	.0%	.2%	.2%	.2%	.0%	.2%	.2%	.3%	.1%	.1%	.0%	.2%
	Not Applicable	.0%	9.0%	9.3%	8.4%	7.1%	8.9%	7.5%	7.9%	10.1%	13.2%	3.6%	9.0%
	NR	.0%	28.5%	28.7%	27.8%	32.5%	34.7%	29.8%	29.5%	26.0%	24.2%	34.9%	28.5%
Total	%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	0	31818	21442	9653	723	1960	8477	8707	7700	4208	765	31818
	n	0	5474	3519	1826	129	354	1275	1379	1422	910	134	5474

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q32b If not satisfactory, which are the most important elements that could be enhanced in the consultation reports you currently receive?
Check all that apply.

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Elements that could be enhanced in consultation reports	Specific answers to specific questions	.0%	21.3%	20.7%	22.2%	26.4%	21.5%	20.8%	19.7%	23.0%	21.7%	23.6%	21.3%
	Clearly stated diagnostic considerations	.0%	17.5%	17.0%	18.3%	23.0%	17.9%	16.7%	15.2%	18.8%	20.3%	22.2%	17.5%
	A detailed treatment plan	.0%	20.9%	19.4%	24.4%	16.5%	23.0%	22.7%	19.7%	20.8%	19.3%	17.5%	20.9%
	Possible effects of the disease or treatment on the patient's quality of life	.0%	7.5%	7.1%	8.2%	9.3%	4.7%	6.8%	6.3%	9.3%	9.2%	9.0%	7.5%
	Contingency plans in the event of adverse events from (or failure of) treatment	.0%	12.6%	10.8%	16.5%	12.8%	13.9%	12.5%	11.9%	14.6%	10.0%	11.8%	12.6%
	Prognostic statements	.0%	12.3%	12.0%	13.1%	11.4%	12.8%	12.5%	11.0%	13.7%	12.0%	12.2%	12.3%
	Follow-up arrangements	.0%	17.0%	15.8%	20.1%	11.0%	18.3%	17.3%	14.5%	18.0%	19.8%	11.7%	17.0%
	Other enhancements to consultation reports	.0%	2.6%	2.4%	3.3%	.5%	2.5%	2.3%	2.8%	2.4%	3.2%	1.3%	2.6%
	NR	.0%	61.5%	63.0%	58.3%	62.6%	59.6%	60.9%	63.8%	61.1%	59.2%	65.1%	61.5%
	Total												
	N	0	31818	21442	9653	723	1960	8477	8707	7700	4208	765	31818
	n	0	5474	3519	1826	129	354	1275	1379	1422	910	134	5474

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q31a Do you have summary information on your patient population with chronic diseases?

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Have summary information on patient population with chronic diseases	Yes	25.9%	.0%	27.3%	23.7%	28.3%	19.3%	23.6%	25.8%	29.4%	28.7%	30.3%	25.9%	
	No	65.6%	.0%	64.0%	68.4%	60.3%	72.2%	66.7%	65.5%	63.9%	63.1%	58.6%	65.6%	
	NR	8.5%	.0%	8.7%	7.9%	11.4%	8.6%	9.7%	8.6%	6.7%	8.2%	11.1%	8.5%	
	Total	%	100%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999	33233
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q31a Would summary information be useful?

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Would summary info be useful	Yes	61.3%	.0%	59.5%	64.2%	53.3%	69.8%	63.8%	61.4%	59.3%	51.4%	55.0%	61.3%	
	No	24.9%	.0%	26.2%	23.3%	24.3%	19.8%	22.4%	26.3%	26.9%	29.1%	21.4%	24.9%	
	NR	13.7%	.0%	14.2%	12.5%	22.4%	10.4%	13.8%	12.3%	13.8%	19.5%	23.7%	13.7%	
	Total	%	100%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	21805	0	12182	9025	599	2186	5348	6754	5100	1831	586	21805
	n	4162	0	2172	1872	118	428	892	1263	1047	416	116	4162	

Notes:

Includes only respondents who don't have summary information on patient population with chronic diseases.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q31b Do you typically use a flow sheet or checklist for chronic diseases?

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Use a flow sheet or checklist for chronic diseases	Yes	46.2%	.0%	43.6%	49.7%	48.8%	45.2%	44.0%	47.1%	48.5%	41.9%	50.8%	46.2%	
	No	44.5%	.0%	46.8%	41.6%	38.3%	44.4%	45.6%	44.2%	44.0%	46.5%	36.4%	44.5%	
	NR	9.3%	.0%	9.7%	8.6%	12.9%	10.4%	10.4%	8.7%	7.5%	11.7%	12.8%	9.3%	
	Total	%	100%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999	33233
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337	

Notes:

NR=No Response.

Includes only respondents who provide patient care.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q31b Would flow sheets be useful?

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Would flow sheets be useful?	Yes	51.7%	.0%	49.1%	56.4%	43.3%	61.5%	50.3%	53.6%	49.9%	44.3%	49.4%	51.7%	
	No	30.7%	.0%	34.0%	26.3%	19.0%	24.2%	31.0%	30.5%	32.9%	34.6%	19.5%	30.7%	
	NR	17.6%	.0%	16.9%	17.3%	37.7%	14.4%	18.7%	15.9%	17.2%	21.1%	31.1%	17.6%	
	Total	%	100%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	14781	0	8903	5498	380	1346	3654	4553	3516	1349	363	14781
	n	2819	0	1599	1143	77	262	605	847	726	305	74	2819	

Notes:

Includes only respondents who don't use a flow sheet or checklist for chronic diseases.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q32a Do you give your patients with chronic diseases written instructions about how to manage their own care at home?

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Give patients with chronic diseases written instructions	Yes, Routinely	20.3%	.0%	20.2%	20.4%	20.9%	15.1%	18.3%	19.6%	22.0%	28.3%	21.8%	20.3%
	Yes, Occasionally	45.1%	.0%	42.8%	48.5%	43.5%	50.4%	46.0%	45.0%	44.4%	39.0%	45.7%	45.1%
	No	22.1%	.0%	24.4%	18.8%	21.3%	21.6%	21.8%	22.0%	23.2%	21.1%	19.4%	22.1%
	Don't Know/ Decline to Answer	3.5%	.0%	3.8%	3.2%	3.9%	3.8%	3.4%	4.4%	2.6%	3.5%	3.1%	3.5%
	NR	9.0%	.0%	8.8%	9.1%	10.3%	9.1%	10.4%	9.0%	7.8%	8.1%	9.9%	9.0%
	Total												
	%	100%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999	33233
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q32b Do you use electronic tools to manage your patients chronic conditions? Check all that apply.

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Use electronic tools	Use EMRs to manage your patients' chronic conditions	26.7%	.0%	26.2%	27.8%	21.7%	35.4%	33.3%	26.2%	23.4%	11.8%	22.3%	26.7%
	Use web sites to manage your patient's chronic conditions	17.0%	.0%	17.4%	16.3%	16.8%	22.6%	20.2%	16.1%	14.9%	10.6%	18.4%	17.0%
	Use online CDM forms or programs to manage your patient's chronic conditions	6.7%	.0%	6.5%	6.9%	7.8%	6.3%	6.7%	7.2%	6.6%	5.0%	7.6%	6.7%
	Use email to manage your patient's chronic conditions	3.0%	.0%	3.7%	1.9%	4.4%	1.4%	2.6%	3.3%	3.1%	3.9%	4.8%	3.0%
	Use other electronic tools to manage your patient's chronic conditions	4.4%	.0%	5.3%	3.1%	4.8%	2.2%	3.8%	3.8%	4.9%	8.7%	5.5%	4.4%
	NR	57.1%	.0%	56.9%	57.0%	62.9%	49.7%	50.7%	58.1%	60.3%	68.7%	60.7%	57.1%
	Total	N	33233	0	19037	13203	992	3029	8014	10305	7982	2903	999
	n	6337	0	3397	2748	192	597	1332	1920	1630	662	196	6337

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q33 Where were you born?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Where were you born?	Canada	61.6%	62.2%	58.7%	67.5%	63.3%	73.2%	62.6%	63.2%	61.5%	50.7%	57.6%	61.9%
	USA	2.0%	2.4%	1.9%	2.5%	2.1%	.6%	2.0%	2.2%	2.4%	2.8%	1.4%	2.2%
	Other Country	29.7%	26.6%	31.3%	22.8%	26.6%	14.8%	26.5%	26.7%	29.9%	41.3%	28.9%	28.2%
	NR	6.8%	8.8%	8.1%	7.2%	8.0%	11.4%	8.8%	7.8%	6.1%	5.2%	12.1%	7.8%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q34a Year of your undergraduate medical graduation.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Year of undergraduate medical graduation	prior to 1960s	.6%	1.4%	1.4%	.2%	2.6%	.0%	.0%	.0%	.0%	8.6%	2.4%	1.0%
	1960s	5.9%	9.2%	10.1%	2.7%	9.6%	.0%	.0%	.0%	1.0%	63.3%	9.6%	7.5%
	1970s	20.2%	20.3%	23.7%	13.3%	29.7%	.0%	.0%	1.7%	69.6%	18.6%	28.1%	20.2%
	1980s	27.2%	24.5%	25.7%	26.7%	20.2%	.0%	1.0%	68.9%	19.9%	.7%	19.6%	25.9%
	1990s	23.2%	22.1%	19.3%	29.2%	16.9%	2.4%	66.1%	18.1%	1.1%	.1%	15.0%	22.7%
	2000s	13.1%	11.2%	8.9%	18.3%	7.0%	84.1%	21.5%	.8%	.1%	.0%	5.0%	12.2%
	NR	9.8%	11.2%	10.8%	9.6%	14.1%	13.6%	11.3%	10.5%	8.3%	8.7%	20.3%	10.5%
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q34a Year of completion of your MOST RECENT post-graduate medical training (i.e., residency/ internship).

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Year of MOST RECENT postgraduate medical training	prior to 1960s	.1%	.0%	.1%	.0%	.0%	.0%	.0%	.0%	.0%	.6%	.3%	.1%
	1960s	1.9%	2.4%	3.1%	.5%	3.4%	.0%	.0%	.0%	.0%	18.6%	3.4%	2.2%
	1970s	12.1%	11.5%	14.9%	5.9%	16.8%	.1%	.0%	.1%	25.9%	45.5%	16.3%	11.8%
	1980s	20.6%	20.6%	21.5%	19.3%	16.8%	.0%	.0%	30.1%	43.0%	7.6%	16.6%	20.6%
	1990s	20.6%	22.3%	19.9%	24.4%	17.1%	.0%	27.1%	41.3%	8.0%	1.4%	16.3%	21.4%
	2000s	23.1%	26.2%	20.1%	33.3%	13.9%	82.6%	57.1%	10.1%	2.7%	.8%	11.9%	24.6%
	2010s	.2%	.4%	.3%	.4%	.0%	2.1%	.2%	.1%	.2%	.3%	.0%	.3%
	NR	21.4%	16.4%	20.1%	16.2%	32.1%	15.2%	15.5%	18.3%	20.2%	25.1%	35.3%	19.0%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q34b Please indicate where you completed your medical training. Check only one location per category.

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						All Physicians
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	
Location of undergraduate medical education	UBC	5.3%	.0%	5.1%	5.7%	3.9%	4.8%	5.6%	6.0%	5.2%	4.0%	2.3%	5.3%
	U of Calgary	2.7%	.0%	2.3%	3.4%	1.6%	3.2%	2.6%	2.7%	3.6%	.8%	.4%	2.7%
	U of Alberta	4.4%	.0%	4.5%	4.4%	3.8%	4.6%	5.3%	4.2%	4.6%	2.7%	3.8%	4.4%
	U of SK	2.1%	.0%	2.2%	2.1%	.0%	3.8%	1.8%	2.0%	2.1%	1.8%	.6%	2.1%
	U of Manitoba	3.3%	.0%	3.5%	3.1%	2.2%	4.0%	3.2%	3.3%	3.5%	2.3%	2.6%	3.3%
	U of Western Ontario	4.5%	.0%	5.2%	3.7%	3.2%	3.5%	4.1%	4.8%	4.9%	5.0%	3.6%	4.5%
	NOSM	.2%	.0%	.1%	.1%	1.7%	.0%	.1%	.1%	.1%	.4%	1.7%	.2%
	McMaster	3.7%	.0%	2.6%	5.5%	2.0%	3.4%	4.3%	3.2%	5.1%	1.4%	.9%	3.7%
	U of Toronto	9.5%	.0%	9.8%	9.2%	6.1%	6.2%	7.8%	9.4%	11.4%	13.0%	7.4%	9.5%
	U of Ottawa	3.6%	.0%	3.5%	3.9%	3.9%	3.2%	4.8%	2.9%	3.6%	3.7%	3.0%	3.6%
	Queen's	3.3%	.0%	3.3%	3.2%	4.5%	4.3%	3.2%	3.2%	2.9%	3.9%	3.0%	3.3%
	U de Sherbrooke	4.1%	.0%	2.9%	5.6%	7.4%	9.3%	5.2%	4.0%	2.5%	.5%	6.6%	4.1%
	U de Montreal	8.5%	.0%	6.4%	11.0%	16.3%	9.6%	6.6%	10.3%	7.6%	6.6%	15.2%	8.5%
	McGill	2.9%	.0%	3.0%	2.9%	1.8%	2.9%	2.3%	3.2%	3.8%	1.8%	.7%	2.9%
	Université Laval	7.4%	.0%	6.7%	8.2%	11.0%	9.7%	5.1%	7.6%	8.9%	5.0%	10.8%	7.4%
	Dalhousie	4.2%	.0%	4.1%	4.4%	3.2%	6.3%	3.9%	3.8%	4.6%	4.2%	2.8%	4.2%
	MUN&L	1.5%	.0%	1.4%	1.8%	.4%	1.5%	2.5%	1.0%	2.1%	.2%	.0%	1.5%
	USA	1.0%	.0%	1.0%	1.0%	.8%	.0%	1.4%	.8%	.9%	2.3%	.8%	1.0%
	Other country	17.5%	.0%	21.5%	12.0%	14.8%	10.3%	19.6%	16.6%	14.9%	29.0%	19.2%	17.5%
	NR	10.1%	.0%	10.9%	8.8%	11.5%	9.7%	10.6%	10.8%	7.9%	11.3%	14.8%	10.1%
Total	%	100%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	0	19851	13673	1041	3096	8123	10744	8430	3117	1055	34565
	n	6602	0	3549	2851	202	609	1349	2002	1724	711	207	6602

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q34b Please indicate where you completed your most recent postgraduate medical training. Check only one location per category.

Question asked of FP/GPs only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Location of most recent post-graduate medical training	UBC	4.8%	.0%	4.7%	5.1%	1.6%	6.1%	4.7%	4.8%	5.0%	3.7%	1.6%	4.8%
	U of Calgary	3.1%	.0%	2.8%	3.8%	1.3%	4.6%	4.0%	2.4%	3.6%	1.2%	1.4%	3.1%
	U of Alberta	4.5%	.0%	4.6%	4.5%	2.8%	4.6%	6.3%	4.4%	3.7%	3.0%	3.9%	4.5%
	U of SK	2.1%	.0%	2.2%	2.1%	.0%	2.5%	1.5%	2.5%	2.3%	1.5%	.0%	2.1%
	U of Manitoba	3.3%	.0%	3.5%	3.2%	1.4%	2.7%	3.9%	3.8%	3.1%	1.6%	1.4%	3.3%
	U of Western Ontario	3.8%	.0%	4.0%	3.6%	.0%	2.6%	3.9%	4.3%	3.9%	3.3%	.4%	3.8%
	NOSM	.4%	.0%	.4%	.4%	1.8%	.6%	.5%	.4%	.1%	.5%	1.0%	.4%
	McMaster	3.6%	.0%	3.1%	4.4%	3.6%	3.3%	4.6%	2.9%	4.5%	1.9%	2.3%	3.6%
	U of Toronto	9.5%	.0%	9.5%	9.6%	8.3%	8.6%	8.4%	10.0%	10.3%	8.9%	9.8%	9.5%
	U of Ottawa	4.3%	.0%	3.5%	5.7%	2.3%	5.4%	5.9%	4.0%	3.5%	3.3%	1.1%	4.3%
	Queen's	2.5%	.0%	2.3%	2.9%	2.5%	4.3%	3.6%	2.3%	1.8%	1.4%	1.4%	2.5%
	U de Sherbrooke	4.1%	.0%	3.1%	5.6%	5.7%	8.0%	5.4%	4.3%	2.0%	1.1%	6.5%	4.1%
	U de Montréal	7.5%	.0%	5.3%	10.1%	14.8%	10.4%	6.1%	9.2%	5.7%	4.8%	13.9%	7.5%
	McGill	4.3%	.0%	4.2%	4.4%	4.0%	3.9%	4.4%	3.9%	5.3%	3.3%	2.2%	4.3%
	Université Laval	6.1%	.0%	5.0%	7.4%	10.6%	8.4%	4.9%	6.7%	7.0%	1.6%	10.3%	6.1%
	Dalhousie	4.2%	.0%	4.2%	4.2%	2.9%	4.7%	4.1%	3.7%	5.0%	3.2%	2.9%	4.2%
	MUN&L	2.2%	.0%	2.3%	2.2%	.4%	2.0%	2.5%	2.6%	2.5%	.5%	.0%	2.2%
	USA	2.2%	.0%	2.6%	1.8%	1.3%	1.2%	2.1%	2.6%	2.1%	3.2%	.8%	2.2%
	Other country	10.0%	.0%	13.0%	5.8%	9.1%	5.1%	11.7%	10.2%	8.6%	14.4%	9.1%	10.0%
	NR		17.5%	.0%	20.0%	13.2%	25.8%	10.9%	11.4%	14.9%	20.1%	37.8%	29.8%
Total	%	100%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	0	19851	13673	1041	3096	8123	10744	8430	3117	1055	34565
	n	6602	0	3549	2851	202	609	1349	2002	1724	711	207	6602

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q34b Please indicate where you completed your medical training. Check only one location per category.

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Location of undergraduate medical graduation	Canada	.0%	73.1%	70.4%	79.5%	67.5%	83.5%	81.2%	75.0%	68.0%	58.7%	63.5%	73.1%
	USA	.0%	1.1%	1.2%	.8%	1.7%	.0%	.8%	1.1%	1.3%	2.0%	.0%	1.1%
	Other Country	.0%	16.3%	18.7%	10.8%	16.3%	2.0%	6.9%	15.7%	22.7%	31.2%	15.6%	16.3%
	NR	.0%	9.6%	9.7%	8.9%	14.5%	14.5%	11.1%	8.2%	8.0%	8.2%	20.8%	9.6%
	Total	%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	0	31818	21442	9653	723	1960	8477	8707	7700	4208	765	31818
	n	0	5474	3519	1826	129	354	1275	1379	1422	910	134	5474

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q34b Please indicate where you completed your most recent postgraduate medical training. Check only one location per category.

Question asked of Other Specialists only		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Location of MOST RECENT post-graduate medical training	Canada	.0%	75.1%	72.9%	80.4%	68.5%	81.3%	77.0%	76.8%	76.5%	64.7%	62.5%	75.1%
	USA	.0%	8.0%	8.9%	5.9%	10.0%	3.1%	7.1%	8.0%	7.6%	12.5%	10.8%	8.0%
	Other country	.0%	4.7%	5.8%	2.6%	1.7%	.3%	2.7%	4.8%	5.9%	8.6%	4.4%	4.7%
	NR	.0%	12.2%	12.4%	11.0%	19.7%	15.2%	13.3%	10.4%	9.9%	14.2%	22.4%	12.2%
	Total	%	0%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	0	31818	21442	9653	723	1960	8477	8707	7700	4208	765	31818
	n	0	5474	3519	1826	129	354	1275	1379	1422	910	134	5474

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q35 Current medical specialty certification/attestation. Check all that apply.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Current medical specialty certification	Royal College of Physicians and Surgeons of Canada	6.2%	87.4%	48.1%	40.3%	36.8%	34.1%	48.2%	43.1%	45.3%	52.6%	36.3%	45.1%
	College of Family Physicians of Canada	54.6%	2.4%	24.4%	39.2%	23.7%	49.0%	35.1%	30.9%	24.6%	13.2%	21.5%	29.6%
	Collège des médecins du Québec	19.0%	21.5%	17.8%	23.8%	28.8%	25.8%	18.1%	20.6%	18.7%	20.8%	29.5%	20.2%
	Other medical designation	14.9%	13.2%	15.9%	10.7%	13.8%	8.3%	12.2%	14.0%	15.1%	19.1%	17.5%	14.0%
	Master's degree	9.9%	15.0%	12.4%	12.5%	8.0%	7.4%	15.6%	12.5%	12.2%	8.9%	9.5%	12.3%
	PhD	2.1%	3.8%	3.5%	1.9%	3.3%	.1%	2.4%	3.3%	3.2%	4.2%	4.2%	2.9%
	NR	22.7%	8.3%	17.2%	13.0%	19.6%	13.8%	11.3%	16.3%	18.5%	18.5%	22.2%	15.8%
	Total												
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q36 In what year did you become licensed to practice medicine in Canada for the first time?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Number of years licensed to practice medicine in Canada.	< 4 years	11.8%	7.4%	7.9%	13.1%	3.9%	57.9%	15.4%	3.7%	.8%	.0%	4.6%	9.7%
	5-9 years	11.5%	12.1%	10.0%	15.2%	8.9%	28.1%	30.1%	5.1%	1.7%	.2%	8.0%	11.8%
	10-14 years	10.2%	10.5%	8.9%	13.1%	6.7%	.3%	29.6%	8.0%	1.5%	.4%	6.3%	10.3%
	15-19 years	10.3%	9.1%	9.1%	11.0%	8.4%	.0%	14.3%	17.9%	2.6%	.3%	8.0%	9.7%
	20 + years	47.5%	50.5%	54.3%	38.5%	61.1%	.4%	.6%	56.2%	85.7%	89.8%	56.8%	48.9%
	NR	8.7%	10.5%	9.8%	9.1%	10.9%	13.3%	10.1%	9.2%	7.7%	9.2%	16.3%	9.6%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q37a Do you have children (including stepchildren)?

		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Do you have children (including stepchildren)	Yes	77.9%	76.1%	80.0%	71.4%	83.9%	39.5%	72.1%	79.2%	85.2%	89.8%	80.4%	77.1%	
	No	15.7%	15.3%	12.3%	21.5%	10.6%	49.5%	19.0%	13.2%	9.1%	5.9%	9.7%	15.5%	
	NR	6.4%	8.5%	7.7%	7.0%	5.6%	10.9%	8.8%	7.6%	5.7%	4.4%	9.9%	7.4%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q37a Age of the youngest child.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Age of the youngest child	Up to 5 years old	20.8%	22.0%	18.3%	28.3%	11.5%	95.0%	63.3%	6.9%	1.0%	.9%	12.6%	21.4%
	Between 5 and 10 years old	12.4%	13.5%	11.7%	15.5%	11.4%	2.3%	26.0%	19.5%	1.7%	.8%	11.2%	12.9%
	Older than 10	65.1%	62.9%	68.3%	54.6%	75.1%	2.0%	9.0%	72.0%	96.1%	95.8%	72.5%	64.1%
	NR	1.7%	1.6%	1.7%	1.5%	1.9%	.7%	1.7%	1.6%	1.2%	2.6%	3.7%	1.7%
	Total												
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	26938	24225	33023	16661	1480	2000	11975	15411	13738	6576	1464	51163
	n	5170	4181	5716	3356	279	382	1893	2681	2667	1451	277	9351

Notes:

Includes only respondents who have children.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q37a Age of the youngest child.

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Age of the youngest child	Mean	16.46	16.74	18.05	13.34	20.31	1.97	4.92	13.81	23.07	33.24	20.21	16.60
	Median	16.00	16.00	18.00	12.00	20.00	1.00	4.00	14.00	23.00	34.00	20.00	16.00
	Mode	1.00	1.00	1.00	1.00	22.00	1.00	1.00	13.00	21.00	35.00	8.00	1.00
	Standard Deviation	10.72	11.54	11.40	9.68	11.55	2.98	3.95	5.51	6.22	7.58	11.69	11.11
	Minimum	.10	.06	.06	.10	.20	.10	.06	.10	1.00	.20	.20	.06
	Maximum	51.00	52.00	52.00	49.00	50.00	23.00	38.00	51.00	47.00	52.00	48.00	52.00
	N	26120	23459	32153	15992	1435	1666	11384	15157	13573	6407	1393	49579
	n	5014	4046	5565	3224	271	317	1796	2638	2633	1412	264	9060

Notes:

Includes only respondents who have children.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q37a On average, how many hours per week do you have primary responsibility for the care/supervision of the children (excluding sleep hours)?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Hours per week with primary responsibility for the care/supervision of children	Zero hours	23.0%	26.5%	30.2%	14.3%	18.7%	2.0%	2.4%	14.1%	46.8%	51.8%	19.5%	24.7%
	1 to 10 hours/week	14.9%	17.9%	22.1%	5.5%	8.9%	16.5%	24.6%	21.7%	10.3%	3.3%	6.6%	16.3%
	11 to 20 hours/week	8.6%	9.0%	10.5%	5.3%	9.3%	15.5%	14.4%	11.7%	3.2%	1.3%	10.1%	8.8%
	21 to 30 hours/week	5.3%	5.1%	4.5%	6.5%	4.3%	7.8%	10.1%	6.4%	1.4%	.3%	4.7%	5.2%
	31 to 40 hours/week	5.6%	5.0%	3.3%	9.4%	3.5%	14.3%	10.6%	6.1%	.9%	.4%	5.0%	5.3%
	41 to 50 hours/week	5.0%	4.5%	1.8%	10.6%	4.7%	12.4%	10.2%	5.1%	.8%	.2%	4.6%	4.8%
	More than 50 hours/week	13.4%	9.9%	3.7%	27.9%	9.9%	26.2%	20.4%	16.1%	3.0%	.7%	7.7%	11.7%
	NR	24.3%	22.1%	23.9%	20.5%	40.7%	5.3%	7.5%	18.8%	33.6%	42.1%	41.8%	23.2%
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	26938	24225	33023	16661	1480	2000	11975	15411	13738	6576	1464	51163
	n	5170	4181	5716	3356	279	382	1893	2681	2667	1451	277	9351

Notes:

Includes only respondents who have children.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q37a On average, how many hours per week do you have primary responsibility for the care/supervision of the children (excluding sleep hours)?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Hours per week with primary responsibility for the care /supervision of children	Mean	35.90	30.76	20.77	51.16	35.61	39.48	34.40	34.06	24.95	21.97	35.25	33.50
	Median	28.00	20.00	12.00	50.00	30.00	38.00	30.00	21.00	10.00	10.00	30.00	24.00
	Mode	10.00	10.00	10.00	40.00	10.00	20.00	10.00	10.00	10.00	2.00	20.00	10.00
	Standard Deviation	30.13	28.14	22.31	28.84	28.06	27.68	27.39	30.91	30.04	29.48	27.35	29.33
	Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	Maximum	112.00	112.00	112.00	112.00	112.00	112.00	112.00	112.00	112.00	112.00	112.00	112.00
	N	14204	12448	15180	10872	600	1853	10799	10341	2692	399	567	26652
n	2556	1988	2373	2071	100	354	1715	1780	515	86	94	4544	

Notes:

Includes only respondents who have children and who indicated greater than zero hours per week.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q37b Do you have any other dependents for whom you personally provide care (grandchildren/ elderly/ disabled)?

		FP/GP or Specialist		Sex			Age Group							
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians	
Other dependents	Yes	11.0%	10.0%	10.1%	11.3%	12.4%	3.6%	5.9%	11.7%	14.4%	13.5%	13.7%	10.5%	
	No	80.9%	79.8%	80.9%	79.6%	80.2%	84.1%	83.7%	79.0%	78.1%	80.3%	75.3%	80.4%	
	NR	8.1%	10.1%	9.1%	9.1%	7.4%	12.3%	10.5%	9.3%	7.4%	6.2%	11.0%	9.1%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	34565	31818	41293	23325	1764	5056	16600	19452	16130	7325	1820	66383
	n	6602	5474	7068	4677	331	963	2624	3381	3146	1621	341	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q37b How many other dependents do you have?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Number of other dependents	Less than 5	86.7%	85.3%	84.5%	89.8%	72.2%	62.7%	84.8%	89.5%	88.8%	79.7%	77.2%	86.1%
	5 to 10	2.8%	2.1%	3.4%	.8%	4.0%	.0%	2.3%	1.2%	1.8%	6.7%	5.5%	2.5%
	More than 10	.3%	.4%	.5%	.1%	.0%	.0%	.0%	.3%	.0%	1.5%	1.2%	.3%
	NR	10.2%	12.1%	11.6%	9.2%	23.8%	37.3%	12.9%	9.0%	9.4%	12.1%	16.0%	11.1%
	Total												
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	3807	3190	4153	2625	219	183	972	2275	2328	989	250	6997
	n	752	567	732	550	37	36	155	404	462	218	44	1319

Notes:

Includes only respondents who have other dependents.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q37b On average, how many hours per week do you spend caring for your other dependents (excluding sleep hours)?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Hours per week caring for your dependents	Up to 5 hours/week	42.3%	44.3%	46.6%	39.0%	29.9%	28.7%	38.1%	46.0%	47.0%	38.3%	33.3%	43.2%
	More than 5, up to 10 hours/week	23.2%	21.4%	19.5%	27.2%	17.3%	8.7%	21.4%	23.6%	23.1%	23.4%	13.4%	22.3%
	More than 10 hours/week	15.2%	15.5%	11.7%	21.5%	9.8%	12.6%	18.5%	14.7%	13.8%	18.9%	10.5%	15.3%
	NR	19.3%	18.9%	22.2%	12.3%	43.0%	49.9%	22.0%	15.8%	16.1%	19.4%	42.8%	19.1%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
	N	3807	3190	4153	2625	219	183	972	2275	2328	989	250	6997
	n	752	567	732	550	37	36	155	404	462	218	44	1319

Notes:

Includes only respondents who have other dependents.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by FP/GP or Other Specialist, Sex, Age and All Physicians.

Q37b On average, how many hours per week do you spend caring for your other dependents (excluding sleep hours)?

		FP/GP or Specialist		Sex			Age Group						
		FP/GP	Other Spec	Male	Female	NR	<35	35-44	45-54	55-64	65+	NR	All Physicians
Hours per week caring for your dependents	Mean	8.96	10.48	8.39	11.40	**	**	12.02	9.25	8.99	9.35	**	9.65
	Median	5.00	5.00	5.00	6.00	**	**	6.00	5.00	5.00	6.00	**	5.00
	Mode	2.00	5.00	2.00	10.00	**	**	10.00	2.00	4.00	10.00	**	2.00
	Standard Deviation	11.16	15.53	12.02	14.95	**	**	16.51	13.25	12.68	9.07	**	13.34
	Minimum	1.00	.50	.50	1.00	**	**	1.00	1.00	.50	1.00	**	.50
	Maximum	112.00	112.00	112.00	100.00	**	**	100.00	112.00	112.00	56.00	**	112.00
	N	2950	2449	3033	2254	113	82	695	1862	1863	760	136	5399
n	593	439	536	475	21	17	111	336	375	167	26	1032	

Notes:

Includes only respondents who have other dependents.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.