

2010 National Physician Survey (NPS): NATIONAL DEMOGRAPHICS

Source of Data

The 2010 National Physician Survey (NPS) was carried out as a self-reported survey, sent to all licensed physicians in Canada. [Note: all medical residents and all medical students in Canada were surveyed as well and these results will be reported separately]. The mail and email contact lists were generated from the NPS Masterfile. The NPS Masterfile was populated with information from the CMA Membership System, the CFPC membership database, and the RCPSC membership database. The CMA Membership System was used as the template as it included all physicians in Canada holding a medical license and is compiled and updated on a daily basis with information received from provincial licensing bodies, associations, CFPC and RCPSC membership listings, and individual physicians. The information provided by CFPC and RCPSC added additional information (e.g. email addresses, more recently updated mailing addresses) to the content already supplied by the CMA Membership System.

A separate database pertaining to all eligible survey respondents was developed in order to assess the comparability and representativeness of the survey respondents to the total physician population, and to develop statistical weights to be applied to each strata and age grouping within the 2010 survey results. From the NPS Masterfile, physician age, sex, province, language, and year of MD graduation were captured, along with an indication of whether or not the individual completed the questionnaire. No names or addresses were contained in this separate database.

Physician Demographics by Province/Territory

Family physicians						Other specialists						All Physicians					
	Response rate	NPS respondents		Total Population			Response rate	NPS respondents		Total Population			Response rate	NPS respondents		Total Population	
	%	n	Col%	N	Col%		%	n	Col%	N	Col%		%	n	Col%	N	Col%
Total	18.97%	6602	100%	34810	100%	Total	17.06%	5474	100%	32096	100%	Total	18.05%	12076	100%	66906	100%
Province						Province						Province					
NL	16.98%	119	1.80%	701	2.01%	NL	13.65%	55	1.00%	403	1.26%	NL	15.76%	174	1.44%	1104	1.65%
PEI	21.52%	34	0.51%	158	0.45%	PEI	18.18%	16	0.29%	88	0.27%	PEI	20.33%	50	0.41%	246	0.37%
NS	21.45%	267	4.04%	1245	3.58%	NS	17.72%	185	3.38%	1044	3.25%	NS	19.75%	452	3.74%	2289	3.42%
NB	20.66%	200	3.03%	968	2.78%	NB	18.07%	103	1.88%	570	1.78%	NB	19.70%	303	2.51%	1538	2.30%
QC	18.24%	1525	23.10%	8360	24.02%	QC	14.08%	1140	20.83%	8097	25.23%	QC	16.19%	2665	22.07%	16457	24.60%
ON	19.40%	2283	34.58%	11768	33.81%	ON	17.59%	2198	40.15%	12494	38.93%	ON	18.47%	4481	37.11%	24262	36.26%
MB	21.15%	262	3.97%	1239	3.56%	MB	18.88%	209	3.82%	1107	3.45%	MB	20.08%	471	3.90%	2346	3.51%
SK	15.85%	174	2.64%	1098	3.15%	SK	21.08%	140	2.56%	664	2.07%	SK	17.82%	314	2.60%	1762	2.63%
AB	20.04%	771	11.68%	3847	11.05%	AB	19.86%	647	11.82%	3258	10.15%	AB	19.96%	1418	11.74%	7105	10.62%
BC	17.80%	947	14.34%	5321	15.29%	BC	17.84%	775	14.16%	4343	13.53%	BC	17.82%	1722	14.26%	9664	14.44%
NT, YT, NU	19.05%	20	0.30%	105	0.30%	NT, YT, NU	21.43%	6	0.11%	28	0.09%	NT, YT, NU	19.55%	26	0.22%	133	0.20%
			100%		100%				100%		100%				100%		100%

Confidence Intervals by Province/Territory

Family physicians					Other specialists					All Physicians				
	Response rate	NPS respondents	Total Population	95% Confidence Interval*		Response rate	NPS respondents	Total Population	95% Confidence Interval*		Response rate	NPS respondents	Total Population	95% Confidence Interval*
	%	n	N			%	n	N			%	n	N	
Total	18.97%	6602	34810	1.21%	Total	17.06%	5474	32096	1.32%	Total	18.05%	12076	66906	0.89%
Province					Province					Province				
NL	16.98%	119	701	8.98%	NL	13.65%	55	403	13.21%	NL	15.76%	174	1104	7.43%
PEI	21.52%	34	158	16.81%	PEI	19.10%	17	89	23.77%	PEI	20.33%	50	246	13.86%
NS	21.45%	267	1245	6.00%	NS	17.72%	185	1044	7.21%	NS	19.75%	452	2289	4.61%
NB	20.66%	200	968	6.93%	NB	17.93%	102	569	9.70%	NB	19.70%	303	1538	5.63%
QC	18.24%	1525	8360	2.51%	QC	14.08%	1140	8097	2.90%	QC	16.19%	2665	16457	1.90%
ON	19.40%	2283	11768	2.05%	ON	17.59%	2198	12494	2.09%	ON	18.47%	4481	24262	1.46%
MB	21.15%	262	1239	6.05%	MB	18.88%	209	1107	6.78%	MB	20.08%	471	2346	4.52%
SK	15.85%	174	1098	7.43%	SK	21.08%	140	664	8.28%	SK	17.82%	314	1762	5.53%
AB	20.04%	771	3847	3.53%	AB	19.86%	647	3258	3.85%	AB	19.96%	1418	7105	2.60%
BC	17.80%	947	5321	3.18%	BC	17.84%	775	4343	3.52%	BC	17.82%	1722	9664	2.36%
NT, YT, NU	19.05%	20	105	21.91%	NT, YT, NU	21.43%	6	28	40.01%	NT, YT, NU	19.55%	26	133	19.22%

* 95% Confidence Interval = estimates are considered accurate within +/-x%, 19 times out of 20

Physician Demographics by Age Group and Sex:

Family physicians						Other specialists						All Physicians					
	Response rate	NPS respondents		Total Population			Response rate	NPS respondents		Total Population			Response rate	NPS respondents		Total Population	
	%	n	Col%	N	Col%		%	n	Col%	N	Col%		%	n	Col%	N	Col%
Total	18.97%	6602	100%	34810	100%	Total	17.06%	5474	100%	32096	100%	Total	18.05%	12076	100%	66906	100%
Age group						Age group						Age group					
34 and under	20.35%	607	9.19%	2983	8.57%	34 and under	18.74%	333	6.08%	1777	5.54%	34 and under	19.75%	940	7.78%	4760	7.11%
35 - 44	16.65%	1335	20.22%	8016	23.03%	35 - 44	15.14%	1261	23.04%	8331	25.96%	35 - 44	15.88%	2596	21.50%	16347	24.43%
45 - 54	18.68%	2009	30.43%	10756	30.90%	45 - 54	15.87%	1394	25.47%	8785	27.37%	45 - 54	17.41%	3403	28.18%	19541	29.21%
55 - 64	20.82%	1792	27.14%	8606	24.72%	55 - 64	18.56%	1456	26.60%	7846	24.45%	55 - 64	19.74%	3248	26.90%	16452	24.59%
65 and over	20.96%	749	11.35%	3574	10.27%	65 and over	20.56%	945	17.26%	4596	14.32%	65 and over	20.73%	1694	14.03%	8170	12.21%
Not known	12.57%	110	1.67%	875	2.51%	Not known	11%	85	1.55%	761	2.37%	Not known	12%	195	1.61%	1636	2.45%
			100%		100%				100%		100%				100%		100%
Sex						Sex						Sex					
Male	17.69%	3672	55.62%	20761	59.64%	Male	16.19%	3613	66.00%	22315	69.53%	Male	16.91%	7285	60.33%	43076	64.38%
Female	20.92%	2909	44.06%	13905	39.95%	Female	19.03%	1854	33.87%	9744	30.36%	Female	20.14%	4763	39.44%	23649	35.35%
Not known	14.58%	21	0.32%	144	0.41%	Not known	18.92%	7	0.13%	37	0.12%	Not known	15.47%	28	0.23%	181	0.27%
			100%		100%				100%		100%				100%		100%

Confidence Intervals by Age Group / Sex

Family physicians					Other specialists					All Physicians				
	Response rate	NPS respondents	Total Population	95% Confidence Interval*		Response rate	NPS respondents	Total Population	95% Confidence Interval*		Response rate	NPS respondents	Total Population	95% Confidence Interval*
	%	n	N			%	n	N			%	n	N	
Total	18.97%	6602	34810	1.21%	Total	17.06%	5474	32096	1.32%	Total	18.05%	12076	66906	0.89%
Age group					Age group					Age Group				
34 and under	20.35%	607	2983	3.98%	34 and under	18.74%	333	1777	5.37%	34 and under	19.75%	940	4760	3.20%
35 - 44	16.65%	1335	8016	2.68%	35 - 44	15.14%	1261	8331	2.76%	35-44	15.88%	2596	16347	1.92%
45 - 54	18.68%	2009	10756	2.19%	45 - 54	15.87%	1394	8785	2.62%	45-54	17.41%	3403	19541	1.68%
55 - 64	20.82%	1792	8606	2.32%	55 - 64	18.56%	1456	7846	2.57%	55-64	19.74%	3248	16452	1.72%
65 and over	20.96%	749	3574	3.58%	65 and over	20.56%	945	4596	3.19%	65 and over	20.73%	1694	8170	2.38%
Not known	12.57%	110	875	9.34%	Not known	11.17%	85	761	10.63%	Not known	12%	195	1636	7.02%
Sex					Sex									
Male	17.69%	3672	20761	1.62%	Male	16.19%	3613	22315	1.63%	Male	16.91%	7285	43076	1.15%
Female	20.92%	2909	13905	1.82%	Female	19.03%	1854	9744	2.28%	Female	20.14%	4763	23649	1.42%
Not known	14.58%	21	144	21.39%	Not known	18.92%	7	37	37.04%	Not known	15.47%	28	181	18.52%

* 95% Confidence Interval = estimates are considered accurate within +/-x%, 19 times out of 20

National Physician Survey, 2010. National Results by Province and Canada

Please check ALL that apply to your current situation.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Your current situation	In full-time medical practice	84.3%	77.0%	78.5%	86.8%	83.3%	79.9%	77.5%	84.1%	76.2%	72.0%	**	79.4%	
	In part-time medical practice or semi-retired from the medical labour force	10.1%	13.9%	16.3%	10.4%	10.7%	14.6%	16.7%	9.0%	18.1%	20.0%	**	14.6%	
	Locum tenens	3.4%	.0%	2.6%	2.3%	3.0%	3.1%	.8%	3.8%	3.4%	7.6%	**	3.6%	
	Medical or medically related field only or other non-clinical settings	5.6%	12.1%	8.2%	6.6%	5.8%	6.2%	8.3%	6.5%	7.9%	7.5%	**	6.7%	
	On leave of absence or sabbatical	1.9%	.0%	1.4%	.9%	.8%	.9%	1.4%	.9%	1.1%	1.4%	**	1.0%	
	Faculty appointment	32.4%	16.0%	40.4%	24.0%	28.5%	33.1%	40.0%	35.9%	36.1%	32.8%	**	32.5%	
	Hospital appointment	38.9%	37.1%	40.6%	38.5%	43.7%	39.4%	36.5%	29.3%	35.5%	36.1%	**	39.2%	
	Other current situation	1.0%	7.7%	3.6%	2.9%	4.7%	2.0%	4.2%	4.1%	3.1%	3.7%	**	3.3%	
	NR	.6%	3.8%	.6%	.3%	.7%	.6%	.4%	1.2%	.3%	.5%	**	.6%	
Total	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q1 Which of these best describes you? Please check only one.

		Province											NT/YT/ NU	CANAD A
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Which of these best describes you?	Family physician/ general practitioner	40.3%	39.3%	28.7%	37.0%	27.5%	31.0%	31.2%	32.3%	31.4%	34.1%	**	31.0%	
	FP/ GP with a special focus to my practice	11.1%	9.5%	17.2%	13.9%	19.5%	14.1%	15.9%	18.4%	16.1%	15.4%	**	16.1%	
	Medical/ surgical/ laboratory specialist	47.7%	47.5%	50.9%	47.8%	49.2%	52.0%	49.2%	45.8%	50.5%	46.7%	**	49.9%	
	Physician working exclusively as a physician in a non- clinical setting	.4%	3.7%	1.6%	.5%	2.5%	1.4%	1.5%	2.4%	1.2%	1.8%	**	1.7%	
	Best description, other	.0%	.0%	1.0%	.3%	.8%	.9%	1.9%	.7%	.7%	1.4%	**	.9%	
	NR	.6%	.0%	.6%	.5%	.4%	.6%	.2%	.4%	.1%	.5%	**	.5%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

Q1. Family physician/ general practitioner with a specified special focus to practice.

Among family physicians/general practitioners with a special focus to their practice, the most frequently indicated foci were: Emergency medicine (25.8%), Geriatric medicine (9.1%), Obstetrics (8.9%), Palliative care/Palliative Medicine (5.9%), Anesthesiology/Anesthesia (5.0%), Hospitalist care (4.0%), Addiction medicine/substance abuse (3.9%), Occupational medicine (3.5%), Psychiatry (3.1%), Psychotherapy (3.1%).

Notes:

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Province and Canada

Q2 Age.

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Age Group	<35	12.0%	5.5%	3.6%	11.7%	10.3%	6.1%	7.3%	10.2%	8.8%	5.4%	**	7.6%
	35-44	30.1%	24.8%	28.0%	26.6%	22.4%	25.4%	25.7%	25.4%	29.6%	23.5%	**	25.0%
	45-54	24.3%	24.5%	29.8%	30.3%	29.4%	28.5%	30.5%	29.9%	28.9%	31.4%	**	29.3%
	55-64	25.1%	34.7%	26.7%	22.1%	23.2%	24.7%	22.7%	22.7%	22.3%	26.8%	**	24.3%
	65+	6.7%	6.4%	9.6%	7.4%	10.5%	12.9%	9.8%	10.0%	8.3%	11.1%	**	11.0%
	NR	1.8%	4.1%	2.3%	1.8%	4.2%	2.4%	4.0%	1.7%	2.1%	1.7%	**	2.7%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**
N		1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q2 Age.

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Age	Mean	48.31	51.02	50.51	48.07	49.79	51.14	50.09	49.28	48.71	51.07	**	50.31
	Median	47.00	53.00	50.00	48.00	50.00	51.00	50.00	49.00	48.00	51.00	**	50.00
	Mode	43.00	37.00	48.00	46.00	49.00	54.00	51.00	41.00	40.00	46.00	**	54.00
	Standard Deviation	10.75	10.47	10.41	10.87	11.50	11.41	10.88	11.21	10.81	10.78	**	11.23
	Minimum	28.00	32.00	29.00	27.00	26.00	27.00	29.00	29.00	29.00	27.00	**	26.00
	Maximum	72.00	69.00	79.00	75.00	83.00	87.00	80.00	78.00	80.00	80.00	**	87.00
	N	1081	237	2221	1509	15621	23556	2263	1716	6929	9306	125	64563
n	171	48	440	297	2545	4366	452	309	1389	1693	25	11735	

Notes:

Includes only respondents who indicated their year of birth.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q4a Check the category(ies) which best describe(s) the setting(s) where you work. Check all that apply.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Work setting(s)	Private office/ clinic (excluding free walk-in clinics)	37.6%	58.7%	49.0%	55.5%	43.3%	57.9%	48.2%	56.1%	54.4%	62.1%	**	53.4%
	Community clinic/ Community health centre	20.2%	30.6%	10.3%	13.2%	13.3%	7.4%	18.1%	13.2%	12.1%	11.2%	**	11.0%
	Free-standing walk-in clinic	4.1%	10.3%	6.1%	9.3%	4.7%	6.6%	4.5%	7.1%	4.7%	12.7%	**	6.7%
	Academic health sciences centre (AHSC)	37.5%	2.3%	41.4%	20.1%	33.0%	29.2%	38.6%	24.9%	32.2%	21.4%	**	29.8%
	Non-AHSC teaching hospital	6.7%	15.4%	6.3%	28.2%	21.8%	7.8%	8.4%	15.6%	11.8%	12.2%	**	12.9%
	Community hospital	29.1%	57.7%	31.6%	44.9%	6.9%	32.5%	37.5%	43.9%	33.7%	42.0%	**	28.5%
	Other hospital	1.9%	6.4%	3.7%	3.6%	15.1%	2.2%	3.5%	5.0%	6.0%	2.7%	**	6.1%
	Emergency department (in community hospital or AHSC)	17.8%	18.7%	17.0%	17.8%	12.6%	12.2%	18.5%	22.1%	16.1%	16.4%	**	14.2%
	Nursing home/ Home for the aged	11.0%	8.3%	14.0%	11.1%	9.3%	7.9%	8.8%	14.6%	10.6%	13.8%	**	10.0%
	University	19.3%	2.2%	24.4%	5.9%	15.4%	16.4%	28.7%	18.2%	20.8%	13.1%	**	16.6%
	Research Unit	3.9%	2.2%	4.3%	1.8%	4.5%	4.0%	4.4%	.9%	3.6%	2.6%	**	3.8%
	Free-standing lab/ diagnostic clinic	1.2%	.0%	.0%	.2%	.8%	1.8%	1.2%	.9%	2.3%	1.4%	**	1.4%
	Administrative office/ Corporate office	3.9%	7.9%	5.2%	4.2%	3.7%	4.4%	9.6%	5.4%	5.8%	6.3%	**	4.9%
	Other work setting	3.1%	15.2%	5.2%	6.7%	12.8%	7.5%	8.2%	7.7%	8.1%	8.8%	**	9.0%
NR		.0%	.0%	.3%	.3%	.3%	.3%	.6%	.4%	.1%	.2%	**	.3%
Total	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q4b Main patient care setting (i.e. the setting where you spend the most time providing patient care). Check only one.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Main patient care setting	Private office/clinic (excluding free standing walk-in clinics)	30.4%	48.5%	39.9%	40.4%	29.1%	46.4%	37.1%	38.3%	40.8%	46.6%	**	40.4%	
	Community clinic/Community health centre	11.0%	16.0%	5.0%	8.0%	7.6%	3.4%	11.0%	7.2%	4.7%	4.7%	**	5.5%	
	Free-standing walk-in clinic	.0%	.0%	.6%	.8%	.6%	1.5%	.7%	.5%	1.9%	3.5%	**	1.5%	
	Academic health sciences centre (AHSC)	27.8%	.0%	29.6%	10.1%	22.7%	20.8%	26.0%	14.2%	21.8%	11.5%	**	20.1%	
	Non-AHSC teaching hospital	2.5%	5.6%	1.6%	11.9%	12.1%	3.2%	2.6%	8.3%	5.9%	5.2%	**	6.2%	
	Community hospital	17.3%	15.8%	9.8%	16.7%	3.1%	11.7%	9.1%	12.9%	9.1%	12.4%	**	9.5%	
	Other hospital	.0%	.0%	1.0%	.7%	6.2%	.7%	.6%	2.0%	1.6%	.8%	**	2.2%	
	Emergency department (in community hospital or AHSC)	4.2%	8.1%	6.9%	5.3%	6.6%	4.4%	5.0%	4.4%	5.9%	6.0%	**	5.5%	
	Nursing home/Home for the aged	1.2%	.0%	.5%	.7%	1.3%	.6%	.0%	.4%	.4%	.1%	**	.7%	
	University	.7%	.0%	.2%	.0%	.2%	.4%	.2%	1.5%	1.2%	.7%	**	.5%	
	Research Unit	.0%	.0%	.0%	.0%	.2%	.1%	.0%	.0%	.1%	.0%	**	.1%	
	Free-standing lab/diagnostic clinic	.0%	.0%	.0%	.2%	.0%	.4%	.0%	.2%	1.1%	.3%	**	.3%	
	Administrative office / Corporate office	.0%	.0%	.5%	.2%	.1%	.3%	.5%	.4%	.1%	.5%	**	.2%	
	Other	1.8%	2.3%	.6%	2.0%	3.1%	2.2%	2.8%	3.4%	2.8%	2.6%	**	2.5%	
	Not applicable	1.3%	1.9%	3.1%	2.8%	6.3%	3.4%	3.4%	5.3%	2.3%	4.6%	**	4.1%	
	NR	1.9%	1.9%	.7%	.3%	.8%	.6%	1.1%	1.1%	.5%	.4%	**	.7%	
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%	
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q5 In which province(s) / territory(ies) do you currently work? Check all that apply.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Province(s)/ territory(ies) of work	Work in BC	.7%	.0%	1.5%	.0%	.3%	.2%	.5%	1.3%	1.4%	97.4%	**	14.3%	
	Work in AB	.0%	.0%	.3%	.0%	.1%	.2%	1.1%	.4%	97.9%	1.2%	**	10.8%	
	Work in SK	.0%	.0%	.0%	.0%	.1%	.1%	.3%	96.5%	1.3%	.0%	**	2.8%	
	Work in MB	.0%	.0%	.2%	.0%	.1%	.3%	96.1%	.0%	.2%	.1%	**	3.6%	
	Work in ON	.6%	2.2%	1.7%	1.0%	2.0%	97.7%	2.4%	.6%	.7%	1.2%	**	36.5%	
	Work in QC	.0%	.0%	.3%	.7%	97.5%	.7%	.0%	.0%	.3%	.0%	**	24.3%	
	Work in NB	.0%	1.9%	2.8%	98.1%	.3%	.2%	.0%	.0%	.0%	.2%	**	2.6%	
	Work in NS	.0%	2.2%	96.6%	.5%	.1%	.2%	.0%	.0%	.0%	.2%	**	3.4%	
	Work in PE	.0%	95.6%	2.1%	.2%	.0%	.1%	.0%	.0%	.1%	.0%	**	.5%	
	Work in NL	99.1%	.0%	.6%	.0%	.0%	.1%	.0%	.0%	.0%	.0%	**	1.7%	
	Work in NT	1.1%	.0%	.5%	.0%	.2%	.2%	.0%	.4%	1.0%	.9%	**	.5%	
	Work in YT	.0%	.0%	.2%	.0%	.0%	.0%	.0%	.0%	.2%	.3%	**	.2%	
	Work in NU	.0%	.0%	.0%	.5%	.0%	.3%	1.6%	.0%	.3%	.3%	**	.3%	
	Work outside Canada	.0%	.0%	.7%	.0%	1.0%	.9%	.4%	.6%	.6%	1.0%	**	.9%	
NR	.0%	2.3%	.8%	.8%	.6%	1.2%	1.8%	2.0%	.7%	.9%	**	.9%		
Total	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q7 Do you provide patient care?

		Province											CANADA	
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU		
Do you provide patient care?	Yes	97.4%	98.1%	96.2%	95.8%	93.3%	95.8%	95.8%	92.9%	97.2%	94.3%	**	95.1%	
	No	1.3%	1.9%	3.1%	2.8%	6.1%	3.2%	3.0%	5.3%	2.0%	4.4%	**	4.0%	
	NR	1.3%	.0%	.7%	1.4%	.6%	1.0%	1.1%	1.7%	.8%	1.3%	**	.9%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q7b With respect to your MAIN patient care setting specified in Q4b, describe the population PRIMARLY served by you in your practice. Check only one.

Question asked of FP/GPs only		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Population primarily served by you in your practice.	Inner city	4.3%	.0%	5.5%	6.4%	10.2%	12.1%	13.3%	13.0%	8.6%	8.8%	**	10.2%	
	Urban/ Suburban	28.2%	26.6%	43.9%	34.0%	49.5%	56.9%	43.4%	42.3%	59.6%	56.6%	**	52.5%	
	Small town	28.8%	33.2%	26.4%	35.2%	21.6%	15.6%	14.1%	15.1%	10.5%	18.2%	**	18.1%	
	Rural	28.1%	15.7%	15.8%	17.8%	10.2%	8.7%	19.8%	14.3%	14.3%	10.5%	**	11.4%	
	Geographically isolated/ Remote	5.1%	.0%	.6%	1.9%	3.8%	1.2%	2.1%	4.4%	.6%	2.1%	**	2.2%	
	Cannot identify a primary population	2.9%	15.4%	4.0%	2.2%	1.5%	2.3%	4.4%	6.3%	4.1%	2.1%	**	2.6%	
	Other primary population	1.1%	.0%	1.5%	1.4%	.4%	1.0%	.9%	.6%	1.1%	.4%	**	.8%	
	NR	1.5%	9.2%	2.2%	1.3%	2.8%	2.2%	2.0%	4.1%	1.3%	1.4%	**	2.1%	
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%	
	N	676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233	
	n	115	33	257	194	1432	2219	250	164	752	902	19	6337	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q8 What languages do you speak with your patients? Check all that apply.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Languages spoken with patients	English	99.4%	91.5%	98.2%	95.7%	68.7%	98.0%	98.1%	97.7%	98.3%	98.0%	**	90.9%
	French	5.8%	12.8%	9.9%	46.5%	98.0%	16.2%	6.4%	6.3%	8.8%	9.2%	**	33.8%
	Other language(s)	4.3%	8.8%	7.4%	5.2%	12.3%	18.4%	14.5%	10.7%	14.3%	15.3%	**	14.7%
	NR	.6%	8.5%	1.8%	2.3%	.9%	1.7%	1.9%	1.3%	1.2%	1.7%	**	1.5%
	Total	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

Q8. What languages do you speak with your patients: Other.

The languages other than English and French that were most frequently indicated include: Spanish (22.4%), Hindi (8.8%), Italian (8.6%), German (8.3%), Arabic (8.1%), Cantonese (6.6%), Chinese (5.9%), Punjabi (5.3%) and Urdu (5.1%).

Notes:

Percentages among physicians who indicated being able to speak language other than English or French.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Province and Canada

Q9 What percentage of your gross professional income goes towards running your practice (e.g., part-time or full-time staff, leases/rent/mortgage, equipment leasing/rental, personal benefits, vehicle costs, professional fees, malpractice dues, other overhead expenses)?

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA
What percentage of your income goes towards running your practice?	<10%	15.4%	10.3%	21.7%	23.1%	33.6%	14.8%	18.3%	15.9%	19.4%	14.1%	**	20.3%
	11-20%	21.8%	10.1%	14.1%	7.8%	19.2%	14.0%	19.1%	11.7%	15.4%	13.1%	**	15.4%
	21-30%	15.9%	6.3%	20.7%	19.8%	16.3%	24.3%	22.1%	19.1%	18.8%	19.0%	**	20.3%
	31-40%	14.0%	11.7%	16.0%	18.7%	9.3%	20.1%	12.4%	24.7%	18.6%	24.6%	**	17.5%
	>40%	5.3%	.0%	6.1%	6.2%	2.4%	10.4%	4.8%	6.9%	8.5%	11.4%	**	7.7%
	Not applicable	26.4%	50.7%	18.9%	21.4%	15.5%	13.6%	20.5%	17.5%	16.8%	15.0%	**	15.7%
	NR	1.2%	10.8%	2.4%	2.9%	3.6%	2.9%	2.8%	4.2%	2.6%	2.7%	**	3.0%
	Total												**
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

Notes:

Includes only respondents who provide patient care and who indicated greater than zero percentage of gross professional income .

Excludes those who indicated "Not applicable"

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N).

Further detail available at www.nationalphysiciansurvey.ca .

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q9 What percentage of your gross professional income goes towards running your practice (e.g., part-time or full-time staff, leases/rent/mortgage, equipment leasing/rental, personal benefits, vehicle costs, professional fees, malpractice dues, other overhead expenses)?

		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA	
What percentage of your income goes towards running your practice?	Mean	24.97	**	24.33	25.58	18.63	28.63	23.43	28.03	26.54	29.51	**	25.67	
	Median	20.00	**	25.00	30.00	15.00	30.00	23.00	30.00	25.00	30.00	**	25.00	
	Mode	20.00	**	30.00	30.00	10.00	30.00	30.00	35.00	30.00	30.00	**	30.00	
	Standard Deviation	14.98	**	14.09	15.83	13.07	14.74	13.78	13.97	15.81	14.55	**	15.02	
	Minimum	2.00	**	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	**	1.00	
	Maximum	98.00	**	80.00	95.00	99.00	99.00	99.00	99.00	75.00	90.00	90.00	**	99.00
	N	777	93	1700	1086	12053	19005	1707	1213	5425	7195	55	50309	
	n	122	19	339	210	1968	3518	340	219	1082	1302	11	9130	

Notes:

Includes only respondents who provide patient care and who indicated greater than zero percentage of gross professional income .

Excludes those who indicated "Not applicable"

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N).

Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results.

Q9 What percentage of your gross professional income goes towards running your practice (e.g., part-time or full-time staff, leases/rent/mortgage, equipment leasing/rental, personal benefits, vehicle costs, professional fees, malpractice dues, other overhead expenses)?

		Method of remuneration									
		90%+ Fee-for-service	90%+ Salary	90%+ Capitation	90%+ Sessional/per diem/hourly	90%+ Service contract	90%+ Incentives and premiums	90%+ Other	Blended	NR	All Physicians
What percentage of your income goes towards running your practice?	<10%	14.5%	21.7%	3.3%	39.2%	32.2%	**	33.0%	25.3%	18.5%	20.3%
	11-20%	15.2%	6.7%	6.2%	13.8%	17.9%	**	11.7%	18.4%	13.0%	15.4%
	21-30%	25.8%	4.3%	39.8%	5.5%	7.4%	**	7.9%	19.6%	17.8%	20.3%
	31-40%	24.4%	2.7%	29.4%	1.2%	3.8%	**	3.4%	15.2%	14.1%	17.5%
	>40%	11.6%	2.1%	15.2%	.8%	.9%	**	3.7%	5.2%	6.6%	7.7%
	Not applicable	6.0%	57.5%	3.6%	35.4%	32.4%	**	34.8%	14.1%	23.6%	15.7%
	NR	2.4%	5.1%	2.5%	4.1%	5.5%	**	5.5%	2.3%	6.4%	3.0%
	Total							**			
	%	100%	100%	100%	100%	100%	**	100%	100%	100%	100%
	N	27340	4599	799	1752	1667	0	1074	21136	4747	63114
	n	5005	838	158	329	302	0	187	3795	847	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results.

Q9 What percentage of your gross professional income goes towards running your practice (e.g., part-time or full-time staff, leases/rent/mortgage, equipment leasing/rental, personal benefits, vehicle costs, professional fees, malpractice dues, other overhead expenses)?

		Method of remuneration									
		90%+ Fee-for-service	90%+ Salary	90%+ Capitation	90%+ Sessional/per diem/hourly	90%+ Service contract	90%+ Incentives and premiums	90%+ Other	Blended	NR	All Physicians
What percentage of your income goes towards running your practice?	Mean	29.15	16.50	34.01	12.70	15.22	**	16.67	22.96	25.03	25.67
	Median	30.00	10.00	30.00	10.00	10.00	**	10.00	20.00	25.00	25.00
	Mode	30.00	10.00	30.00	10.00	10.00	**	10.00	30.00	30.00	30.00
	Standard Deviation	14.87	14.77	10.47	10.46	11.54	**	15.53	13.87	15.36	15.02
	Minimum	1.00	1.00	5.00	1.00	1.00	**	1.00	1.00	1.00	1.00
	Maximum	99.00	95.00	80.00	80.00	99.00	**	75.00	90.00	99.00	99.00
	N	24812	1567	742	1000	1001	0	628	17282	3277	50309
	n	4538	284	146	183	181	0	107	3103	588	9130

Notes:

Includes only respondents who provide patient care and who indicated greater than zero percentage of gross professional income .

Excludes those who indicated "Not applicable"

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q10a Please indicate how your main patient care setting is organized. Check only one. Note that a solo or group practice could also include a nurse who does not have her/his own caseload.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Organization of main patient care setting	Solo Practice	26.4%	40.3%	20.8%	47.5%	29.5%	30.8%	12.7%	23.2%	16.5%	25.1%	**	27.3%	
	Group practice - association	21.9%	10.5%	36.3%	14.4%	19.7%	31.6%	36.7%	34.5%	42.2%	40.7%	**	30.9%	
	Group practice - partnership	9.6%	.0%	7.7%	4.0%	9.9%	11.4%	14.4%	10.2%	8.0%	5.2%	**	9.5%	
	Other group practice	3.7%	8.2%	2.5%	2.5%	4.4%	1.5%	2.1%	2.2%	2.0%	2.5%	**	2.6%	
	Interprofessional practice	19.3%	22.2%	20.1%	21.3%	31.6%	16.2%	21.8%	18.7%	18.9%	16.4%	**	20.9%	
	Other practice organization	4.0%	1.7%	1.2%	1.1%	1.2%	1.6%	3.5%	3.0%	2.9%	2.4%	**	1.9%	
	NR	15.0%	17.1%	11.4%	9.1%	3.7%	6.9%	8.8%	8.3%	9.6%	7.8%	**	7.0%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114	
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461	

Notes:

Includes only respondents who provide patient care.

"Other group practice" is derived from written responses to "Other, please specify".

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q10b Are you incorporated?

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Incorporated	Incorporated individually	90.9%	**	93.6%	94.4%	61.2%	93.6%	92.1%	96.3%	95.9%	97.1%	**	89.6%
	Incorporated as a group	15.1%	**	20.2%	9.9%	44.9%	13.3%	19.6%	11.0%	9.3%	8.9%	**	17.3%
	Total	N	389	110	1497	982	5038	11825	1534	904	4549	5948	35
	n	59	22	287	185	785	2085	297	164	898	1053	7	5842

Notes:

Includes only respondents who provide patient care and who indicated "yes" to at least one part of the question.

Excludes all responses of "no", as well as those who did not respond to any part of the question.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.

		Specialty Groupings						
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians	
Refer with: Family Physicians	Yes	23.4%	16.3%	14.9%	7.1%	18.0%	19.9%	
	No	67.7%	63.1%	69.5%	57.2%	65.3%	66.3%	
	NR	8.9%	20.6%	15.6%	35.7%	16.8%	13.8%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	33233	14851	6199	1445	7373	63099
	n	6337	2583	1045	243	1250	11458	

Notes:

Includes only respondents who provide patient care.

Excludes cases where specific specialty could not be identified.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists referred to	Anatomical Pathology	.0%	.0%	.1%	8.4%	.0%	.1%
	Anesthesiology	.7%	1.0%	.2%	.0%	11.9%	2.0%
	Cardiac Surgery	.5%	.4%	9.6%	.0%	.2%	1.3%
	Community Medicine	.1%	.2%	.0%	1.1%	.0%	.1%
	Dermatology	17.1%	5.9%	4.0%	17.2%	3.9%	12.3%
	Diagnostic Radiology	1.8%	3.1%	5.1%	1.8%	8.8%	3.2%
	Emergency Medicine	1.8%	1.2%	.7%	2.1%	1.0%	1.5%
	General Surgery	22.1%	6.6%	13.4%	5.5%	13.0%	17.2%
	Hematological Pathology	.0%	.0%	.1%	3.4%	.0%	.1%
	Unspecified internal medicine subspecialties	.7%	.4%	.9%	1.9%	.5%	.7%
	Medical Biochemistry	.0%	.3%	.0%	1.1%	.0%	.1%
	Medical Genetics	.1%	1.6%	.1%	.0%	1.5%	.5%
	Medical Microbiology	.1%	.1%	.7%	2.3%	.9%	.3%
	Neurology	5.2%	21.6%	9.7%	.0%	14.5%	9.7%
	Neurology (Adult)	.0%	.1%	.0%	.0%	.0%	.0%
	Neurology (Pediatric)	.3%	3.6%	.3%	.0%	.0%	.8%
	Neuropathology	.0%	.0%	.0%	3.6%	.0%	.0%
	Neurosurgery	.4%	6.2%	1.6%	.0%	2.6%	1.8%
	Nuclear Medicine	.0%	.0%	.5%	.0%	.1%	.1%
	Obstetrics & Gynecology	29.1%	2.4%	1.7%	6.1%	7.0%	18.7%
Ophthalmology	2.5%	2.6%	5.1%	.0%	12.5%	3.9%	
Orthopaedic Surgery	27.4%	9.8%	5.3%	15.7%	8.4%	19.7%	
Otolaryngology - Head & neck surgery	6.4%	6.5%	9.0%	5.1%	5.0%	6.5%	
Pediatrics	8.2%	10.5%	3.5%	3.1%	3.7%	7.6%	

(cont.)

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists referred to	Physical Medicine & Rehabilitation	2.0%	3.1%	1.1%	1.3%	3.1%	2.3%
	Plastic Surgery	1.2%	6.6%	.4%	5.8%	5.0%	2.6%
	Psychiatry	14.7%	16.3%	4.4%	2.8%	1.2%	12.2%
	Radiation Oncology	.9%	.9%	8.7%	1.3%	7.5%	2.5%
	Urology	4.4%	2.0%	3.9%	1.9%	9.6%	4.5%
	Vascular Surgery	.3%	.4%	6.0%	5.5%	1.4%	1.1%
	Adolescent Medicine	.0%	.0%	.0%	.0%	.0%	.0%
	Cardiology	28.6%	16.0%	36.6%	9.3%	7.8%	24.5%
	Cardiology (Adult)	.0%	.0%	.1%	.0%	.2%	.0%
	Cardiology (Pediatric)	.1%	2.8%	.3%	.0%	.4%	.7%
	Child & Adolescent Psychiatry	.3%	3.4%	.3%	.0%	.0%	.9%
	Clinical Immunology & Allergy	.8%	3.9%	1.8%	3.2%	3.3%	1.8%
	Clinical Immunology & Allergy (Pediatric)	.0%	.7%	.0%	1.8%	.0%	.2%
	Clinical Pharmacology	.0%	.1%	.1%	.0%	.0%	.0%
	Colorectal Surgery	.1%	.1%	.7%	.8%	1.7%	.3%
	Critical Care Medicine	.5%	4.3%	2.6%	3.5%	.7%	1.5%
	Critical Care Medicine (Pediatric)	.0%	.5%	.2%	.0%	.0%	.1%
	Developmental Pediatrics	.1%	1.7%	.0%	.0%	.0%	.4%
	Endocrinology & Metabolism	3.8%	3.9%	7.6%	7.6%	5.8%	4.5%
	Endocrinology & Metabolism (Adult)	.0%	.0%	.2%	.0%	.0%	.0%
	Endocrinology & Metabolism (Pediatric)	.1%	.5%	.2%	.0%	.0%	.2%
	Forensic Psychiatry	.0%	.1%	.0%	.0%	.0%	.0%
	Gastroenterology	13.9%	4.0%	17.0%	11.9%	11.3%	12.1%
Gastroenterology (Adult)	.0%	.1%	.1%	.0%	.0%	.0%	
Gastroenterology (Pediatric)	.1%	1.0%	.0%	.0%	.3%	.3%	
General Surgical Oncology	.1%	1.0%	1.4%	.0%	.1%	.4%	

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists referred to	General Internal Medicine	39.6%	27.4%	11.3%	21.5%	27.9%	33.0%
	Geriatric Medicine	1.3%	1.9%	1.2%	.0%	.3%	1.3%
	Geriatric Psychiatry	.5%	.5%	1.0%	.0%	.0%	.5%
	Gynecologic Oncology	.1%	.4%	.3%	.0%	3.7%	.6%
	Gynecology - Reproductive Endocrinology & Infertility	.1%	.0%	.0%	.0%	1.5%	.2%
	Hematology	.3%	1.1%	3.4%	3.7%	.6%	.8%
	Infectious Disease	.7%	1.7%	3.2%	3.9%	.4%	1.2%
	Infectious Disease (Pediatric)	.0%	.3%	.1%	.0%	.0%	.1%
	Maternal Fetal Medicine	.1%	.2%	.0%	.0%	3.1%	.5%
	Medical Oncology	.4%	3.1%	1.5%	1.0%	5.8%	1.6%
	Neonatal Perinatal Medicine	.2%	1.1%	.2%	.0%	1.6%	.5%
	Nephrology	1.7%	1.2%	10.7%	2.2%	1.5%	2.5%
	Nephrology (Adult)	.0%	.1%	.0%	.0%	.0%	.0%
	Nephrology (Pediatric)	.0%	.3%	.0%	.0%	.2%	.1%
	Neuroradiology	.1%	3.1%	.0%	.0%	1.6%	.8%
	Occupational Medicine	.1%	.2%	.0%	.0%	.0%	.1%
	Pain Medicine	.3%	1.0%	.1%	.0%	.8%	.5%
	Pediatric Emergency Medicine	.0%	.0%	.0%	.0%	.0%	.0%
	Pediatric General Surgery	.1%	3.1%	.7%	1.8%	.2%	.8%
	Pediatric Hematology/ Oncology	.0%	.3%	.1%	.0%	.1%	.1%
	Respirology	4.6%	4.8%	14.5%	3.4%	5.3%	5.7%
	Respirology (Pediatric)	.0%	.4%	.1%	.0%	.0%	.1%
	Rheumatology	2.2%	3.2%	5.2%	7.7%	4.1%	2.9%
Rheumatology (Pediatric)	.0%	.2%	.2%	.0%	.1%	.1%	
Thoracic Surgery	.1%	.6%	7.1%	.0%	1.3%	1.0%	
Palliative Care Medicine	.4%	1.0%	2.5%	.0%	.2%	.7%	

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists referred to	Sleep Medicine/ Sleep Specialists	.1%	1.2%	.6%	.0%	.2%	.3%
	Unspecified surgical specialties	24.3%	12.4%	11.9%	16.3%	5.4%	18.6%
	Unspecified Oncology	2.1%	1.6%	4.4%	4.2%	9.6%	3.1%
	Unspecified Pathology	.1%	.8%	.6%	14.7%	.6%	.5%
	Hospitalist	.3%	1.0%	.4%	.0%	.6%	.4%
	Unspecified Medical Specialties	.6%	1.0%	.8%	1.3%	.4%	.7%
	Unspecified Pediatric Subspecialties	.2%	2.7%	.4%	1.1%	.0%	.6%
Total	N	24642	7651	4135	523	4811	41761
	n	4703	1330	699	84	813	7629

Notes:

Includes only respondents who provide patient care, and who indicated at least one specialist with whom they regularly refer.

Excludes cases where specific specialty could not be identified.

Results for specialty groups that received no mentions are not included.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.

		Specialty Groupings						
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians	
Collaborate with: Family Physicians	Yes	52.7%	29.7%	28.1%	17.6%	21.3%	40.4%	
	No	38.4%	49.7%	56.3%	46.7%	62.0%	45.8%	
	NR	8.9%	20.6%	15.6%	35.7%	16.8%	13.8%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		N	33233	14851	6199	1445	7373	63099
	n	6337	2583	1045	243	1250	11458	

Notes:

Includes only respondents who provide patient care.

Excludes cases where specific specialty could not be identified.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists collaborated with	Anatomical Pathology	.0%	.1%	.0%	9.6%	.0%	.3%
	Anesthesiology	2.5%	3.6%	.8%	.0%	14.7%	4.5%
	Cardiac Surgery	.5%	1.3%	6.9%	.0%	1.7%	1.8%
	Community Medicine	.3%	.3%	.0%	4.4%	.0%	.3%
	Dermatology	3.1%	1.6%	1.5%	4.9%	2.4%	2.4%
	Diagnostic Radiology	2.9%	5.4%	3.8%	8.8%	10.0%	5.1%
	Emergency Medicine	2.6%	5.3%	4.0%	2.6%	2.2%	3.6%
	General Pathology	.1%	.0%	.0%	.0%	.0%	.0%
	General Surgery	11.9%	6.8%	10.6%	6.0%	13.5%	10.2%
	Hematological Pathology	.1%	.0%	.7%	2.6%	.0%	.2%
	Unspecified internal medicine subspecialties	.5%	.4%	1.3%	.0%	.1%	.5%
	Medical Biochemistry	.0%	.1%	.0%	1.3%	.0%	.1%
	Medical Genetics	.3%	.9%	.7%	.0%	1.5%	.7%
	Medical Microbiology	.0%	.2%	.2%	5.9%	.0%	.2%
	Neurology	3.4%	10.6%	7.3%	.0%	6.7%	6.6%
	Neurology (Adult)	.0%	.1%	.0%	.0%	.0%	.0%
	Neurology (Pediatric)	.4%	1.8%	.0%	.0%	.0%	.7%
	Neuropathology	.0%	.1%	.0%	.0%	.0%	.0%
	Neurosurgery	.5%	3.6%	2.0%	.8%	1.6%	1.8%
	Nuclear Medicine	.0%	.0%	.2%	.0%	.0%	.0%
Obstetrics & Gynecology	23.0%	8.9%	2.5%	5.0%	10.7%	13.4%	
Ophthalmology	.9%	.4%	2.0%	1.3%	8.6%	2.2%	
Orthopaedic Surgery	9.1%	6.4%	4.4%	4.7%	11.5%	7.9%	
Otolaryngology - Head & neck surgery	1.7%	2.5%	4.0%	.0%	4.7%	2.7%	

(cont.)

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists collaborated with	Pediatrics	6.5%	11.5%	6.3%	11.1%	4.7%	7.9%
	Physical Medicine & Rehabilitation	1.8%	2.4%	.0%	.0%	3.3%	1.9%
	Plastic Surgery	1.1%	3.0%	.0%	2.3%	6.0%	2.3%
	Psychiatry	27.6%	15.9%	2.9%	.0%	.1%	15.6%
	Radiation Oncology	3.0%	1.0%	11.8%	5.6%	8.1%	4.4%
	Urology	2.4%	2.1%	3.9%	.0%	4.2%	2.7%
	Vascular Surgery	.3%	.5%	2.5%	.8%	.4%	.7%
	Adolescent Medicine	.1%	.0%	.0%	.0%	.0%	.0%
	Cardiology	9.4%	7.8%	22.6%	3.7%	5.8%	9.9%
	Cardiology (Adult)	.1%	.0%	.0%	.0%	.0%	.0%
	Cardiology (Pediatric)	.4%	1.1%	.5%	.0%	.2%	.6%
	Child & Adolescent Psychiatry	.6%	2.1%	.2%	.0%	.0%	.9%
	Clinical Immunology & Allergy	.2%	.6%	1.4%	.0%	1.5%	.7%
	Clinical Pharmacology	.0%	.1%	.0%	.0%	.0%	.0%
	Colorectal Surgery	.2%	.0%	.7%	.0%	.5%	.2%
	Critical Care Medicine	1.0%	5.0%	5.1%	3.8%	2.6%	3.1%
	Critical Care Medicine (Pediatric)	.2%	.5%	.6%	.9%	.0%	.3%
	Developmental Pediatrics	.2%	.9%	.0%	.0%	.0%	.3%
	Endocrinology & Metabolism	2.9%	2.4%	3.4%	4.6%	4.9%	3.2%
	Endocrinology & Metabolism (Pediatric)	.2%	.1%	.2%	.0%	.0%	.1%
	Forensic Psychiatry	.0%	.1%	.0%	.0%	.0%	.0%
	Gastroenterology	3.3%	1.7%	11.7%	6.8%	6.6%	4.5%
	Gastroenterology (Adult)	.0%	.1%	.2%	.0%	.0%	.1%
Gastroenterology (Pediatric)	.2%	.6%	.5%	.0%	.4%	.4%	
General Surgical Oncology	.4%	1.2%	1.6%	3.1%	.4%	.9%	
General Internal Medicine	28.7%	20.7%	17.1%	14.9%	16.3%	22.3%	

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists collaborated with	Geriatric Medicine	2.4%	1.8%	1.1%	.0%	.2%	1.6%
	Geriatric Psychiatry	1.1%	.5%	1.1%	.0%	.0%	.7%
	Gynecologic Oncology	.1%	.7%	.7%	.8%	1.2%	.6%
	Gynecology - Reproductive Endocrinology & Infertility	.2%	.0%	.0%	.0%	1.0%	.2%
	Hematology	.9%	.6%	4.3%	3.4%	.4%	1.3%
	Infectious Disease	2.0%	.9%	2.6%	8.3%	.9%	1.8%
	Infectious Disease (Adult)	.0%	.0%	.0%	.9%	.0%	.0%
	Infectious Disease (Pediatric)	.0%	.3%	.4%	.0%	.0%	.1%
	Maternal Fetal Medicine	.1%	.3%	.0%	1.2%	2.0%	.5%
	Medical Oncology	2.3%	4.6%	2.2%	5.3%	7.5%	3.9%
	Neonatal Perinatal Medicine	.4%	1.2%	.3%	.0%	1.5%	.8%
	Nephrology	1.3%	1.3%	9.9%	4.0%	1.5%	2.5%
	Neuroradiology	.4%	2.2%	.5%	1.3%	2.3%	1.3%
	Occupational Medicine	.1%	.3%	.0%	.0%	.0%	.1%
	Pain Medicine	.5%	.6%	.0%	.0%	.6%	.5%
	Pediatric Emergency Medicine	.1%	.1%	.0%	.0%	.2%	.1%
	Pediatric General Surgery	.3%	2.4%	1.4%	.0%	.3%	1.1%
	Pediatric Hematology/ Oncology	.1%	.4%	.0%	1.9%	.4%	.3%
	Respirology	2.4%	2.9%	10.0%	.0%	4.5%	3.9%
	Respirology (Pediatric)	.1%	.6%	.4%	.0%	.0%	.3%
	Rheumatology	1.0%	1.7%	2.2%	.0%	3.2%	1.7%
	Rheumatology (Pediatric)	.0%	.3%	.3%	.0%	.0%	.1%
	Thoracic Surgery	.3%	1.2%	3.9%	1.6%	1.0%	1.2%
Palliative Care Medicine	2.0%	1.5%	2.8%	.0%	.4%	1.6%	
Sleep Medicine/ Sleep Specialists	.1%	.5%	.5%	.0%	.0%	.2%	
Unspecified surgical specialties	13.8%	28.0%	10.7%	36.7%	2.9%	16.7%	

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Specialists collaborated with	Unspecified Oncology	4.9%	3.6%	3.3%	15.4%	6.7%	4.8%
	Unspecified Pathology	.2%	1.0%	1.3%	10.9%	.2%	.8%
	Hospitalist	.7%	1.0%	1.3%	1.4%	.9%	.9%
	Unspecified Medical Specialties	.3%	.9%	.5%	.8%	.4%	.6%
	Unspecified Pediatric Subspecialties	.1%	2.3%	.4%	1.0%	.2%	.9%
	Total						
	N	6827	5714	2438	473	2967	18420
	n	1292	1008	421	81	517	3319

Notes:

Includes only respondents who provide patient care, and who indicated at least one specialist with whom they have a collaborative care arrangement.

Excludes cases where specific specialty could not be identified.

Results for specialty groups that received no mentions are not included.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Other health care providers referred to	Acupuncturists	.8%	.3%	.0%	**	.6%	.6%
	Audiologists	1.4%	3.1%	.2%	**	8.6%	2.2%
	Chiropodists/orthodists/podiatrists	8.7%	3.6%	5.4%	**	5.8%	7.4%
	Chiropractors	5.1%	1.3%	.8%	**	1.4%	3.8%
	Counsellors	2.8%	2.0%	1.5%	**	.9%	2.4%
	Dentists/ dental surgeons	.8%	1.4%	1.4%	**	1.0%	1.0%
	Diabetes educators/ nurses	9.3%	.3%	10.5%	**	2.1%	7.3%
	Dieticians/ nutritionists	23.6%	14.8%	43.9%	**	16.0%	23.4%
	Lab technicians	.7%	.2%	1.0%	**	.7%	.6%
	Mental health care workers	9.7%	8.2%	.2%	**	.5%	7.8%
	Midwives	.6%	.5%	.0%	**	.6%	.5%
	Nurses (unspecified)	6.8%	7.0%	13.9%	**	3.0%	7.1%
	Nurse practitioners/ advance practice nurses	4.2%	2.7%	5.9%	**	2.0%	3.9%
	Occupational therapists	10.2%	28.2%	18.1%	**	15.8%	14.1%
	Optometrists	4.4%	1.1%	.6%	**	7.0%	3.7%
	Pharmacists	4.1%	1.9%	5.6%	**	2.8%	3.9%
	Physician assistants	.1%	.0%	.0%	**	.0%	.1%
	Physiotherapists/ rehab therapists/ kinesiologists	66.8%	36.6%	41.4%	**	63.1%	59.2%
Psychologists	22.8%	40.2%	7.4%	**	5.5%	22.7%	
Social workers	15.7%	33.4%	28.4%	**	11.1%	19.1%	
Speech language pathologists	1.5%	13.8%	4.8%	**	8.4%	4.3%	
Radiology technologists/ rad therapists/ medical physicists	.7%	1.5%	1.6%	**	1.6%	1.0%	

(cont.)

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you regularly refer.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Other health care providers referred to	Community or public health nurses/ workers	3.0%	3.0%	.8%	**	1.9%	2.7%
	Home care nurses/ workers	6.8%	3.4%	6.7%	**	7.0%	6.3%
	Respiratory/ inhalation therapists/ asthma educators	3.1%	2.9%	8.0%	**	1.0%	3.3%
	Massage therapists	8.6%	.6%	.7%	**	2.3%	6.0%
	Naturopaths\ osteopaths	1.7%	.5%	.0%	**	.5%	1.3%
	Palliative care nurses/ workers	.7%	.7%	2.2%	**	1.7%	.9%
	Other illness specific care workers	.0%	.0%	.2%	**	.0%	.0%
	Other specialized nurses	4.4%	2.7%	7.1%	**	4.8%	4.4%
Total							
	N	15898	3791	2118	186	2049	24042
	n	3047	664	360	29	341	4441

Notes:

Includes only respondents who provide patient care, and who indicated at least one other health care professional with whom they regularly refer.

Excludes cases where specific specialty could not be identified.

Results for other healthcare providers that received no mentions are not included.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Other health care providers collaborated with	Acupuncturists	.3%	.1%	.0%	.0%	.0%	.2%
	Anesthesia assistants	.0%	4.0%	.0%	.0%	.0%	1.0%
	Audiologists	.1%	.6%	.0%	.0%	7.5%	.9%
	Chiropodists/orthodists/podiatrists	2.4%	.9%	.8%	.0%	3.4%	1.9%
	Chiropractors	2.2%	1.3%	.0%	.0%	1.0%	1.6%
	Counsellors	3.0%	2.9%	.9%	.0%	.6%	2.5%
	Dentists/ dental surgeons	.2%	1.7%	.6%	.0%	.3%	.6%
	Diabetes educators/ nurses	9.9%	.5%	11.2%	1.9%	2.6%	7.0%
	Dieticians/ nutritionists	20.2%	10.0%	29.5%	12.7%	11.8%	17.9%
	Lab technicians	.6%	.7%	.5%	32.3%	.6%	1.0%
	Mental health care workers	10.8%	7.8%	.0%	3.3%	.3%	8.0%
	Midwives	.9%	2.4%	.0%	3.3%	10.2%	2.0%
	Nurses (unspecified)	22.9%	31.5%	31.6%	20.4%	16.7%	25.3%
	Nurse practitioners/ advance practice nurses	19.8%	12.1%	17.6%	17.1%	10.1%	16.8%
	Occupational therapists	8.5%	19.1%	16.8%	2.0%	8.5%	11.8%
	Optometrists	1.0%	.0%	.2%	.0%	13.7%	1.8%
	Pharmacists	12.8%	4.1%	13.3%	20.3%	3.7%	10.1%
	Physician assistants	1.1%	.7%	.4%	.0%	.7%	.9%
	Physiotherapists/ rehab therapists/ kinesiologists	27.4%	17.8%	33.2%	7.7%	32.8%	25.9%
Psychologists	11.0%	27.3%	4.2%	3.0%	3.4%	13.5%	
Social workers	22.4%	33.8%	27.2%	9.9%	10.7%	24.5%	
Speech language pathologists	1.2%	6.4%	1.9%	.0%	6.2%	3.0%	
Radiology technologists/ rad therapists/ medical physicists	.5%	3.1%	.0%	3.0%	1.5%	1.2%	

(cont.)

National Physician Survey, 2010. National Results by Grouped Specialties.

Q11. Please indicate with whom you have collaborative care arrangements.(cont.)

		Specialty Groupings					
		FP/GP	Medical Specialists	Internal Medicine Specialists	Lab Specialists	Surgical Specialists	All Physicians
Other health care providers collaborated with	Community or public health nurses/ workers	4.3%	3.2%	1.0%	7.7%	2.1%	3.5%
	Home care nurses/ workers	8.3%	1.9%	2.9%	4.2%	5.3%	5.9%
	Respiratory/ inhalation therapists/ asthma educators	3.2%	12.5%	12.7%	4.3%	3.4%	6.5%
	Massage therapists	1.9%	.0%	.0%	.0%	.0%	1.1%
	Naturopaths\ osteopaths	.6%	.3%	.0%	.0%	.3%	.4%
	Palliative care nurses/ workers	.9%	.5%	1.5%	.0%	.6%	.8%
	Other specialized nurses	9.2%	6.9%	6.3%	12.7%	6.2%	8.1%
Total	N	10409	4515	1944	213	1624	18705
	n	1999	810	334	37	285	3465

Notes:

Includes only respondents who provide patient care, and who indicated at least one other health care professional with whom they have a collaborative care arrangement.

Excludes cases where specific specialty could not be identified.

Results for other healthcare providers that received no mentions are not included.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Province and Canada

**Q12 Are there any barriers that currently exist to prevent you from engaging a Physician / Clinical Assistant in your practice?
Check all that apply.**

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Barriers to prevent engaging a Physician / Clinical Assistant in your practice	Lack of information	18.5%	25.8%	16.8%	23.3%	27.3%	22.6%	12.6%	22.5%	18.4%	23.7%	**	22.8%
	Not introduced in my jurisdiction	27.3%	29.8%	23.8%	29.9%	26.6%	17.8%	12.9%	32.7%	20.9%	30.6%	**	23.0%
	Liability not clearly defined	17.9%	25.1%	17.8%	19.1%	23.0%	22.3%	16.5%	20.0%	20.0%	24.0%	**	21.9%
	Regulations prevent from delegating to them	11.5%	23.6%	9.3%	11.9%	16.5%	9.4%	8.1%	15.2%	11.6%	13.2%	**	12.1%
	Limited funding models	35.1%	27.2%	39.7%	34.0%	33.9%	40.6%	37.1%	34.0%	34.9%	40.1%	**	37.7%
	Practice would not benefit	16.2%	25.2%	21.7%	24.2%	17.7%	25.7%	19.1%	22.5%	18.7%	24.3%	**	22.1%
	Other	2.7%	1.9%	5.0%	3.5%	3.3%	4.3%	5.0%	4.6%	4.1%	4.9%	**	4.2%
	NR	39.3%	35.6%	29.2%	29.9%	32.0%	26.9%	31.8%	32.1%	36.2%	26.5%	**	29.8%
Total	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

**Q12 Are there any barriers that currently exist to prevent you from engaging a Nurse Practitioner in your practice?
Check all that apply.**

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Barriers to prevent engaging a Nurse Practitioner in your practice	Lack of information	6.7%	16.6%	9.2%	11.7%	16.3%	13.0%	9.8%	14.0%	14.1%	17.8%	**	14.2%	
	Not introduced in my jurisdiction	10.7%	11.3%	6.7%	6.3%	12.1%	8.4%	10.1%	14.2%	13.3%	17.1%	**	11.2%	
	Liability not clearly defined	16.9%	25.5%	16.4%	17.5%	22.2%	17.8%	16.7%	19.4%	19.8%	25.0%	**	20.1%	
	Regulations prevent from delegating to them	7.4%	14.1%	7.2%	9.5%	11.5%	6.9%	7.4%	11.1%	10.2%	12.1%	**	9.3%	
	Limited funding models	38.4%	31.6%	41.4%	33.5%	37.3%	37.6%	30.8%	33.9%	38.6%	41.9%	**	37.9%	
	Practice would not benefit	15.0%	18.0%	17.4%	26.9%	14.6%	23.9%	17.7%	25.3%	18.8%	25.0%	**	20.7%	
	Other	2.7%	1.9%	4.5%	2.8%	4.0%	4.6%	4.8%	4.6%	4.3%	4.5%	**	4.3%	
	NR	41.5%	41.3%	35.8%	38.6%	35.8%	35.2%	42.1%	33.1%	36.4%	27.9%	**	34.9%	
Total	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114	
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461	

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.

Question asked of FP/GPs and other specialists		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Other specialist physicians (in general)	Excellent	13.2%	4.2%	13.5%	12.6%	9.8%	12.0%	12.1%	14.1%	11.4%	11.7%	**	11.5%
	Very Good	19.4%	27.1%	29.8%	26.0%	24.9%	25.0%	28.9%	26.2%	21.5%	24.4%	**	24.8%
	Good	19.1%	28.5%	22.2%	30.2%	26.3%	25.3%	26.6%	26.2%	25.6%	25.3%	**	25.6%
	Fair	24.8%	14.4%	9.6%	11.2%	15.7%	14.1%	14.2%	12.4%	17.1%	16.0%	**	15.0%
	Poor	5.9%	3.8%	4.2%	3.1%	6.3%	4.2%	3.1%	3.7%	5.8%	3.3%	**	4.7%
	Not available	.0%	.0%	.0%	.0%	.1%	.3%	.0%	.6%	.3%	.3%	**	.2%
	Don't know	.0%	.0%	.5%	.4%	.5%	.9%	.2%	.3%	.9%	.8%	**	.7%
	NR	17.6%	22.0%	20.1%	16.4%	16.6%	18.1%	14.8%	16.7%	17.5%	18.2%	**	17.5%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461
Access: Other health professionals (in general)	Excellent	2.5%	.0%	6.9%	7.2%	3.7%	4.8%	5.6%	4.1%	5.1%	4.8%	**	4.6%
	Very Good	13.0%	24.9%	17.3%	14.0%	15.5%	13.6%	13.9%	15.4%	13.7%	14.3%	**	14.4%
	Good	13.5%	18.8%	19.5%	25.7%	23.6%	20.5%	23.9%	20.7%	20.2%	22.1%	**	21.5%
	Fair	15.3%	14.7%	8.1%	7.7%	14.7%	11.6%	11.9%	12.9%	11.4%	8.9%	**	11.8%
	Poor	4.3%	1.9%	1.9%	3.0%	4.5%	2.7%	1.9%	3.0%	2.6%	3.9%	**	3.3%
	Not available	.0%	.0%	.3%	.4%	.8%	.8%	.5%	.8%	.5%	.8%	**	.7%
	Don't know	2.1%	2.3%	1.9%	1.7%	2.3%	2.8%	1.2%	2.1%	2.8%	3.4%	**	2.6%
	NR	49.3%	37.3%	44.2%	40.3%	34.9%	43.2%	41.0%	41.2%	43.7%	41.9%	**	41.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Cancer care services	Excellent	14.8%	22.5%	13.4%	13.4%	13.9%	9.7%	15.1%	6.8%	8.8%	12.1%	**	11.4%
	Very Good	29.5%	23.0%	25.0%	27.6%	26.5%	22.5%	27.4%	16.0%	21.1%	26.1%	**	24.1%
	Good	25.7%	18.1%	24.9%	21.6%	23.3%	24.7%	25.2%	24.6%	26.0%	24.5%	**	24.4%
	Fair	8.3%	3.6%	7.1%	7.0%	7.1%	8.4%	7.4%	16.8%	11.2%	8.6%	**	8.5%
	Poor	4.9%	.0%	3.3%	2.5%	2.0%	2.2%	1.8%	8.7%	3.3%	1.6%	**	2.4%
	Not available	1.0%	.0%	1.2%	2.3%	.7%	1.4%	.6%	3.0%	1.4%	.9%	**	1.2%
	Don't know	5.2%	8.2%	11.2%	9.8%	12.0%	12.4%	7.6%	7.0%	13.2%	10.1%	**	11.5%
	NR	10.7%	24.4%	13.9%	15.7%	14.5%	18.6%	14.9%	17.2%	14.9%	16.2%	**	16.4%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461
Access: Cardiac care services	Excellent	9.7%	4.0%	11.9%	19.2%	12.1%	11.9%	9.5%	10.9%	7.8%	10.1%	**	11.2%
	Very Good	22.8%	31.9%	23.3%	23.3%	25.7%	24.5%	21.7%	20.5%	21.9%	19.3%	**	23.5%
	Good	28.9%	19.6%	25.0%	24.4%	27.1%	24.1%	27.1%	28.6%	29.0%	26.1%	**	26.0%
	Fair	17.8%	3.8%	11.2%	10.6%	9.6%	8.8%	10.7%	12.2%	11.6%	13.5%	**	10.4%
	Poor	5.1%	1.9%	3.0%	2.4%	2.5%	1.8%	5.7%	3.7%	3.2%	3.5%	**	2.6%
	Not available	1.0%	.0%	1.4%	.0%	1.0%	1.2%	1.2%	1.7%	1.1%	1.7%	**	1.2%
	Don't know	4.8%	8.2%	9.6%	6.0%	8.0%	10.0%	9.0%	6.3%	11.1%	9.3%	**	9.2%
	NR	9.9%	30.6%	14.6%	14.2%	14.0%	17.9%	15.0%	16.2%	14.3%	16.5%	**	15.9%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Palliative medicine services	Excellent	8.2%	10.4%	15.4%	18.7%	12.2%	8.4%	14.9%	8.6%	10.8%	10.7%	**	10.6%
	Very Good	21.0%	21.6%	29.7%	27.4%	20.8%	17.4%	21.4%	21.2%	19.4%	19.8%	**	19.8%
	Good	20.9%	20.5%	19.0%	16.4%	20.3%	19.5%	17.2%	22.8%	20.1%	18.7%	**	19.6%
	Fair	14.5%	1.9%	6.1%	6.4%	8.8%	10.4%	11.0%	11.7%	10.2%	10.9%	**	9.9%
	Poor	8.1%	1.9%	1.6%	2.6%	3.8%	5.3%	5.0%	4.6%	3.9%	2.8%	**	4.3%
	Not available	5.1%	.0%	1.2%	3.3%	2.0%	2.6%	2.3%	5.0%	2.6%	3.2%	**	2.6%
	Don't know	9.1%	17.4%	10.4%	7.6%	16.2%	16.0%	13.0%	8.5%	17.5%	15.5%	**	15.3%
	NR	13.0%	26.4%	16.5%	17.7%	15.8%	20.3%	15.3%	17.7%	15.5%	18.4%	**	17.9%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461
Access: Anesthesia services	Excellent	10.3%	10.1%	11.2%	14.4%	8.9%	12.1%	12.6%	13.3%	10.9%	10.4%	**	11.0%
	Very Good	18.4%	16.3%	19.6%	19.2%	17.8%	17.7%	17.7%	17.6%	15.0%	15.9%	**	17.3%
	Good	19.3%	16.5%	17.0%	16.8%	16.8%	16.6%	20.5%	21.8%	17.7%	20.0%	**	17.6%
	Fair	14.3%	9.1%	8.6%	9.2%	10.9%	7.6%	6.8%	7.2%	8.6%	11.1%	**	9.1%
	Poor	10.1%	1.9%	4.0%	3.6%	6.5%	2.6%	2.5%	1.9%	2.2%	5.2%	**	4.1%
	Not available	1.7%	2.2%	3.7%	2.6%	2.5%	2.9%	4.7%	5.7%	4.0%	3.3%	**	3.1%
	Don't know	14.8%	21.7%	18.9%	17.0%	20.1%	20.7%	18.4%	14.8%	26.2%	15.9%	**	19.9%
	NR	11.1%	22.2%	17.1%	17.2%	16.5%	19.8%	16.8%	17.8%	15.4%	18.2%	**	17.8%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Operating room time	Excellent	5.0%	1.9%	3.3%	5.1%	3.4%	3.2%	3.5%	4.3%	3.3%	1.9%	**	3.2%
	Very Good	5.0%	5.9%	8.2%	8.1%	7.9%	6.7%	11.0%	5.0%	5.7%	5.3%	**	6.9%
	Good	16.1%	8.5%	14.1%	9.3%	12.8%	12.0%	11.7%	11.6%	10.8%	11.6%	**	12.1%
	Fair	10.7%	19.4%	11.6%	15.3%	11.4%	11.4%	13.9%	11.5%	11.0%	16.2%	**	12.2%
	Poor	15.9%	5.8%	7.1%	9.9%	8.6%	7.8%	5.5%	14.9%	9.0%	16.4%	**	9.6%
	Not available	5.5%	6.0%	7.5%	4.4%	3.6%	6.1%	8.0%	9.3%	7.4%	7.1%	**	5.9%
	Don't know	27.1%	23.8%	27.2%	26.2%	32.5%	30.4%	26.7%	21.4%	34.5%	21.3%	**	29.4%
	NR	14.8%	28.6%	21.0%	21.7%	19.8%	22.5%	19.6%	21.9%	18.3%	20.3%	**	20.8%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461
Access: Emergency room/department services	Excellent	11.0%	18.7%	12.5%	11.0%	8.3%	9.1%	12.4%	12.2%	10.0%	11.9%	**	9.9%
	Very Good	23.1%	16.4%	20.4%	22.0%	20.4%	18.0%	24.4%	16.5%	15.7%	20.7%	**	19.2%
	Good	20.9%	22.6%	24.6%	28.7%	25.1%	21.3%	22.8%	23.9%	22.8%	23.9%	**	23.1%
	Fair	20.7%	12.0%	15.7%	13.4%	12.8%	16.7%	13.0%	22.0%	17.1%	16.1%	**	15.6%
	Poor	11.3%	5.8%	7.2%	5.3%	6.9%	8.6%	5.8%	4.7%	10.5%	5.9%	**	7.7%
	Not available	.0%	.0%	.9%	1.0%	1.3%	1.5%	1.3%	1.5%	1.7%	1.1%	**	1.3%
	Don't know	2.3%	2.2%	5.2%	4.1%	8.8%	6.8%	5.2%	4.5%	8.0%	4.9%	**	6.8%
	NR	10.7%	22.2%	13.5%	14.5%	16.4%	18.1%	15.2%	14.7%	14.2%	15.4%	**	16.3%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Critical care beds	Excellent	3.5%	4.0%	6.1%	5.8%	7.2%	4.1%	6.4%	5.5%	5.2%	3.9%	**	5.2%
	Very Good	9.4%	18.2%	14.1%	16.7%	16.4%	11.5%	13.8%	12.8%	10.5%	10.7%	**	12.8%
	Good	16.2%	16.5%	18.5%	17.8%	18.4%	16.7%	17.0%	19.2%	18.5%	17.9%	**	17.7%
	Fair	24.0%	13.9%	16.0%	15.4%	10.5%	14.2%	14.6%	15.6%	16.6%	19.1%	**	14.6%
	Poor	11.0%	6.5%	9.1%	6.8%	5.4%	7.8%	6.8%	11.0%	8.0%	10.2%	**	7.7%
	Not available	4.4%	1.9%	4.0%	2.2%	2.5%	3.9%	3.7%	5.1%	4.1%	3.3%	**	3.5%
	Don't know	15.0%	18.6%	17.0%	14.9%	22.1%	21.6%	21.0%	12.5%	21.8%	16.9%	**	20.4%
	NR	16.4%	20.3%	15.2%	20.4%	17.4%	20.1%	16.8%	18.2%	15.3%	17.8%	**	18.2%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461
Access: Long-term care beds	Excellent	2.5%	.0%	.8%	1.2%	1.6%	.8%	1.1%	2.3%	.8%	.5%	**	1.0%
	Very Good	2.4%	3.4%	2.3%	2.9%	5.0%	2.2%	2.5%	4.2%	1.4%	1.8%	**	2.8%
	Good	7.7%	9.5%	4.8%	7.7%	12.0%	7.7%	9.3%	8.2%	6.2%	7.3%	**	8.5%
	Fair	16.4%	17.1%	15.8%	12.5%	19.2%	15.7%	21.7%	15.3%	14.1%	18.5%	**	16.9%
	Poor	38.7%	37.2%	39.9%	45.3%	22.7%	31.3%	27.3%	38.8%	36.6%	34.3%	**	31.0%
	Not available	4.0%	.0%	5.0%	2.5%	2.7%	4.5%	3.7%	5.6%	4.8%	4.0%	**	4.0%
	Don't know	12.1%	8.2%	14.1%	9.8%	18.8%	17.4%	17.4%	8.5%	20.2%	15.6%	**	17.1%
	NR	16.2%	24.4%	17.2%	18.0%	18.0%	20.3%	17.0%	17.0%	15.9%	17.9%	**	18.5%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Hospital in-patient care (urgent)	Excellent	9.5%	2.3%	11.6%	11.9%	12.0%	6.8%	12.1%	12.1%	7.5%	6.6%	**	8.8%
	Very Good	20.2%	28.1%	15.8%	27.0%	26.8%	15.6%	20.0%	19.8%	13.6%	15.7%	**	18.8%
	Good	15.1%	24.4%	21.3%	20.6%	18.7%	18.1%	24.0%	23.6%	19.6%	22.1%	**	19.5%
	Fair	27.3%	14.5%	13.6%	15.1%	9.4%	17.3%	13.2%	16.5%	19.6%	19.4%	**	15.8%
	Poor	10.5%	5.9%	13.0%	4.0%	3.3%	12.1%	5.6%	7.4%	13.1%	11.8%	**	9.4%
	Not available	2.1%	.0%	3.1%	.7%	1.5%	2.4%	2.7%	1.6%	2.5%	2.2%	**	2.1%
	Don't know	3.8%	2.3%	7.5%	3.3%	12.4%	9.6%	8.9%	4.3%	9.7%	6.7%	**	9.3%
	NR	11.5%	22.5%	14.1%	17.5%	15.9%	18.0%	13.4%	14.8%	14.3%	15.4%	**	16.2%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461
Access: Hospital care for elective procedures	Excellent	3.1%	1.7%	3.7%	3.8%	3.3%	2.3%	3.0%	5.9%	2.8%	2.0%	**	2.8%
	Very Good	14.8%	8.0%	7.7%	13.9%	10.9%	9.3%	13.7%	12.2%	7.9%	6.0%	**	9.5%
	Good	17.1%	23.9%	19.9%	17.4%	22.8%	18.9%	22.5%	19.1%	15.0%	17.6%	**	19.4%
	Fair	16.4%	20.9%	18.3%	18.6%	18.0%	19.4%	15.2%	14.3%	18.7%	22.9%	**	19.1%
	Poor	25.4%	12.6%	15.6%	17.1%	13.1%	11.6%	10.7%	16.8%	17.1%	19.5%	**	14.2%
	Not available	2.3%	.0%	4.6%	2.3%	1.9%	3.4%	4.0%	5.6%	3.8%	3.1%	**	3.1%
	Don't know	9.0%	12.2%	12.7%	8.6%	13.7%	15.2%	14.2%	8.6%	18.2%	12.1%	**	14.1%
	NR	11.9%	20.6%	17.5%	18.3%	16.3%	20.0%	16.6%	17.5%	16.5%	16.8%	**	17.8%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Routine diagnostic services	Excellent	18.7%	7.7%	17.2%	17.8%	13.0%	17.8%	19.3%	19.7%	18.1%	15.8%	**	16.5%
	Very Good	27.4%	25.0%	27.4%	29.0%	28.1%	31.1%	33.3%	29.4%	31.2%	27.8%	**	29.7%
	Good	24.3%	22.3%	28.7%	21.9%	28.4%	25.3%	23.7%	25.8%	26.5%	26.7%	**	26.3%
	Fair	13.7%	14.0%	9.0%	12.8%	12.9%	8.3%	8.9%	9.8%	8.9%	11.4%	**	10.2%
	Poor	6.6%	6.1%	3.0%	3.7%	4.8%	1.5%	1.8%	1.5%	1.8%	3.6%	**	2.9%
	Not available	.0%	.0%	.1%	.0%	.3%	.3%	.4%	1.3%	.5%	.4%	**	.4%
	Don't know	.6%	2.3%	2.9%	.5%	1.1%	1.5%	1.7%	.6%	1.7%	1.6%	**	1.4%
	NR	8.8%	22.5%	11.6%	14.2%	11.3%	14.2%	11.0%	11.9%	11.3%	12.8%	**	12.6%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461
Access: Advanced diagnostic services	Excellent	6.6%	1.9%	7.6%	9.6%	5.0%	7.1%	6.7%	4.9%	6.7%	5.5%	**	6.3%
	Very Good	19.0%	17.3%	18.6%	22.1%	16.6%	17.4%	21.3%	10.2%	18.0%	11.0%	**	16.5%
	Good	21.1%	26.4%	26.3%	24.1%	24.1%	25.7%	27.5%	20.9%	26.7%	16.6%	**	24.0%
	Fair	20.4%	21.8%	19.7%	20.0%	22.9%	21.5%	22.3%	21.6%	23.0%	22.8%	**	22.1%
	Poor	22.0%	10.1%	13.2%	9.1%	16.8%	10.4%	8.0%	21.5%	11.5%	27.5%	**	14.9%
	Not available	1.0%	.0%	1.0%	.3%	1.2%	.8%	.8%	3.7%	1.2%	1.6%	**	1.1%
	Don't know	.6%	2.3%	1.9%	.8%	1.9%	2.5%	1.6%	2.1%	1.8%	2.1%	**	2.1%
	NR	9.3%	20.3%	11.7%	14.1%	11.5%	14.6%	11.8%	15.1%	11.1%	13.0%	**	13.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.(cont.)

Question asked of FP/GPs and other specialists		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Drugs and appliances	Excellent	5.1%	1.9%	5.2%	7.9%	6.3%	6.9%	7.3%	8.1%	7.3%	6.5%	**	6.7%
	Very Good	20.2%	15.0%	19.9%	16.7%	24.6%	22.0%	24.4%	22.5%	19.8%	19.5%	**	21.9%
	Good	27.2%	33.9%	30.1%	32.3%	33.8%	28.2%	28.9%	31.5%	32.5%	30.1%	**	30.6%
	Fair	18.6%	14.0%	19.5%	16.0%	12.8%	14.3%	12.9%	14.6%	15.5%	16.4%	**	14.6%
	Poor	12.7%	5.5%	3.6%	3.5%	2.3%	2.4%	2.6%	2.4%	2.3%	3.9%	**	2.8%
	Not available	.0%	.0%	1.0%	.3%	.6%	1.0%	.6%	1.8%	1.2%	.6%	**	.8%
	Don't know	2.5%	7.1%	5.9%	5.9%	5.1%	7.1%	6.7%	3.9%	7.1%	5.9%	**	6.2%
	NR	13.8%	22.5%	14.8%	17.4%	14.6%	18.0%	16.6%	15.2%	14.1%	16.9%	**	16.3%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461
Access: Other	Excellent	.0%	.0%	.7%	.7%	.1%	.3%	.0%	.0%	.3%	.3%	**	.2%
	Very Good	.7%	.0%	.9%	.9%	.1%	.4%	.7%	.5%	.5%	.4%	**	.4%
	Good	.7%	1.7%	.6%	.6%	.3%	.5%	1.0%	.9%	.8%	.3%	**	.5%
	Fair	.0%	.0%	.4%	.5%	.4%	.6%	.2%	.4%	.4%	.5%	**	.5%
	Poor	4.7%	1.7%	3.0%	2.3%	2.2%	2.0%	1.3%	1.9%	1.5%	3.1%	**	2.2%
	Not available	.6%	.0%	.7%	.7%	.5%	.8%	.6%	1.3%	.5%	.8%	**	.7%
	Don't know	2.2%	2.3%	2.5%	1.6%	2.0%	3.2%	3.2%	1.6%	2.6%	2.4%	**	2.6%
	NR	91.1%	94.3%	91.2%	92.7%	94.3%	92.2%	93.1%	93.6%	93.5%	92.2%	**	92.9%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

>

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.

Question asked of other specialists only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Access: Family physicians/ general practitioners	Excellent	1.5%	**	9.7%	13.9%	4.6%	5.7%	5.4%	3.9%	5.3%	7.6%	**	5.9%
	Very Good	18.4%	**	22.1%	23.7%	10.3%	14.0%	9.5%	18.5%	12.6%	19.6%	**	14.2%
	Good	31.5%	**	26.7%	23.7%	12.0%	19.8%	19.1%	21.2%	19.7%	20.8%	**	18.4%
	Fair	10.4%	**	8.1%	15.5%	17.3%	14.6%	17.8%	13.7%	15.7%	13.1%	**	15.0%
	Poor	7.3%	**	2.1%	6.2%	22.7%	8.4%	16.8%	4.6%	13.8%	5.3%	**	12.0%
	Not available	3.2%	**	.6%	.0%	6.4%	2.0%	3.2%	2.4%	2.0%	2.9%	**	3.2%
	Don't know	4.8%	**	5.1%	3.6%	3.6%	4.9%	3.9%	4.8%	5.4%	4.8%	**	4.5%
	NR	22.8%	**	25.5%	13.5%	23.2%	30.6%	24.3%	30.9%	25.5%	26.0%	**	26.8%
Total	%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
	N	397	89	995	532	7356	11708	1069	600	3136	3971	29	29881
	n	54	16	176	95	1048	2060	200	128	623	718	6	5124

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: General internal medicine	Excellent	9.0%	**	20.1%	18.9%	23.3%	22.7%	17.5%	18.1%	18.4%	19.6%	**	20.8%
	Very Good	27.1%	**	26.5%	24.7%	34.1%	35.4%	28.8%	34.0%	31.0%	30.0%	**	32.6%
	Good	36.9%	**	33.6%	28.4%	27.0%	24.9%	22.7%	25.4%	29.6%	32.3%	**	28.0%
	Fair	22.3%	**	15.1%	18.7%	10.2%	12.6%	26.7%	20.0%	17.5%	13.9%	**	14.1%
	Poor	4.6%	**	4.7%	9.3%	5.4%	4.1%	4.3%	2.5%	3.0%	4.0%	**	4.3%
	Not available	.0%	**	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.2%	**	.0%
	Don't know	.0%	**	.0%	.0%	.0%	.3%	.0%	.0%	.6%	.0%	**	.2%
	Total	%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	495	101	686	384	3557	5227	448	552	1801	2573	55	15879
	n	81	21	139	78	572	957	91	95	355	463	11	2863
Access: Cardiology	Excellent	**	**	17.4%	26.4%	19.9%	24.3%	10.5%	24.4%	15.4%	20.2%	**	21.0%
	Very Good	**	**	39.8%	24.1%	35.8%	36.6%	34.2%	45.1%	27.1%	26.5%	**	34.1%
	Good	**	**	18.3%	38.6%	30.6%	25.5%	31.2%	20.7%	38.4%	30.2%	**	29.0%
	Fair	**	**	17.8%	7.5%	11.0%	10.7%	20.4%	7.7%	15.8%	15.4%	**	12.4%
	Poor	**	**	6.7%	3.3%	2.7%	2.9%	3.7%	2.0%	3.3%	7.8%	**	3.6%
	Not available	**	**	.0%	.0%	.0%	.1%	.0%	.0%	.0%	.0%	**	.0%
	Don't know	**	**	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	**	.0%
	Total	%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	158	11	412	381	4222	4888	492	316	1183	1508	5	13576
	n	24	2	84	71	707	915	99	55	232	273	1	2463
Access: Orthopaedic Surgery	Excellent	**	**	11.4%	12.8%	11.7%	8.4%	13.4%	14.2%	11.8%	8.7%	**	10.2%
	Very Good	**	**	20.3%	18.0%	17.6%	21.0%	32.1%	25.0%	11.3%	20.3%	**	19.2%
	Good	**	**	25.9%	25.5%	21.0%	24.4%	24.5%	19.1%	17.3%	20.1%	**	21.7%
	Fair	**	**	19.0%	24.4%	18.3%	20.3%	11.3%	18.9%	19.1%	25.1%	**	20.3%
	Poor	**	**	23.5%	18.1%	30.1%	25.7%	18.6%	22.8%	40.3%	25.5%	**	28.2%
	Not available	**	**	.0%	1.2%	1.3%	.0%	.0%	.0%	.3%	.3%	**	.4%
	Don't know	**	**	.0%	.0%	.0%	.2%	.0%	.0%	.0%	.0%	**	.1%
	Total	%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	155	39	394	335	2721	3740	422	363	1620	1787	25	11601
	n	27	8	81	71	466	706	86	62	322	319	5	2153

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Access: Unspecified surgical specialties	Excellent	17.4%	**	31.7%	25.9%	25.9%	25.7%	22.4%	28.5%	25.6%	24.3%	**	25.4%
	Very Good	30.2%	**	35.9%	33.6%	35.9%	34.8%	28.8%	34.0%	29.2%	32.2%	**	34.0%
	Good	37.0%	**	18.9%	26.4%	25.6%	24.8%	26.7%	19.8%	28.1%	26.2%	**	25.5%
	Fair	13.9%	**	11.1%	12.0%	10.0%	11.3%	15.4%	17.7%	14.8%	14.0%	**	12.2%
	Poor	1.4%	**	2.4%	2.2%	1.8%	3.3%	6.8%	.0%	2.3%	3.4%	**	2.7%
	Not available	.0%	**	.0%	.0%	.5%	.0%	.0%	.0%	.0%	.0%	**	.1%
	Don't know	.0%	**	.0%	.0%	.3%	.1%	.0%	.0%	.0%	.0%	**	.1%
	Total	%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	275	39	358	286	2498	2930	374	352	890	1396	25	9423
	n	44	8	76	56	418	555	76	62	176	253	5	1729
Access: General surgery	Excellent	8.8%	**	25.3%	22.4%	27.1%	26.7%	30.0%	16.0%	20.9%	26.1%	**	25.2%
	Very Good	41.3%	**	31.4%	38.9%	39.1%	38.8%	35.0%	46.6%	30.8%	33.4%	**	36.7%
	Good	37.9%	**	28.2%	31.3%	28.9%	24.1%	22.4%	31.4%	32.8%	29.0%	**	27.5%
	Fair	11.9%	**	11.7%	7.4%	2.7%	7.6%	12.6%	3.3%	13.0%	8.7%	**	8.1%
	Poor	.0%	**	2.0%	.0%	2.2%	2.6%	.0%	2.6%	2.0%	2.9%	**	2.3%
	Not available	.0%	**	.0%	.0%	.0%	.1%	.0%	.0%	.0%	.0%	**	.1%
	Don't know	.0%	**	1.4%	.0%	.0%	.0%	.0%	.0%	.5%	.0%	**	.1%
	Total	%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	198	51	404	237	1239	3737	376	294	1128	1632	45	9340
	n	32	11	79	49	195	673	76	48	219	286	9	1677
Access: Obstetrics & Gynecology	Excellent	12.1%	**	29.1%	24.8%	20.4%	19.7%	23.3%	35.6%	16.0%	29.9%	**	22.0%
	Very Good	46.1%	**	43.4%	32.6%	32.3%	31.5%	40.4%	32.3%	29.4%	29.4%	**	32.3%
	Good	14.6%	**	21.8%	18.4%	28.7%	27.7%	24.7%	26.8%	29.2%	25.1%	**	26.7%
	Fair	27.2%	**	5.6%	12.3%	13.1%	14.0%	11.6%	5.3%	20.6%	12.3%	**	13.9%
	Poor	.0%	**	.0%	10.2%	5.2%	6.9%	.0%	.0%	4.8%	3.2%	**	4.9%
	Not available	.0%	**	.0%	1.7%	.4%	.0%	.0%	.0%	.0%	.0%	**	.1%
	Don't know	.0%	**	.0%	.0%	.0%	.1%	.0%	.0%	.0%	.0%	**	.0%
	Total	%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	188	**	311	234	1624	3213	269	375	1149	1166	50	8602
	n	32	5	65	49	295	634	58	63	240	223	10	1674

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Access: Gastroenterology	Excellent	**	**	9.0%	12.8%	10.5%	14.3%	11.2%	**	7.3%	6.9%	**	11.3%
	Very Good	**	**	28.2%	32.1%	18.8%	27.9%	16.6%	**	13.1%	22.1%	**	22.1%
	Good	**	**	18.8%	25.2%	22.4%	28.1%	20.0%	**	16.3%	18.5%	**	23.0%
	Fair	**	**	24.8%	17.4%	22.1%	20.6%	33.4%	**	30.7%	20.0%	**	22.5%
	Poor	**	**	19.2%	12.5%	25.2%	9.0%	18.7%	**	32.6%	32.4%	**	20.8%
	Not available	**	**	.0%	.0%	1.0%	.0%	.0%	**	.0%	.0%	**	.3%
	Don't know	**	**	.0%	.0%	.0%	.0%	.0%	**	.0%	.0%	**	.0%
	Total	%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	**
	N	73	0	193	142	2531	2305	208	95	870	821	5	7243
	n	11	0	39	30	432	439	43	17	178	151	1	1341
Access: Psychiatry	Excellent	**	**	11.3%	**	14.8%	11.7%	17.0%	**	15.5%	16.1%	**	13.4%
	Very Good	**	**	19.4%	**	15.8%	17.7%	21.2%	**	19.8%	18.1%	**	17.9%
	Good	**	**	18.2%	**	21.5%	13.0%	14.7%	**	16.6%	16.4%	**	16.5%
	Fair	**	**	22.1%	**	19.5%	21.6%	16.7%	**	24.9%	20.7%	**	21.2%
	Poor	**	**	29.0%	**	27.9%	34.8%	30.4%	**	23.2%	26.7%	**	29.9%
	Not available	**	**	.0%	**	.4%	1.3%	.0%	**	.0%	2.1%	**	1.0%
	Don't know	**	**	.0%	**	.0%	.0%	.0%	**	.0%	.0%	**	.0%
	Total	%	**	**	100.0%	**	100.0%	100.0%	100.0%	**	100.0%	100.0%	**
	N	46	20	249	89	1447	2821	250	110	681	1068	15	6795
	n	8	4	52	20	250	548	51	20	137	196	3	1289
Access: Dermatology	Excellent	**	**	19.0%	**	8.4%	15.0%	13.5%	**	6.1%	10.3%	**	11.6%
	Very Good	**	**	17.6%	**	14.4%	24.9%	24.8%	**	23.8%	18.2%	**	21.2%
	Good	**	**	33.0%	**	26.8%	22.6%	27.9%	**	41.6%	36.2%	**	28.1%
	Fair	**	**	27.9%	**	21.3%	17.6%	25.0%	**	24.7%	16.6%	**	19.5%
	Poor	**	**	2.5%	**	28.1%	19.5%	8.8%	**	3.9%	18.7%	**	19.3%
	Not available	**	**	.0%	**	1.0%	.4%	.0%	**	.0%	.0%	**	.4%
	Don't know	**	**	.0%	**	.0%	.0%	.0%	**	.0%	.0%	**	.0%
	Total	%	**	**	100.0%	**	100.0%	100.0%	100.0%	**	100.0%	100.0%	**
	N	53	5	163	100	1614	2557	211	45	644	741	0	6134
	n	9	1	34	20	279	498	45	8	135	141	0	1170

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Neurology	Excellent	**	**	13.9%	**	14.4%	13.9%	18.0%	**	10.7%	11.8%	**	13.4%
	Very Good	**	**	22.6%	**	21.6%	22.7%	23.4%	**	22.4%	23.5%	**	23.3%
	Good	**	**	40.5%	**	30.5%	28.9%	30.0%	**	24.3%	31.0%	**	29.0%
	Fair	**	**	16.0%	**	20.5%	20.3%	20.1%	**	28.0%	21.4%	**	21.4%
	Poor	**	**	5.6%	**	12.4%	13.8%	8.6%	**	12.4%	11.7%	**	12.2%
	Not available	**	**	.0%	**	.6%	.3%	.0%	**	1.2%	.6%	**	.5%
	Don't know	**	**	1.4%	**	.0%	.0%	.0%	**	.9%	.0%	**	.1%
	Total	%	**	**	100.0%	**	100.0%	100.0%	100.0%	**	100.0%	100.0%	**
	N	149	32	219	146	1751	2257	229	113	599	814	5	6312
	n	23	6	40	28	276	412	46	22	122	151	1	1127
Access: Pediatrics*	Excellent	**	**	39.0%	**	26.7%	34.9%	**	**	21.4%	35.1%	**	30.8%
	Very Good	**	**	44.6%	**	31.8%	36.8%	**	**	26.9%	38.1%	**	35.5%
	Good	**	**	11.8%	**	25.0%	16.9%	**	**	34.9%	15.6%	**	20.8%
	Fair	**	**	4.6%	**	4.9%	9.2%	**	**	13.5%	10.3%	**	8.6%
	Poor	**	**	.0%	**	9.9%	2.2%	**	**	3.3%	.9%	**	3.8%
	Not available	**	**	.0%	**	.7%	.0%	**	**	.0%	.0%	**	.3%
	Don't know	**	**	.0%	**	.9%	.0%	**	**	.0%	.0%	**	.2%
	Total	%	**	**	100.0%	**	100.0%	100.0%	**	**	100.0%	100.0%	**
	N	114	15	181	48	853	1148	89	165	363	586	15	3578
	n	17	3	34	9	147	208	18	29	74	111	3	653
Access: Otolaryngology	Excellent	**	**	**	**	21.9%	21.6%	**	**	13.7%	18.2%	**	20.9%
	Very Good	**	**	**	**	39.7%	29.8%	**	**	21.2%	23.2%	**	33.4%
	Good	**	**	**	**	24.8%	32.1%	**	**	32.7%	42.8%	**	30.6%
	Fair	**	**	**	**	10.6%	14.2%	**	**	22.6%	11.2%	**	11.8%
	Poor	**	**	**	**	3.0%	2.3%	**	**	9.8%	4.7%	**	3.2%
	Not available	**	**	**	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Don't know	**	**	**	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Total	%	**	**	**	**	100.0%	100.0%	**	**	100.0%	100.0%	**
	N	95	5	78	92	1076	1085	111	58	247	332	15	3194
	n	14	1	16	18	181	205	22	10	49	62	3	581

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Diagnostic Radiology	Excellent	**	**	**	**	24.4%	33.5%	**	**	20.7%	34.1%	**	29.0%
	Very Good	**	**	**	**	39.6%	38.6%	**	**	33.0%	29.8%	**	36.7%
	Good	**	**	**	**	19.4%	19.2%	**	**	28.7%	18.9%	**	19.9%
	Fair	**	**	**	**	8.4%	8.0%	**	**	10.3%	11.5%	**	9.5%
	Poor	**	**	**	**	8.2%	.7%	**	**	7.4%	5.7%	**	4.9%
	Not available	**	**	**	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Don't know	**	**	**	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Total	%	**	**	**	**	100.0%	100.0%	**	**	100.0%	100.0%	**
	N	46	0	83	95	909	916	123	96	350	549	10	3177
	n	7	0	15	17	140	163	22	19	70	98	2	553
Access: Respiriology	Excellent	**	**	**	**	23.4%	18.5%	**	**	38.4%	17.4%	**	22.0%
	Very Good	**	**	**	**	35.3%	39.4%	**	**	18.7%	33.7%	**	35.8%
	Good	**	**	**	**	29.0%	32.7%	**	**	31.6%	31.2%	**	29.7%
	Fair	**	**	**	**	9.2%	5.8%	**	**	5.4%	17.7%	**	9.0%
	Poor	**	**	**	**	2.7%	3.6%	**	**	3.2%	.0%	**	3.1%
	Not available	**	**	**	**	.4%	.0%	**	**	2.6%	.0%	**	.4%
	Don't know	**	**	**	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Total	%	**	**	**	**	100.0%	100.0%	**	**	100.0%	100.0%	**
	N	46	10	66	56	1594	727	97	29	197	268	0	3091
	n	6	2	12	9	259	131	18	6	37	48	0	528

>

Notes:

Includes only respondents who provide patient care, and who indicated the specific specialty as one of the top 3 with whom they interact.

The specialties presented include only those that received 500 or more mentions.

*Pediatrics does not include any pediatric subspecialties (e.g., pediatric cardiology)

Information for specialties not listed is available upon request provided there are more than 30 mentions per category.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Physiotherapists/ Rehab therapists/ kinesiologists	Excellent	19.4%	**	25.5%	24.5%	16.1%	22.3%	25.8%	23.7%	24.7%	24.6%	**	21.3%
	Very Good	29.9%	**	31.6%	32.3%	33.3%	35.7%	33.5%	28.6%	30.7%	37.7%	**	34.0%
	Good	19.7%	**	28.6%	20.2%	26.4%	23.5%	24.6%	20.2%	27.7%	26.3%	**	25.2%
	Fair	16.0%	**	8.9%	13.0%	16.4%	11.6%	9.8%	15.6%	13.4%	6.0%	**	12.5%
	Poor	15.0%	**	4.8%	9.3%	7.2%	6.6%	5.1%	11.8%	3.6%	4.4%	**	6.4%
	Don't Know	.0%	**	.0%	.6%	.6%	.3%	1.2%	.0%	.0%	.3%	**	.4%
	Not available	.0%	**	.7%	.0%	.0%	.1%	.0%	.0%	.0%	.6%	**	.1%
	Total	%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	361	44	850	636	5916	5907	783	635	1911	2765	55	19865
	n	62	9	174	128	994	1112	161	109	388	507	11	3655
Access: Psychologists	Excellent	**	**	19.9%	5.2%	8.0%	13.1%	9.1%	**	13.5%	19.7%	**	11.2%
	Very Good	**	**	29.5%	10.8%	24.3%	21.6%	22.2%	**	28.0%	24.1%	**	23.8%
	Good	**	**	23.8%	37.7%	29.1%	28.4%	50.9%	**	24.4%	22.5%	**	27.8%
	Fair	**	**	14.4%	12.7%	21.7%	20.8%	15.0%	**	18.2%	13.7%	**	20.4%
	Poor	**	**	12.4%	33.6%	15.7%	15.1%	2.8%	**	15.0%	18.3%	**	15.6%
	Don't Know	**	**	.0%	.0%	1.2%	1.0%	.0%	**	.0%	.8%	**	1.0%
	Not available	**	**	.0%	.0%	.0%	.0%	.0%	**	1.0%	.8%	**	.2%
	Total	%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	**
	N	107	10	353	152	3664	1911	165	137	756	643	20	7919
	n	18	2	72	34	629	362	34	23	156	120	4	1454

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Social workers	Excellent	**	**	28.2%	32.3%	19.2%	26.8%	22.2%	**	31.5%	32.5%	**	24.6%
	Very Good	**	**	29.8%	10.6%	27.9%	34.0%	38.0%	**	22.5%	27.2%	**	30.2%
	Good	**	**	31.5%	37.0%	29.4%	24.4%	29.4%	**	33.7%	31.6%	**	27.9%
	Fair	**	**	4.9%	8.6%	16.2%	9.3%	7.6%	**	6.3%	5.8%	**	11.3%
	Poor	**	**	5.6%	11.5%	6.8%	4.6%	2.8%	**	6.1%	3.0%	**	5.5%
	Don't Know	**	**	.0%	.0%	.4%	.9%	.0%	**	.0%	.0%	**	.5%
	Not available	**	**	.0%	.0%	.2%	.0%	.0%	**	.0%	.0%	**	.1%
	Total	%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	**
	N	124	19	292	147	2900	3123	196	118	643	693	5	8260
	n	20	4	57	32	479	569	38	22	123	128	1	1473
Access: Dietitians/ nutritionists	Excellent	14.2%	**	23.3%	35.3%	16.8%	26.5%	23.5%	18.9%	28.0%	21.5%	**	22.6%
	Very Good	48.8%	**	41.9%	25.4%	26.3%	30.1%	33.2%	30.9%	28.3%	32.9%	**	30.0%
	Good	24.0%	**	16.4%	13.3%	31.7%	23.5%	25.9%	29.2%	25.6%	31.5%	**	26.6%
	Fair	13.0%	**	16.8%	17.1%	15.8%	11.2%	13.0%	9.5%	15.3%	10.4%	**	13.5%
	Poor	.0%	**	1.6%	8.9%	7.9%	8.1%	2.7%	11.6%	2.9%	3.7%	**	6.6%
	Don't Know	.0%	**	.0%	.0%	1.3%	.6%	.0%	.0%	.0%	.0%	**	.6%
	Not available	.0%	**	.0%	.0%	.3%	.0%	1.6%	.0%	.0%	.0%	**	.2%
	Total	%	100.0%	**	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	188	17	246	225	2559	2829	336	174	799	626	25	8025
	n	30	4	51	45	429	524	72	31	161	114	5	1466
Access: Nurses (unspecified)	Excellent	**	**	38.4%	41.3%	37.5%	43.6%	41.5%	**	43.2%	41.1%	**	40.7%
	Very Good	**	**	43.9%	26.1%	35.0%	36.3%	44.2%	**	32.3%	30.8%	**	35.2%
	Good	**	**	14.5%	27.3%	19.5%	14.8%	11.8%	**	20.1%	20.0%	**	17.9%
	Fair	**	**	3.2%	2.9%	5.5%	4.9%	2.5%	**	3.5%	6.3%	**	4.8%
	Poor	**	**	.0%	2.4%	2.4%	.2%	.0%	**	.4%	1.2%	**	1.2%
	Don't Know	**	**	.0%	.0%	.2%	.0%	.0%	**	.6%	.0%	**	.1%
	Not available	**	**	.0%	.0%	.0%	.3%	.0%	**	.0%	.6%	**	.2%
	Total	%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	**
	N	127	23	332	157	2644	2428	214	145	963	1051	20	8105
	n	19	5	61	30	438	438	42	28	191	192	4	1448

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Occupational therapists	Excellent	**	**	22.7%	31.6%	12.6%	19.5%	18.6%	**	18.7%	23.4%	**	17.6%
	Very Good	**	**	23.4%	30.9%	28.9%	30.6%	33.8%	**	24.7%	29.8%	**	29.1%
	Good	**	**	37.0%	14.2%	30.1%	24.5%	26.7%	**	35.1%	27.5%	**	28.4%
	Fair	**	**	10.0%	13.4%	17.9%	14.8%	20.9%	**	15.7%	8.7%	**	15.6%
	Poor	**	**	6.9%	9.8%	10.1%	9.2%	.0%	**	5.9%	9.7%	**	8.8%
	Don't Know	**	**	.0%	.0%	.3%	1.4%	.0%	**	.0%	.0%	**	.4%
	Not available	**	**	.0%	.0%	.0%	.0%	.0%	**	.0%	.9%	**	.1%
	Total	%	**	**	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%	100.0%	**
	N	64	14	230	205	2332	1300	298	92	513	621	10	5679
	n	10	3	42	42	378	233	58	18	102	114	2	1002
Access: Pharmacists	Excellent	**	**	62.0%	**	42.9%	46.4%	**	**	42.7%	39.5%	**	45.0%
	Very Good	**	**	31.2%	**	40.1%	36.2%	**	**	37.6%	40.3%	**	37.6%
	Good	**	**	4.8%	**	10.1%	16.1%	**	**	16.2%	18.2%	**	14.3%
	Fair	**	**	2.0%	**	4.1%	1.3%	**	**	2.8%	1.1%	**	2.2%
	Poor	**	**	.0%	**	2.7%	.0%	**	**	.7%	.8%	**	1.0%
	Don't Know	**	**	.0%	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Not available	**	**	.0%	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Total	%	**	**	100.0%	**	100.0%	100.0%	**	**	100.0%	100.0%	**
	N	43	11	178	113	828	1346	95	146	645	504	10	3919
	n	7	2	39	21	134	250	20	27	134	90	2	726
Access: Mental health workers/ counsellors/ psychiatric nurses	Excellent	**	**	**	**	**	23.5%	**	**	25.2%	13.4%	**	18.6%
	Very Good	**	**	**	**	**	17.6%	**	**	23.2%	16.2%	**	19.3%
	Good	**	**	**	**	**	19.3%	**	**	25.1%	27.6%	**	24.6%
	Fair	**	**	**	**	**	21.0%	**	**	15.1%	25.9%	**	21.8%
	Poor	**	**	**	**	**	18.7%	**	**	11.5%	16.8%	**	15.8%
	Don't Know	**	**	**	**	**	.0%	**	**	.0%	.0%	**	.0%
	Not available	**	**	**	**	**	.0%	**	**	.0%	.0%	**	.0%
	Total	%	**	**	**	**	**	100.0%	**	**	100.0%	100.0%	**
	N	64	28	113	54	98	570	130	125	558	715	10	2467
	n	11	6	22	12	16	108	26	21	114	135	2	473

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

Q13. Please rate your accessibility to the following on behalf of your patients. (cont.)

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Access: Home care nurses/workers	Excellent	**	**	**	**	20.4%	18.6%	20.5%	**	22.3%	12.7%	**	19.5%
	Very Good	**	**	**	**	26.3%	28.7%	27.0%	**	33.8%	31.3%	**	29.8%
	Good	**	**	**	**	37.4%	32.5%	45.1%	**	24.0%	32.1%	**	31.6%
	Fair	**	**	**	**	2.9%	14.4%	3.8%	**	14.5%	15.4%	**	12.9%
	Poor	**	**	**	**	13.0%	5.4%	3.6%	**	5.5%	7.5%	**	5.8%
	Don't Know	**	**	**	**	.0%	.4%	.0%	**	.0%	1.0%	**	.4%
	Not available	**	**	**	**	.0%	.0%	.0%	**	.0%	.0%	**	.0%
	Total	%	**	**	**	**	100.0%	100.0%	100.0%	**	100.0%	100.0%	**
	N	7	15	73	15	183	914	153	113	397	511	5	2387
	n	1	3	16	3	30	168	31	20	80	89	1	442
Access: Nurse practitioners/ advance practice nurses	Excellent	**	**	**	**	41.9%	48.5%	**	**	51.7%	33.0%	**	45.4%
	Very Good	**	**	**	**	29.6%	31.1%	**	**	30.5%	39.3%	**	32.9%
	Good	**	**	**	**	23.5%	11.1%	**	**	9.3%	14.3%	**	13.5%
	Fair	**	**	**	**	4.9%	8.8%	**	**	6.9%	13.4%	**	7.7%
	Poor	**	**	**	**	.0%	.5%	**	**	1.6%	.0%	**	.5%
	Don't Know	**	**	**	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Not available	**	**	**	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Total	%	**	**	**	**	100.0%	100.0%	**	**	100.0%	100.0%	**
	N	25	4	94	27	227	1238	62	66	322	241	25	2329
	n	4	1	18	5	34	230	13	10	64	44	5	428
Access: Respiratory/inhalo therapists/ asthma educators	Excellent	**	**	**	**	40.6%	49.9%	**	**	50.5%	36.7%	**	43.3%
	Very Good	**	**	**	**	41.9%	35.3%	**	**	32.8%	40.1%	**	39.5%
	Good	**	**	**	**	13.0%	11.3%	**	**	16.7%	14.6%	**	13.8%
	Fair	**	**	**	**	4.5%	3.5%	**	**	.0%	7.4%	**	3.3%
	Poor	**	**	**	**	.0%	.0%	**	**	.0%	1.2%	**	.2%
	Don't Know	**	**	**	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Not available	**	**	**	**	.0%	.0%	**	**	.0%	.0%	**	.0%
	Total	%	**	**	**	**	100.0%	100.0%	**	**	100.0%	100.0%	**
	N	43	5	79	111	714	652	86	61	359	329	0	2439
	n	6	1	15	22	108	114	17	12	71	58	0	424

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

>

Notes:

Includes only respondents who provide patient care, and who indicated the specific health profession as one of the top 3 with whom they interact.

The health professions presented include only those that received 400 or more mentions.

Information for health professions not listed is available upon request provided there are more than 30 mentions per category.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14ai Typically, if a patient contacts your office or is referred to you URGENTLY, how long would that patient wait until the first available appointment WITH YOU OR YOUR PRACTICE?

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	
Wait for urgent referral	Same day	47.0%	40.0%	45.2%	41.8%	35.2%	45.4%	47.8%	57.0%	44.4%	50.9%	**	43.9%
	Days	34.4%	29.4%	32.0%	38.5%	39.4%	30.6%	31.5%	23.2%	30.5%	25.4%	**	32.1%
	Unsure	1.9%	1.7%	1.0%	1.9%	2.7%	2.3%	2.2%	1.8%	1.3%	1.7%	**	2.1%
	Not applicable	8.5%	8.2%	13.9%	9.6%	15.0%	14.2%	12.3%	9.9%	16.4%	13.8%	**	14.2%
	NR	8.1%	20.6%	7.9%	8.2%	7.7%	7.5%	6.2%	8.1%	7.4%	8.3%	**	7.7%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14ai Typically, if a patient contacts your office or is referred to you URGENTLY, how long would that patient wait until the first available appointment WITH YOU OR YOUR PRACTICE?

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Wait for urgent referral: number of days	One day or less	49.8%	40.0%	47.8%	43.5%	38.8%	48.9%	51.2%	59.0%	47.8%	54.5%	**	47.3%	
	More than one day, up to one week	22.6%	22.5%	20.7%	29.0%	27.5%	20.1%	22.3%	15.6%	19.9%	15.3%	**	21.5%	
	More than one week, up to 2 weeks	2.8%	2.3%	6.5%	5.2%	4.3%	3.9%	2.7%	1.6%	4.4%	3.3%	**	4.0%	
	More than two weeks	4.4%	2.3%	1.8%	2.6%	3.5%	2.5%	2.4%	2.9%	2.4%	2.4%	**	2.7%	
	Unsure	1.9%	1.7%	1.0%	1.9%	2.7%	2.3%	2.2%	1.8%	1.3%	1.7%	**	2.1%	
	Not applicable	8.5%	8.2%	13.9%	9.6%	15.0%	14.2%	12.3%	9.9%	16.4%	13.8%	**	14.2%	
	NR	9.9%	22.9%	8.3%	8.2%	8.1%	8.1%	6.9%	9.2%	7.9%	8.9%	**	8.3%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114	
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14ai Number of DAYS that a patient contacting your office URGENTLY, will wait until the first available appointment with you or your practice.

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Wait for urgent referral: number of days	Mean	3.30	2.26	3.14	3.43	3.66	2.88	2.52	2.54	2.99	2.48	**	3.02
	Median	.00	.00	.00	.00	1.00	.00	.00	.00	.00	.00	**	.00
	Mode	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	**	.00
	Standard Deviation	6.99	4.35	7.64	6.85	8.03	7.10	5.89	8.16	7.58	6.78	**	7.34
	Minimum	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	**	.00
	Maximum	45.00	21.00	90.00	75.00	90.00	99.00	60.00	70.00	90.00	90.00	**	99.00
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461	

Notes:

Includes only respondents who indicated number of days.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14aii Typically, if a patient contacts your office or is referred to you NON-URGENTLY, how long would that patient wait until the first available appointment WITH YOU OR YOUR PRACTICE?

			Province												
			NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA	
Wait for non-urgent referral	Same week		21.4%	15.5%	25.4%	18.3%	9.3%	24.6%	26.3%	34.2%	25.3%	32.6%	**	22.2%	
	Weeks		57.1%	54.3%	50.3%	60.9%	67.0%	51.9%	52.9%	44.2%	46.2%	43.6%	**	53.8%	
	Unsure		1.9%	3.9%	2.4%	1.1%	3.1%	2.8%	3.5%	3.2%	1.7%	1.6%	**	2.6%	
	Not applicable		9.4%	10.1%	13.7%	10.7%	13.9%	12.8%	11.1%	10.7%	17.7%	14.1%	**	13.6%	
	NR		10.2%	16.1%	8.1%	9.0%	6.7%	7.9%	6.2%	7.7%	9.1%	8.1%	**	7.8%	
	Total	%		100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N		1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n		169	49	433	289	2480	4279	450	292	1375	1620	25	11461	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14aii Typically, if a patient contacts your office or is referred to you NON-URGENTLY, how long would that patient wait until the first available appointment WITH YOU OR YOUR PRACTICE?

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Wait for non-urgent referral: number of weeks	Up to one week	27.1%	17.4%	28.7%	24.4%	10.8%	28.7%	30.4%	37.7%	29.2%	37.7%	**	25.8%	
	More than 1 week, up to 2 weeks	13.9%	17.9%	12.3%	12.2%	8.4%	13.1%	13.7%	12.2%	9.3%	10.0%	**	11.1%	
	More than 2 weeks, up to 4 weeks	12.0%	10.1%	9.1%	17.3%	17.7%	11.8%	12.5%	8.5%	10.4%	8.4%	**	12.6%	
	More than 4 weeks, up to 6 weeks	6.0%	2.3%	5.7%	5.0%	9.0%	5.0%	8.1%	3.8%	5.3%	3.5%	**	5.9%	
	More than 6 weeks, up to 2 months	3.5%	4.6%	4.5%	3.7%	8.5%	3.6%	2.7%	1.6%	4.0%	2.7%	**	4.7%	
	More than 2 months, up to 3 months	2.8%	6.5%	5.2%	3.0%	9.4%	5.0%	3.7%	4.5%	4.6%	4.3%	**	5.8%	
	More than 3 months, up to 6 months	7.9%	2.3%	5.2%	7.2%	6.5%	4.9%	5.3%	4.8%	5.2%	4.9%	**	5.4%	
	More than 6 months	4.8%	4.6%	4.6%	6.1%	5.0%	3.2%	1.9%	4.1%	3.0%	4.0%	**	3.9%	
	Unsure	1.9%	3.9%	2.4%	1.1%	3.1%	2.8%	3.5%	3.2%	1.7%	1.6%	**	2.6%	
	Not applicable	9.4%	10.1%	13.7%	10.7%	13.9%	12.8%	11.1%	10.7%	17.7%	14.1%	**	13.6%	
	NR	10.8%	20.3%	8.5%	9.3%	7.7%	9.1%	7.1%	9.0%	9.6%	8.8%	**	8.8%	
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%	
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114	
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14aii Number of WEEKS that a patient contacting your office NON-URGENTLY will wait until the first available appointment with you or your practice.

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Wait for non-urgent referral: number of weeks	Mean	6.82	6.84	7.72	8.21	10.03	6.31	4.95	5.91	6.38	6.49	**	7.28
	Median	2.00	2.00	2.00	3.00	5.00	2.00	2.00	2.00	2.00	2.00	**	3.00
	Mode	.00	2.00	.00	.00	4.00	.00	.00	.00	.00	.00	**	.00
	Standard Deviation	11.14	11.77	17.29	15.24	19.86	16.75	10.29	12.95	16.06	15.96	**	17.06
	Minimum	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	**	.00
	Maximum	52.00	52.00	150.00	112.00	312.00	390.00	150.00	100.00	365.00	200.00	**	390.00
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461	

Notes:

Includes only respondents who indicated number of weeks.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14b To what extent is your practice accepting new patients into your MAIN patient care setting? Check only one.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
To what extent is your practice accepting new patients?	No restrictions	50.5%	36.7%	33.5%	31.8%	33.3%	28.8%	34.1%	43.6%	32.7%	33.5%	**	32.2%
	Partially closed	16.0%	20.0%	22.1%	25.3%	36.4%	29.0%	23.7%	18.4%	21.8%	23.8%	**	28.2%
	Completely closed	12.8%	11.2%	11.0%	13.9%	7.4%	11.0%	11.5%	10.9%	11.6%	9.4%	**	10.1%
	N/A to my practice setting	16.3%	16.0%	26.8%	23.8%	18.4%	25.8%	26.7%	20.1%	28.5%	27.9%	**	24.3%
	NR	4.4%	16.1%	6.5%	5.3%	4.5%	5.4%	4.0%	7.1%	5.4%	5.5%	**	5.2%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14b If your practice is partially closed, please estimate the number of new patients you accepted into your practice in the last 12 months.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Estimated number of new patients in past 12 months	Up to 10	**	**	19.2%	14.5%	9.3%	15.3%	13.7%	9.2%	9.3%	16.1%	**	13.0%	
	More than 10, up to 20	**	**	21.0%	20.0%	19.0%	18.6%	16.4%	17.7%	16.7%	20.4%	**	18.7%	
	More than 20, up to 30	**	**	9.8%	19.6%	14.8%	13.3%	15.8%	11.7%	13.8%	14.2%	**	14.0%	
	More than 30, up to 50	**	**	16.4%	10.8%	17.0%	18.1%	12.4%	14.1%	14.2%	17.0%	**	16.8%	
	More than 50, up to 100	**	**	9.3%	17.4%	15.4%	13.1%	12.9%	21.6%	14.9%	9.7%	**	13.7%	
	More than 100, up to 200	**	**	4.6%	1.4%	8.4%	5.0%	5.5%	6.4%	8.7%	6.2%	**	6.5%	
	More than 200, up to 500	**	**	5.9%	6.6%	5.0%	4.4%	8.0%	1.6%	5.2%	3.5%	**	4.7%	
	More than 500	**	**	5.0%	3.8%	1.8%	3.4%	4.6%	3.5%	5.3%	2.9%	**	3.2%	
	NR	**	**	8.7%	5.9%	9.3%	8.7%	10.7%	14.1%	11.8%	9.9%	**	9.5%	
	Total	%	**	**	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	171	48	484	372	5541	6713	536	298	1502	2123	30	17820	
	n	29	10	104	77	966	1295	111	50	306	391	6	3345	

Notes:

Includes only respondents who indicated that their practice was partially closed.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14b If your practice is partially closed, please estimate the number of new patients you accepted into your practice in the last 12 months.

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Estimated number of new patients in past 12 months	Mean	**	**	89.59	107.21	88.80	91.31	118.46	106.02	123.63	91.58	**	95.32
	Median	**	**	30.00	30.00	40.00	30.00	30.00	50.00	50.00	30.00	**	30.00
	Mode	**	**	20.00	20.00	20.00	50.00	30.00	100.00	50.00	20.00	**	20.00
	Standard Deviation	**	**	162.72	230.96	169.14	199.34	216.81	287.17	230.90	214.27	**	198.91
	Minimum	**	**	2.00	2.00	2.00	1.00	3.00	6.00	4.00	2.00	**	1.00
	Maximum	**	**	1000.00	1600.00	2000.00	2000.00	1000.00	2000.00	1500.00	1500.00	**	2000.00
	N	138	48	442	350	5020	6123	479	256	1325	1913	30	16124
n	24	10	95	72	876	1178	99	42	269	350	6	3021	

Notes:

Includes only respondents who indicated greater than zero patients.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14c Approximately how many patients are in your practice?

Question asked of FP/GPs only		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Estimated number of patients in practice	Up to 500	11.2%	8.7%	6.5%	6.7%	18.1%	9.0%	8.5%	10.5%	7.3%	6.4%	**	10.5%	
	More than 500, up to 1000	10.0%	5.4%	7.9%	9.2%	17.4%	15.0%	12.3%	7.6%	9.7%	11.5%	**	13.5%	
	More than 1000, up to 1500	6.3%	6.2%	10.7%	13.9%	11.4%	18.0%	9.4%	6.7%	12.8%	13.7%	**	13.9%	
	More than 1500, up to 2000	9.5%	9.2%	12.9%	16.6%	8.0%	14.7%	11.8%	6.4%	9.0%	11.5%	**	11.5%	
	More than 2000, up to 2500	5.5%	3.5%	4.7%	6.4%	3.8%	6.1%	3.1%	3.2%	2.7%	4.0%	**	4.6%	
	More than 2500, up to 3000	4.8%	3.0%	5.4%	7.4%	2.3%	3.7%	3.4%	9.0%	4.2%	4.2%	**	3.9%	
	More than 3000 patients	9.5%	16.0%	10.6%	9.2%	4.3%	3.9%	7.1%	9.5%	7.4%	5.1%	**	5.4%	
	Not Applicable	32.3%	33.3%	29.0%	20.8%	22.1%	23.0%	31.4%	27.4%	34.7%	33.5%	**	26.5%	
	NR	10.9%	14.6%	12.3%	9.9%	12.7%	6.7%	12.9%	19.6%	12.3%	10.0%	**	10.3%	
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%	
	N	676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233	
	n	115	33	257	194	1432	2219	250	164	752	902	19	6337	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14c Approximately how many patients are in your practice?

Question asked of FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Estimated number of patients in practice	Mean	2274.48	**	2176.78	2048.74	1432.97	1599.55	1902.41	2265.99	2023.61	1804.53	**	1700.84
	Median	1800.00	**	1900.00	1800.00	1000.00	1400.00	1500.00	1800.00	1500.00	1500.00	**	1400.00
	Mode	2000.00	**	2000.00	1500.00	1000.00	2000.00	2000.00	3000.00	1500.00	2000.00	**	2000.00
	Standard Deviation	2342.48	**	1681.71	1306.64	1611.03	1276.09	1697.65	2110.12	1941.51	1396.15	**	1547.61
	Minimum	100.00	**	20.00	100.00	8.00	7.00	17.00	30.00	8.00	1.00	**	1.00
	Maximum	9999.00	**	9999.00	7500.00	9999.00	9999.00	9999.00	9999.00	9999.00	9999.00	**	9999.00
	N	384	80	700	652	5129	8021	662	542	1985	2802	45	21002
n	65	17	153	135	940	1571	139	86	400	506	9	4021	

Notes:

Includes only respondents who indicated greater than zero patients.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14d Please estimate the number of patients you see in a TYPICAL WEEK, EXCLUDING patient visits while you are on-call (on-call is defined as time outside of regularly scheduled activity during which you are available to patients).

Question asked of FP/GPs only		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Number of patients you see per week	Up to 25	7.9%	.0%	7.8%	6.1%	9.9%	5.2%	7.7%	8.3%	7.6%	5.8%	**	7.0%	
	More than 25, up to 50	15.0%	14.9%	11.8%	10.4%	20.8%	11.5%	14.3%	13.5%	14.1%	8.4%	**	13.7%	
	More than 50, up to 75	15.2%	5.4%	11.4%	9.4%	17.2%	9.2%	11.2%	6.3%	11.7%	11.9%	**	12.0%	
	More than 75, up to 100	15.8%	11.9%	14.7%	25.2%	21.7%	20.0%	14.8%	18.7%	16.4%	18.6%	**	19.4%	
	More than 100, up to 125	4.0%	9.2%	13.8%	11.7%	9.6%	11.6%	9.6%	6.6%	12.6%	12.2%	**	11.0%	
	More than 125, up to 150	14.9%	30.9%	12.8%	10.1%	7.3%	15.5%	12.0%	13.1%	11.8%	15.0%	**	12.6%	
	More than 150, up to 175	5.0%	3.5%	3.7%	6.9%	1.1%	3.6%	4.1%	2.8%	4.0%	6.5%	**	3.6%	
	More than 175, up to 200	10.7%	3.0%	8.6%	6.0%	2.3%	9.5%	11.6%	8.2%	7.7%	7.9%	**	7.2%	
	More than 200	5.5%	3.5%	4.2%	5.5%	1.2%	6.4%	6.4%	13.3%	5.5%	5.1%	**	5.0%	
	NR	6.1%	17.6%	11.2%	8.6%	9.0%	7.5%	8.3%	9.1%	8.7%	8.7%	**	8.4%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
N		676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233	
n		115	33	257	194	1432	2219	250	164	752	902	19	6337	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q14d Please estimate the number of patients you see in a TYPICAL WEEK, EXCLUDING patient visits while you are on-call (on-call is defined as time outside of regularly scheduled activity during which you are available to patients).

Question asked of FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Number of patients you see per week	Mean	110.87	**	108.88	112.44	80.47	117.24	112.96	124.68	109.31	115.71	**	106.92
	Median	100.00	**	100.00	100.00	75.00	110.00	100.00	100.00	100.00	110.00	**	100.00
	Mode	150.00	**	150.00	100.00	100.00	100.00	200.00	150.00	100.00	100.00	**	100.00
	Standard Deviation	71.21	**	63.51	64.82	48.11	65.96	68.00	83.15	69.14	61.62	**	64.37
	Minimum	2.00	**	3.00	2.00	3.00	2.00	4.00	10.00	4.00	4.00	**	2.00
	Maximum	400.00	**	400.00	450.00	500.00	500.00	300.00	500.00	500.00	500.00	**	500.00
	N	635	126	1052	859	7120	10541	1090	930	3413	4518	96	30380
n	108	27	225	178	1300	2052	229	148	687	824	19	5797	

Notes:

Includes only respondents who indicated greater than zero patients.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q15a Are you practicing within the main areas of the specialty as broadly taught during your residency?

Question asked of Other Specialists only		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA	
Are you practicing within the main areas of the specialty as broadly taught during your residency?	Yes	82.6%	**	74.0%	77.7%	81.9%	78.3%	79.8%	81.8%	72.7%	77.2%	**	78.5%	
	No	14.1%	**	20.3%	18.1%	13.5%	15.3%	16.1%	11.4%	21.6%	18.3%	**	16.1%	
	NR	3.2%	**	5.7%	4.2%	4.6%	6.4%	4.1%	6.8%	5.7%	4.5%	**	5.5%	
	Total	%	100%	**	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	397	89	995	532	7356	11708	1069	600	3136	3971	29	29881
	n	54	16	176	95	1048	2060	200	128	623	718	6	5124	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q15ai If you are not practising within the main areas of the specialty as broadly taught during your residency, please indicate why your practice differs from your training? Check all that apply.

Question asked of Other Specialists only		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Developments in my specialty	New medical information regarding my specialty	**	**	37.9%	**	44.9%	40.9%	33.9%	**	49.5%	44.9%	**	43.3%
	New indications for treatment	**	**	31.2%	**	41.1%	30.3%	26.9%	**	38.5%	31.0%	**	33.7%
	New diagnostics	**	**	28.3%	**	30.9%	31.2%	30.7%	**	34.6%	31.3%	**	31.7%
	CPGs	**	**	10.7%	**	18.4%	4.1%	5.5%	**	8.9%	5.5%	**	8.8%
	Technology	**	**	39.6%	**	45.3%	33.7%	30.9%	**	38.0%	33.7%	**	36.8%
	Drugs	**	**	35.0%	**	28.9%	25.2%	24.1%	**	27.9%	20.7%	**	26.0%
	Other	**	**	20.2%	**	20.5%	23.4%	21.5%	**	14.7%	15.5%	**	20.1%
	NR	**	**	35.8%	**	23.6%	30.6%	47.1%	**	30.7%	33.0%	**	30.4%
Total	N	56	11	202	96	990	1796	173	68	677	725	5	4799
	n	8	2	37	17	146	332	33	16	138	135	1	865

Notes:

Includes only respondents who provide patient care.

Excludes those who are practising within the main areas of their specialty as broadly taught during residency.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q15aii If you are not practising within the main areas of the specialty as broadly taught during your residency, please indicate why your practice differs from your training? Check all that apply.

Question asked of Other Specialists only		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	
Non-specialty specific	Changing disease patterns	**	**	16.3%	**	19.3%	19.2%	10.9%	**	19.9%	17.4%	**	18.8%
	Increasing demands due to an aging population	**	**	15.9%	**	26.5%	25.6%	10.6%	**	22.2%	20.1%	**	23.3%
	Shortages of other health care providers	**	**	26.3%	**	22.4%	24.9%	15.6%	**	30.4%	19.1%	**	24.0%
	Implementation of interprofessional care	**	**	14.5%	**	10.6%	13.8%	15.5%	**	19.1%	16.2%	**	14.0%
	New health care restructuring arrangements	**	**	8.2%	**	12.8%	13.4%	21.6%	**	20.3%	12.3%	**	14.0%
	Patient needs	**	**	28.1%	**	33.0%	34.3%	20.9%	**	41.9%	26.0%	**	33.0%
	Personal choice	**	**	43.5%	**	40.8%	42.6%	41.5%	**	46.5%	40.7%	**	42.8%
	Other differences between training and practice	**	**	21.0%	**	9.1%	17.4%	13.9%	**	14.5%	18.8%	**	14.9%
	NR	**	**	18.2%	**	24.3%	22.1%	25.5%	**	15.6%	26.6%	**	22.1%
Total	N	56	11	202	96	990	1796	173	68	677	725	5	4799
	n	8	2	37	17	146	332	33	16	138	135	1	865

Notes:

Includes only respondents who provide patient care.

Excludes those who are practising within the main areas of their specialty as broadly taught during residency.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q15b If your practice extends beyond what you were taught during residency, what extra training did you pursue? Check all that apply.

Question asked of Other Specialists only		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	
What extra training did you pursue?	No additional formal training	**	**	8.0%	**	15.7%	10.5%	14.7%	**	12.0%	5.5%	**	10.7%
	A fellowship after residency	**	**	55.4%	**	46.5%	43.3%	45.6%	**	48.4%	51.2%	**	46.7%
	Continuing professional development offered by a national specialty society in Canada	**	**	41.6%	**	40.8%	40.6%	30.1%	**	38.4%	46.3%	**	41.3%
	Continuing professional development offered by a medical society outside of Canada	**	**	35.2%	**	28.0%	38.7%	29.7%	**	38.9%	44.5%	**	37.2%
	Continuing professional development offered by industry	**	**	14.9%	**	21.6%	20.4%	9.8%	**	14.9%	25.4%	**	20.3%
	Other substantive training	**	**	17.6%	**	25.1%	28.0%	27.8%	**	24.7%	29.2%	**	26.0%
	NR	**	**	7.8%	**	6.4%	6.7%	3.0%	**	3.7%	2.7%	**	5.7%
	Total	N	56	11	202	96	990	1796	173	68	677	725	5
	n	8	2	37	17	146	332	33	16	138	135	1	865

Notes:

Includes only respondents who provide patient care.

Excludes those who are practising within the main areas of their specialty as broadly taught during residency.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q15c Considering the generally accepted domain of practice of your specialty, please describe the main focus of your practice.

Question asked of Other Specialists only		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	
The main focus of practice	Full spectrum of my specialty	70.8%	**	68.5%	83.9%	78.2%	68.1%	69.1%	80.7%	66.0%	67.3%	**	71.0%
	Limited to anatomy specific	6.1%	**	6.8%	16.6%	5.2%	8.4%	9.6%	4.8%	11.0%	11.6%	**	8.3%
	Limited to organ specific	10.3%	**	7.4%	5.4%	4.9%	7.4%	10.4%	6.8%	9.4%	8.5%	**	7.2%
	Limited to disease/condition specific	13.5%	**	16.5%	5.4%	9.8%	18.9%	19.0%	19.6%	20.0%	17.6%	**	16.1%
	Limited to treatment specific	11.1%	**	8.0%	4.8%	4.2%	10.8%	10.9%	7.2%	10.1%	8.1%	**	8.4%
	Limited to specific populations	19.7%	**	20.2%	3.6%	15.6%	17.5%	19.8%	11.3%	20.3%	19.6%	**	17.4%
	Other focus of practice	7.9%	**	4.8%	9.1%	6.5%	5.4%	7.9%	4.4%	6.1%	6.8%	**	6.1%
Total	N	384	67	919	480	6888	10746	1005	547	2880	3742	24	27681
	n	52	12	162	85	985	1887	188	116	572	675	5	4739

Notes:

Includes only respondents who provide patient care and who indicated "yes" to at least one part of the question.

Excludes all responses of "no" and "not applicable", as well as those who did not respond to any part of the question.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q15 Please indicate if you OFFER the following to your patients. Check all that apply.

Question asked of FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
I (physician) offer	Emergency medicine	47.4%	40.0%	35.5%	40.1%	35.7%	29.2%	46.9%	58.8%	38.9%	37.6%	**	35.6%
	Alternative/ complementary medicine	10.5%	5.4%	8.3%	6.5%	4.2%	7.2%	10.4%	11.2%	7.9%	10.4%	**	7.4%
	Travel/tropical medicine	25.3%	31.1%	34.8%	33.7%	17.0%	28.0%	27.0%	30.6%	31.3%	31.3%	**	26.7%
	Cosmetic medicine	5.5%	5.7%	6.1%	7.2%	2.6%	5.8%	6.4%	7.4%	5.2%	6.0%	**	5.1%
	Anesthesia	7.6%	5.7%	6.1%	7.0%	2.6%	4.4%	9.4%	7.5%	6.5%	4.5%	**	4.8%
	Community medicine/ public health services/ health promotion	41.6%	44.5%	35.9%	37.2%	20.3%	29.9%	38.4%	41.6%	35.9%	33.2%	**	30.2%
	Dermatology	47.9%	37.6%	43.1%	41.4%	41.9%	47.1%	49.8%	50.7%	44.4%	49.0%	**	45.7%
	Gynecology	52.6%	46.0%	50.0%	53.5%	53.4%	51.4%	55.3%	56.6%	50.0%	52.1%	**	52.1%
	Liaison to Homecare	29.7%	38.8%	46.5%	43.0%	38.2%	44.9%	45.8%	53.5%	46.1%	47.3%	**	43.8%
	Hospitalist care	15.6%	30.0%	26.0%	34.6%	27.0%	17.5%	25.2%	26.9%	19.3%	16.5%	**	21.3%
	Housecalls	46.9%	37.3%	54.7%	40.9%	38.8%	46.1%	35.7%	29.6%	32.8%	47.8%	**	42.4%
	Infectious disease care	47.3%	49.0%	46.5%	38.9%	33.7%	39.2%	49.9%	51.0%	42.9%	50.3%	**	41.2%
	Mental health care	61.7%	60.5%	59.8%	57.9%	58.8%	60.4%	60.8%	59.7%	59.4%	63.8%	**	60.3%
	Psychotherapy/ counseling	47.6%	57.5%	52.2%	54.3%	49.0%	51.1%	48.4%	46.6%	43.9%	48.2%	**	49.2%
	Substance abuse care	34.8%	48.7%	36.7%	33.5%	15.5%	30.8%	36.7%	38.2%	34.8%	40.1%	**	29.9%
	Nutritional counseling	40.6%	48.0%	49.5%	42.1%	26.7%	40.9%	43.2%	37.8%	40.0%	42.6%	**	38.0%
	Pain management	57.8%	48.4%	62.2%	60.0%	54.5%	55.1%	62.3%	62.7%	58.2%	59.8%	**	56.9%
	Palliative medicine	48.1%	38.8%	54.4%	56.8%	41.3%	43.2%	50.3%	53.1%	46.6%	50.5%	**	45.7%
	Occupational/ industrial medicine	25.1%	23.7%	19.6%	19.0%	12.6%	13.0%	20.4%	25.7%	20.4%	21.9%	**	16.4%
	Rehabilitation medicine	15.0%	14.9%	18.9%	16.4%	12.3%	11.6%	18.5%	17.9%	17.2%	19.9%	**	14.6%
Sports medicine	23.0%	32.9%	28.0%	22.3%	15.1%	24.2%	29.0%	29.6%	31.6%	36.5%	**	25.2%	
Surgery	13.0%	12.4%	10.5%	6.4%	6.3%	5.7%	14.5%	18.9%	8.8%	8.4%	**	7.7%	
Day Surgery	23.5%	5.7%	19.0%	12.9%	3.6%	7.6%	22.6%	29.5%	13.3%	16.9%	**	10.9%	
Surgical assisting	15.4%	11.7%	18.8%	18.6%	2.6%	15.3%	19.5%	24.9%	12.4%	23.0%	**	13.9%	

(continued...)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

Q15 Please indicate if you OFFER the following to your patients. Check all that apply.(continued....)

Question asked of FP/GPs only		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
I (physician) offer	In-patient hospital care	32.5%	51.6%	37.9%	58.7%	25.2%	25.8%	42.0%	56.1%	34.0%	36.3%	**	31.4%
	Intrapartum care	13.0%	.0%	11.8%	12.0%	7.6%	7.9%	14.4%	26.6%	14.0%	12.9%	**	10.5%
	Pre-natal care	54.4%	29.9%	46.3%	42.3%	17.9%	52.9%	54.6%	63.3%	50.6%	39.3%	**	42.2%
	Ante-natal care	43.8%	23.4%	40.7%	33.1%	14.0%	40.5%	43.6%	53.3%	36.7%	32.6%	**	33.0%
	Well child care	52.0%	57.2%	57.1%	58.8%	44.6%	61.3%	52.5%	62.8%	52.2%	55.4%	**	54.8%
	Legal/ medico-legal consultations	13.2%	12.2%	17.1%	6.7%	4.1%	7.5%	9.8%	12.5%	12.0%	15.9%	**	9.2%
	Other service	9.7%	6.2%	11.9%	11.1%	14.4%	7.5%	8.3%	7.1%	8.2%	8.3%	**	9.7%
	NR	8.1%	11.9%	8.6%	6.2%	4.3%	6.4%	6.3%	5.7%	7.3%	8.4%	**	6.4%
Total	N	676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233
	n	115	33	257	194	1432	2219	250	164	752	902	19	6337

Notes:

Includes only respondents who provide patient care.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q15 Please indicate if this is a SPECIFIC AREA OF FOCUS in your practice. Check all that apply.

Question asked of FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Specific area of focus	Emergency medicine	12.9%	16.2%	11.7%	12.9%	13.1%	8.9%	11.2%	9.4%	9.5%	9.9%	**	10.6%
	Alternative/ complementary medicine	2.4%	.0%	.7%	1.8%	1.5%	1.0%	.7%	2.8%	1.1%	1.0%	**	1.2%
	Travel/ tropical medicine	.0%	.0%	.7%	1.9%	1.6%	.9%	.5%	3.6%	1.1%	2.2%	**	1.4%
	Cosmetic medicine	.9%	.0%	.7%	2.0%	1.4%	1.1%	2.1%	1.1%	1.1%	1.5%	**	1.3%
	Anesthesia	2.1%	5.7%	3.1%	4.0%	1.6%	2.2%	4.9%	2.2%	3.4%	1.9%	**	2.4%
	Community medicine/ public health services/ health promotion	2.0%	5.4%	2.0%	2.2%	3.1%	1.8%	3.5%	2.5%	2.2%	1.9%	**	2.3%
	Dermatology	1.0%	.0%	1.2%	1.3%	1.5%	1.0%	.5%	.0%	.8%	1.1%	**	1.1%
	Gynecology	4.5%	2.7%	2.3%	2.4%	5.3%	1.1%	3.8%	2.1%	1.9%	2.7%	**	2.7%
	Liaison to Homecare	.0%	2.7%	1.8%	.7%	3.5%	.6%	.9%	.0%	.9%	1.5%	**	1.5%
	Hospitalist care	1.0%	5.4%	5.7%	5.2%	8.5%	3.7%	2.7%	2.2%	3.6%	2.9%	**	4.7%
	Housecalls	2.9%	.0%	1.5%	1.6%	4.3%	1.4%	.8%	1.1%	1.0%	.9%	**	2.0%
	Infectious disease care	1.0%	.0%	.9%	1.3%	1.5%	1.0%	.8%	1.7%	1.1%	2.0%	**	1.3%
	Mental health care	2.5%	5.4%	3.9%	2.7%	7.1%	3.4%	3.4%	5.6%	4.0%	6.7%	**	4.9%
	Psychotherapy/ counseling	3.0%	8.1%	2.7%	2.3%	4.1%	4.4%	3.3%	5.4%	3.5%	4.4%	**	4.1%
	Substance abuse care	.6%	6.2%	1.6%	3.2%	2.1%	1.8%	2.2%	5.2%	2.8%	4.6%	**	2.5%
	Nutritional counseling	1.0%	5.4%	1.7%	1.2%	1.2%	1.1%	.7%	.6%	.9%	1.3%	**	1.1%
	Pain management	5.0%	11.6%	3.8%	3.7%	5.6%	3.4%	4.0%	4.0%	4.6%	3.8%	**	4.3%
	Palliative medicine	3.8%	8.9%	2.4%	6.8%	6.8%	4.0%	2.8%	4.7%	2.5%	4.1%	**	4.5%
	Occupational/ industrial medicine	3.9%	2.7%	1.6%	3.9%	2.7%	1.1%	3.0%	1.7%	2.7%	1.6%	**	2.0%
	Rehabilitation medicine	.6%	.0%	1.8%	3.1%	3.4%	1.1%	2.1%	1.1%	1.8%	1.1%	**	1.8%
Sports medicine	1.6%	6.5%	1.7%	1.7%	1.7%	1.8%	3.1%	3.0%	2.2%	2.8%	**	2.0%	
Surgery	7.0%	.0%	.8%	2.8%	1.4%	.9%	2.5%	5.0%	1.9%	1.5%	**	1.6%	
Day Surgery	4.1%	.0%	.4%	2.6%	1.1%	.4%	3.0%	5.2%	1.3%	1.2%	**	1.2%	
Surgical assisting	4.9%	.0%	.5%	2.9%	.9%	2.0%	1.8%	1.9%	1.4%	2.2%	**	1.7%	

(continued....)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

Q15 Please indicate if this is a SPECIFIC AREA OF FOCUS in your practice. Check all that apply.(continued....)

Question asked of FP/GPs only		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Specific area of focus	In-patient hospital care	4.1%	2.7%	4.9%	3.6%	6.5%	3.6%	5.0%	3.2%	4.4%	4.4%	**	4.6%
	Intrapartum care	4.0%	.0%	4.2%	4.3%	6.0%	2.5%	3.3%	4.9%	4.8%	4.4%	**	4.1%
	Pre-natal care	2.6%	.0%	4.9%	5.1%	5.2%	2.7%	2.9%	4.7%	5.7%	4.3%	**	4.1%
	Ante-natal care	4.0%	.0%	4.0%	4.2%	4.6%	2.5%	2.3%	4.1%	5.2%	3.9%	**	3.7%
	Well child care	.6%	.0%	3.3%	2.0%	7.0%	2.1%	2.3%	3.7%	3.3%	2.5%	**	3.5%
	Legal/ medico-legal consultations	.0%	.0%	1.1%	1.7%	.9%	.6%	.9%	1.3%	1.2%	.5%	**	.8%
	Other service	2.1%	3.5%	6.1%	5.2%	7.6%	3.5%	4.5%	3.6%	3.6%	3.5%	**	4.6%
	NR	71.9%	57.3%	62.2%	61.5%	51.0%	68.4%	62.7%	61.9%	64.1%	64.3%	**	62.3%
Total	N	676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233
	n	115	33	257	194	1432	2219	250	164	752	902	19	6337

Notes:

Includes only respondents who provide patient care.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q15 Intrapartum care - number of births attended per year.

Question asked of FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA
Number of births attended per year	Up to 10	**	**	**	**	1.9%	6.4%	15.1%	12.2%	6.9%	10.9%	**	7.3%
	More than 10, up to 25	**	**	**	**	1.8%	30.3%	30.5%	25.5%	15.8%	21.2%	**	20.0%
	More than 25, up to 50	**	**	**	**	19.4%	41.4%	26.3%	42.1%	24.6%	37.6%	**	33.2%
	More than 50, up to 75	**	**	**	**	16.7%	5.1%	16.8%	1.8%	13.8%	11.6%	**	10.7%
	More than 75, up to 100	**	**	**	**	22.5%	4.2%	.0%	4.9%	19.4%	12.8%	**	12.0%
	More than 100, up to 150	**	**	**	**	12.4%	2.9%	.0%	4.7%	7.6%	2.2%	**	5.3%
	More than 150, up to 200	**	**	**	**	4.7%	2.6%	5.5%	.0%	4.3%	.0%	**	2.4%
	More than 200	**	**	**	**	9.0%	1.2%	.0%	4.5%	5.9%	1.5%	**	3.6%
	NR	**	**	**	**	11.7%	5.9%	5.9%	4.2%	1.8%	2.2%	**	5.5%
	Total	%	**	**	**	**	100%	100%	100%	100%	100%	100%	**
	N	88	0	141	113	598	898	171	272	525	639	35	3480
	n	14	0	28	23	107	171	35	44	109	120	7	658

Notes:

Includes only respondents who indicated that intrapartum care is offered to patients.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q15 Intrapartum care - number of births attended per year.

Question asked of FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Number of births attended per year	Mean	**	**	**	**	106.10	45.38	40.89	48.97	79.63	47.67	**	61.66
	Median	**	**	**	**	80.00	30.00	30.00	35.00	60.00	35.00	**	40.00
	Mode	**	**	**	**	50.00	30.00	10.00	40.00	100.00	30.00	**	50.00
	Standard Deviation	**	**	**	**	83.34	52.99	42.12	61.16	75.20	45.97	**	64.83
	Minimum	**	**	**	**	1.00	4.00	6.00	2.00	1.00	1.00	**	1.00
	Maximum	**	**	**	**	400.00	500.00	200.00	300.00	400.00	350.00	**	500.00
	N	81	0	136	101	528	845	161	261	516	625	35	3288
	n	13	0	27	21	97	161	33	42	107	117	7	625

Notes:

Includes only respondents who indicated greater than zero number of births attended per year.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q16 Please indicate if you care for the following. Check all that apply.

<i>Other Specialists only</i>		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Please indicate if you care for the following	Neonates (<1 month)	34.5%	**	25.1%	36.2%	28.9%	23.0%	23.5%	24.3%	25.5%	25.3%	**	25.6%
	Infants (1-12 months)	36.1%	**	29.2%	45.8%	32.9%	28.7%	29.7%	38.1%	30.2%	32.5%	**	31.0%
	Children (1-11 years)	42.7%	**	35.3%	54.6%	45.8%	39.9%	41.6%	51.8%	41.9%	48.3%	**	43.2%
	Adolescents (12-19 years)	61.2%	**	62.0%	66.7%	64.4%	61.1%	65.7%	73.0%	63.5%	69.7%	**	63.8%
	Women	87.6%	**	74.6%	82.4%	81.6%	78.5%	76.5%	81.1%	76.7%	81.0%	**	79.4%
	Pregnant women	61.0%	**	52.2%	63.1%	61.8%	56.7%	54.8%	64.7%	57.5%	59.9%	**	58.6%
	Men	77.7%	**	68.3%	79.5%	76.0%	73.6%	70.4%	77.7%	70.6%	75.8%	**	74.1%
	Aged 65-74	75.0%	**	68.3%	81.1%	78.0%	72.9%	69.9%	78.3%	71.1%	75.8%	**	74.3%
	Aged 75 - 89	75.0%	**	67.9%	78.0%	76.1%	69.5%	67.8%	75.6%	68.2%	72.6%	**	71.6%
	Aged 90 and over	68.3%	**	61.7%	77.5%	70.7%	63.2%	60.5%	72.0%	63.3%	67.6%	**	66.0%
	Aboriginal peoples	67.1%	**	76.9%	79.3%	68.0%	69.1%	87.7%	86.6%	80.7%	83.9%	**	73.5%
	Ethnic minorities	74.6%	**	81.2%	81.0%	80.7%	78.6%	88.2%	84.9%	83.4%	85.4%	**	81.0%
	Recent immigrants	72.3%	**	70.6%	69.9%	75.9%	74.6%	85.2%	82.1%	79.1%	81.5%	**	76.6%
	People living in poverty	75.4%	**	77.4%	80.4%	75.9%	74.8%	87.3%	82.5%	80.1%	81.9%	**	77.3%
	Homeless	52.2%	**	48.9%	60.5%	49.4%	50.1%	60.4%	64.8%	64.0%	62.1%	**	53.8%
	Street Involved	49.9%	**	49.4%	47.9%	47.7%	45.4%	60.9%	63.0%	61.5%	60.5%	**	50.8%
	Gay/ Lesbian/ Bisexual/ Transgender	65.4%	**	65.3%	67.1%	67.2%	62.5%	66.3%	69.7%	67.3%	71.5%	**	65.8%
Transient/ seasonal populations	63.8%	**	47.5%	53.2%	47.3%	43.4%	48.9%	53.8%	58.8%	57.0%	**	48.8%	
Populations with specific conditions	88.3%	**	84.9%	86.6%	89.1%	84.8%	88.7%	89.9%	85.1%	88.7%	**	86.7%	
Other patients	5.8%	**	7.2%	3.0%	5.5%	5.2%	3.9%	2.6%	4.6%	5.8%	**	5.2%	

(continued....)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

Q16 Please indicate if you care for the following. Check all that apply.(continued....)

<i>Other Specialists only</i>			Province											
			NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Please indicate if you care for the following	NR		1.5%	**	6.9%	8.3%	3.6%	7.0%	5.1%	6.3%	6.7%	5.8%	**	5.9%
	Total	N	397	89	995	532	7356	11708	1069	600	3136	3971	29	29881
		n	54	16	176	95	1048	2060	200	128	623	718	6	5124

Notes:

Includes only respondents who provide patient care.

Results for patients with specific conditions were aggregated given the complexity and variability of responses.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q16 Please indicate if you care for the following. Check all that apply.

FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
I provide health care for these patients	Neonates (<1 month)	67.5%	75.9%	65.3%	66.9%	47.1%	73.7%	59.8%	66.5%	66.4%	65.1%	**	64.0%
	Infants (1-12 months)	76.0%	75.9%	69.4%	76.1%	61.8%	77.1%	69.0%	73.9%	71.8%	76.6%	**	72.1%
	Children (1-11 years)	76.5%	78.6%	76.1%	82.8%	69.3%	81.1%	75.6%	81.2%	75.1%	78.5%	**	76.8%
	Adolescents (12-19 years)	82.9%	84.8%	79.7%	86.4%	78.3%	84.9%	84.0%	86.9%	80.4%	80.7%	**	82.1%
	Women	88.0%	90.8%	88.4%	89.8%	89.5%	90.4%	92.2%	88.3%	87.1%	87.8%	**	89.3%
	Pregnant women	76.2%	66.7%	65.0%	66.3%	44.5%	74.8%	74.3%	78.6%	71.6%	62.1%	**	64.9%
	Men	87.1%	90.8%	87.5%	89.9%	87.1%	90.8%	92.0%	86.1%	85.2%	87.2%	**	88.4%
	Aged 65-74	87.6%	87.8%	88.8%	90.7%	90.4%	91.3%	93.0%	88.8%	85.8%	87.4%	**	89.7%
	Aged 75 - 89	86.6%	87.8%	88.1%	89.1%	88.8%	89.3%	92.2%	87.0%	84.9%	85.7%	**	88.1%
	Aged 90 and over	84.2%	87.8%	84.5%	85.3%	82.3%	84.4%	84.2%	81.6%	79.4%	81.7%	**	82.9%
	Aboriginal peoples	52.1%	82.1%	70.8%	67.8%	34.9%	64.1%	87.9%	89.9%	79.8%	80.1%	**	63.3%
	Ethnic minorities	61.2%	82.1%	78.5%	68.9%	53.0%	81.0%	83.0%	83.6%	82.5%	82.8%	**	74.2%
	Recent immigrants	43.7%	60.9%	64.9%	55.2%	40.8%	69.7%	76.1%	76.2%	72.0%	73.2%	**	62.9%
	People living in poverty	62.3%	87.8%	80.8%	73.6%	62.1%	73.6%	79.4%	80.5%	74.0%	76.0%	**	71.8%
	Homeless	23.7%	46.0%	40.7%	36.1%	24.0%	35.9%	49.9%	49.4%	48.4%	51.9%	**	37.9%
	Street Involved	19.0%	39.5%	34.9%	30.8%	22.1%	31.3%	42.7%	44.1%	40.0%	46.9%	**	33.3%
	Gay/ Lesbian/ Bisexual/ Transgender	60.0%	75.8%	74.5%	70.1%	61.4%	68.2%	67.0%	65.6%	69.0%	72.5%	**	67.4%
	Transient/ seasonal populations	44.7%	57.9%	47.5%	34.1%	36.8%	35.6%	47.0%	49.1%	49.3%	54.0%	**	41.8%
	Patients with hypertension	81.1%	79.1%	86.4%	83.4%	87.2%	87.1%	90.4%	83.9%	84.3%	86.4%	**	86.5%
	Patients with diabetes	82.1%	79.1%	86.9%	83.3%	88.7%	87.7%	90.0%	84.5%	84.9%	86.8%	**	87.2%
Patients with heart disease/ conditions	80.2%	79.1%	85.7%	82.9%	86.5%	87.7%	89.7%	84.5%	83.3%	85.6%	**	86.2%	
Patients with mental illness	78.6%	84.3%	86.8%	81.8%	87.5%	88.4%	86.2%	86.4%	84.7%	86.9%	**	87.0%	
Patients with obesity	78.5%	79.1%	86.7%	85.0%	84.9%	87.1%	87.3%	83.5%	84.4%	85.0%	**	85.6%	
Patients with cancer	81.0%	79.1%	85.7%	82.4%	84.2%	85.5%	86.7%	81.2%	80.8%	84.6%	**	84.3%	

(continued....)

National Physician Survey, 2010. National Results by Province and Canada

Q16 Please indicate if you care for the following. Check all that apply.(continued....)

FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
I provide health care for these patients	Patients with neurological conditions	78.5%	79.1%	86.2%	81.4%	83.6%	86.0%	84.4%	83.3%	81.3%	84.5%	**	84.2%
	Patients with respiratory conditions	79.1%	79.1%	84.6%	83.0%	87.3%	86.5%	86.4%	84.8%	81.8%	84.3%	**	85.4%
	Patients with HIV/AIDS	34.1%	51.4%	45.3%	45.1%	32.2%	43.2%	47.8%	54.2%	54.5%	59.2%	**	44.8%
	Patients with addictions	65.4%	75.6%	74.3%	73.4%	54.2%	70.7%	73.0%	78.0%	73.6%	77.4%	**	68.6%
	Patients with permanent physical disabilities	75.9%	75.3%	83.3%	81.2%	76.9%	82.6%	82.5%	80.1%	78.6%	82.4%	**	80.5%
	Other patients	.6%	3.0%	2.7%	.9%	2.5%	2.7%	2.9%	1.2%	3.3%	2.4%	**	2.6%
	NR	6.7%	9.2%	6.3%	5.6%	2.9%	4.9%	2.8%	5.9%	6.0%	6.8%	**	4.9%
Total	N	676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233
	n	115	33	257	194	1432	2219	250	164	752	902	19	6337

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q16 Please indicate if this patient population represents more than 10% of your practice population. Check all that apply.

Question asked of FP/GPs only		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
This patient population represents more than 10% of my practice population	Aged 65-74	30.5%	25.9%	35.2%	34.7%	33.9%	27.6%	35.6%	21.6%	22.8%	27.1%	**	29.0%
	Aged 75 - 89	24.3%	17.2%	24.5%	27.1%	29.1%	18.0%	25.7%	18.7%	16.3%	19.2%	**	21.5%
	Aged 90 and over	7.3%	.0%	5.5%	4.6%	8.0%	3.0%	4.9%	4.4%	3.5%	3.3%	**	4.6%
	Aboriginal peoples	6.4%	.0%	2.4%	3.2%	1.5%	1.9%	17.0%	19.6%	6.3%	6.0%	**	4.2%
	Ethnic minorities	2.7%	.0%	2.7%	1.3%	3.7%	8.0%	6.3%	2.9%	6.3%	7.4%	**	5.9%
	Recent immigrants	2.7%	.0%	2.3%	1.5%	2.4%	4.7%	4.2%	1.3%	2.2%	3.3%	**	3.3%
	People living in poverty	5.9%	5.4%	5.3%	8.7%	5.5%	6.1%	10.4%	7.6%	5.7%	7.2%	**	6.3%
	Homeless	1.2%	.0%	.3%	2.5%	.8%	1.2%	1.7%	2.6%	2.6%	3.3%	**	1.6%
	Street Involved	1.2%	.0%	.3%	1.8%	.7%	1.3%	1.2%	2.6%	3.7%	3.7%	**	1.8%
	Gay/ Lesbian/ Bisexual/ Transgender	2.2%	.0%	.3%	.7%	1.1%	1.1%	.5%	1.3%	1.0%	2.0%	**	1.2%
	Transient/ seasonal populations	2.7%	.0%	2.8%	2.2%	.5%	1.2%	.3%	.6%	1.7%	1.6%	**	1.2%
	Patients with hypertension	28.8%	25.6%	26.4%	26.1%	27.3%	21.1%	26.2%	24.1%	19.2%	19.3%	**	22.9%
	Patients with diabetes	29.6%	20.2%	21.7%	25.0%	26.4%	20.7%	26.5%	21.1%	16.8%	14.8%	**	21.3%
	Patients with heart disease/ conditions	21.0%	20.2%	17.1%	18.8%	22.8%	15.8%	20.3%	16.5%	13.4%	14.3%	**	17.4%
	Patients with mental illness	19.0%	14.2%	14.4%	11.6%	19.3%	13.9%	12.6%	15.3%	14.3%	14.6%	**	15.4%
	Patients with obesity	21.3%	14.2%	20.1%	22.6%	13.5%	13.4%	19.6%	14.9%	15.2%	11.4%	**	14.3%
	Patients with cancer	6.1%	2.7%	5.8%	7.8%	7.5%	4.4%	3.6%	4.1%	3.9%	4.2%	**	5.2%
	Patients with neurological conditions	3.1%	.0%	3.6%	2.8%	5.7%	3.2%	3.1%	2.1%	2.6%	2.7%	**	3.6%
	Patients with respiratory conditions	11.6%	9.0%	11.8%	11.8%	13.9%	8.1%	10.0%	9.4%	8.7%	8.6%	**	10.0%
	Patients with HIV/AIDS	2.0%	.0%	.3%	.7%	.8%	.7%	.9%	1.9%	1.1%	2.3%	**	1.1%
Patients with addictions	2.8%	3.5%	2.5%	4.0%	2.6%	3.2%	4.4%	9.0%	4.8%	5.5%	**	3.8%	
Patients with permanent physical disabilities	3.1%	3.0%	3.2%	2.9%	4.9%	2.8%	2.7%	.0%	2.5%	1.8%	**	3.0%	

(continued....)

National Physician Survey, 2010. National Results by Province and Canada

Q16 Please indicate if this patient population represents more than 10% of your practice population. Check all that apply.(continued....)

Question asked of FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
This patient population represents more than 10% of my practice population	Other patients	.0%	.0%	1.4%	.0%	1.7%	1.1%	2.1%	.0%	1.2%	1.0%	**	1.2%
	NR to '10% of practice'	45.3%	56.0%	47.2%	44.0%	46.3%	51.6%	45.2%	51.5%	54.2%	51.0%	**	49.8%
	NR	6.7%	9.2%	6.3%	5.6%	2.9%	4.9%	2.8%	5.9%	6.0%	6.8%	**	4.9%
	Total												
	N	676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233
	n	115	33	257	194	1432	2219	250	164	752	902	19	6337

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q17a Do you do call?

			Province												
			NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA	
Do you do call	Yes		73.9%	68.9%	71.3%	80.8%	69.6%	70.4%	69.3%	80.1%	71.0%	66.5%	**	70.3%	
	No		20.8%	18.4%	21.4%	14.1%	26.1%	23.6%	25.1%	13.4%	23.2%	27.2%	**	24.1%	
	NR		5.3%	12.7%	7.3%	5.1%	4.3%	6.1%	5.6%	6.5%	5.8%	6.3%	**	5.7%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125		63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25		11461	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q17a Describe your on-call activity. Check all that apply.

	Province												
	NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA	
Obstetrical on-call	9.7%	.0%	11.4%	16.0%	12.9%	10.9%	15.0%	24.8%	16.0%	16.4%	**	13.4%	
On-call for hospital in-patients	64.4%	78.5%	71.5%	84.1%	69.3%	61.4%	77.5%	82.1%	68.4%	71.7%	**	67.7%	
On-call for non-hospitalized patients - telephone availability only	7.5%	11.1%	12.9%	12.5%	14.8%	19.1%	17.8%	16.0%	22.4%	18.7%	**	17.6%	
On-call for non-hospitalized patients - telephone availability and see patients as required	46.8%	15.3%	40.6%	33.0%	36.5%	37.5%	39.4%	54.1%	35.5%	42.8%	**	38.4%	
On-call for regional referrals	41.9%	33.8%	33.7%	32.2%	21.0%	21.4%	34.0%	37.9%	35.2%	30.6%	**	26.2%	
Emergency room on-call	48.4%	39.1%	38.7%	34.4%	41.4%	35.7%	40.6%	46.2%	38.6%	39.1%	**	38.6%	
Nursing home/ LTC facility on-call	16.4%	20.2%	19.4%	17.7%	14.3%	13.5%	19.7%	30.1%	19.0%	22.8%	**	16.7%	
Call: Other	8.4%	14.7%	8.8%	7.8%	8.7%	8.5%	8.2%	4.4%	8.5%	8.2%	**	8.4%	
NR	.9%	.0%	1.3%	1.4%	1.0%	1.0%	.6%	.9%	.7%	.5%	**	.9%	
Total	N	793	167	1560	1190	10583	16263	1565	1300	4883	5939	100	44343
	n	122	34	302	227	1670	2925	304	233	959	1057	20	7853

Notes:

Includes only respondents who indicated that they provide on-call.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q17b Please estimate your average number of on-call work hours PER MONTH.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Your average number of on-call work hours PER MONTH:	Up to 120 hours/month	45.2%	50.9%	60.1%	53.3%	61.3%	68.1%	56.0%	51.5%	65.9%	59.9%	**	63.0%	
	More than 120, up to 180	24.9%	24.0%	18.4%	20.8%	19.5%	12.6%	17.1%	20.0%	16.4%	19.5%	**	16.7%	
	More than 180, up to 240	7.2%	9.3%	8.2%	10.7%	8.0%	7.2%	10.3%	9.5%	6.0%	7.1%	**	7.6%	
	More than 240	16.5%	10.5%	11.0%	13.2%	8.1%	9.1%	14.5%	15.5%	9.5%	10.4%	**	9.8%	
	NR	6.2%	5.3%	2.3%	2.0%	3.2%	3.1%	2.2%	3.4%	2.3%	3.1%	**	3.0%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	793	167	1560	1190	10583	16263	1565	1300	4883	5939	100	44343
n		122	34	302	227	1670	2925	304	233	959	1057	20	7853	

Notes:

Includes only respondents who indicated that they provide on-call.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q17b Please estimate your average number of on-call work hours PER MONTH.

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Your average number of on-call work hours PER MONTH:	Mean	171.59	151.97	135.93	157.33	122.08	119.45	147.51	158.58	124.48	135.21	**	127.55
	Median	130.00	120.00	100.00	120.00	100.00	76.00	100.00	120.00	95.00	100.00	**	96.00
	Mode	96.00	100.00	100.00	100.00	168.00	48.00	100.00	120.00	120.00	100.00	**	100.00
	Standard Deviation	148.45	112.32	137.89	143.09	110.03	139.80	137.88	135.14	128.38	138.44	**	132.16
	Minimum	1.00	3.00	2.00	2.00	1.00	1.00	4.00	5.00	1.00	1.00	**	1.00
	Maximum	720.00	576.00	720.00	720.00	720.00	720.00	720.00	720.00	720.00	720.00	**	720.00
	N	743	158	1524	1166	10248	15767	1531	1255	4774	5757	95	43018
	n	114	32	296	222	1612	2826	297	224	937	1025	19	7604

Notes:

Includes only respondents who indicated greater than zero on-call hours.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q17c Please estimate how many of your on-call hours each month are actually spent in direct patient care (e.g., phone, email, face-to-face).

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Estimate how many of your on-call hours each month are actually spent in direct patient care	Up to 10 hours/month	19.4%	16.0%	36.1%	24.7%	23.9%	39.5%	32.6%	19.5%	30.4%	32.4%	**	32.0%
	More than 10, up to 40	29.4%	35.1%	33.8%	36.0%	28.6%	30.5%	33.7%	32.3%	29.0%	31.9%	**	30.6%
	More than 40	44.5%	40.4%	26.4%	33.9%	38.6%	23.7%	28.4%	40.1%	35.7%	30.9%	**	31.0%
	NR or zero hours	6.7%	8.6%	3.7%	5.4%	8.9%	6.3%	5.3%	8.1%	4.9%	4.7%	**	6.5%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**
	N	793	167	1560	1190	10583	16263	1565	1300	4883	5939	100	44343
	n	122	34	302	227	1670	2925	304	233	959	1057	20	7853

Notes:

Includes only respondents who indicated that they provide on-call.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q17c Please estimate how many of your on-call hours each month are actually spent in direct patient care (e.g., phone, email, face-to-face).

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Estimate how many of your on-call hours each month are actually spent in direct patient care	Mean	57.22	49.51	35.78	47.56	53.10	31.69	40.93	51.36	42.18	35.71	**	40.45
	Median	40.00	35.00	20.00	30.00	30.00	16.00	20.00	40.00	30.00	23.00	**	20.00
	Mode	30.00	60.00	10.00	10.00	10.00	10.00	20.00	40.00	1.00	20.00	**	10.00
	Standard Deviation	51.50	46.35	47.99	62.03	68.52	41.80	59.01	48.60	47.25	37.35	**	51.93
	Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	**	1.00
	Maximum	280.00	200.00	400.00	600.00	720.00	480.00	500.00	300.00	480.00	300.00	**	720.00
	N	740	153	1502	1126	9644	15231	1481	1195	4646	5657	95	41469
	n	114	31	291	215	1517	2730	288	214	911	1004	19	7334

Notes:

Includes only respondents who indicated greater than zero on-call hours spent in direct patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q17d Do you ever spend continuous 24-hour periods of on-call time in direct patient care?

		Province											CANADA	
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU		
Do you ever spend continuous 24-hour periods of on-call time in direct patient care?	Yes	57.8%	40.7%	47.6%	57.0%	47.4%	42.0%	47.9%	54.7%	53.1%	47.9%	**	46.8%	
	No	40.6%	56.0%	51.3%	40.6%	50.8%	56.9%	50.2%	44.8%	45.6%	51.3%	**	51.9%	
	NR	1.6%	3.3%	1.2%	2.4%	1.8%	1.1%	1.9%	.5%	1.3%	.8%	**	1.3%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	793	167	1560	1190	10583	16263	1565	1300	4883	5939	100	44343
	n	122	34	302	227	1670	2925	304	233	959	1057	20	7853	

Notes:

Includes only respondents who indicated that they provide on-call.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q17d After spending a continuous 24-hour period of on-call time in direct patient care, are you ever required to provide direct patient care immediately after these 24-hour periods?

		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA	
If yes, are you ever required to provide direct patient care immediately after these 24-hour periods?	Yes	88.4%	**	86.3%	77.6%	79.1%	77.1%	82.1%	79.2%	77.5%	86.1%	**	79.8%	
	No	10.3%	**	12.9%	18.8%	19.3%	21.4%	16.6%	19.7%	22.0%	12.7%	**	18.9%	
	NR	1.4%	**	.8%	3.6%	1.6%	1.4%	1.3%	1.0%	.5%	1.1%	**	1.3%	
	Total	%	100%	**	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	458	68	742	678	5016	6826	750	712	2594	2844	65	20752
	n	69	14	138	125	781	1188	145	132	505	500	13	3610	

Notes:

Includes only respondents who indicated that they spend 24-hour periods of on-call time in direct patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q17e Please estimate the number of patients you SEE on-call per month.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	
Estimate the number of patients you SEE on-call per month:	Up to 15 patients/month	28.4%	18.0%	38.6%	25.0%	31.8%	40.7%	35.1%	25.4%	35.4%	40.9%	**	36.6%
	More than 15, up to 30	28.5%	12.5%	22.9%	29.1%	20.0%	21.0%	20.6%	20.8%	19.6%	18.4%	**	20.6%
	More than 30, up to 45	6.8%	13.6%	9.9%	9.8%	7.8%	8.0%	9.2%	11.9%	7.5%	8.2%	**	8.2%
	More than 45, up to 60	8.0%	8.5%	6.5%	12.6%	9.9%	8.3%	10.1%	11.2%	8.9%	9.0%	**	9.0%
	More than 60	21.5%	27.8%	13.3%	16.6%	20.2%	13.0%	15.7%	21.6%	19.9%	15.5%	**	16.5%
	NR or zero	6.7%	19.7%	8.8%	6.8%	10.2%	9.1%	9.3%	9.1%	8.6%	7.9%	**	9.1%
	Total												**
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	793	167	1560	1190	10583	16263	1565	1300	4883	5939	100	44343
	n	122	34	302	227	1670	2925	304	233	959	1057	20	7853

Notes:

Includes only respondents who indicated that they provide on-call.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q17e Please estimate the number of patients you SEE on-call per month.

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Estimate the number of patients you SEE on-call per month:	Mean	57.09	**	47.88	62.18	59.12	43.62	42.92	64.18	57.61	43.65	**	50.53
	Median	30.00	**	20.00	30.00	30.00	20.00	25.00	30.00	30.00	23.00	**	25.00
	Mode	30.00	**	20.00	30.00	20.00	20.00	20.00	20.00	20.00	10.00	**	20.00
	Standard Deviation	91.89	**	96.02	186.93	97.66	78.91	58.53	95.15	80.83	75.99	**	89.58
	Minimum	1.00	**	1.00	1.00	.01	.00	1.00	1.00	1.00	1.00	**	.00
	Maximum	750.00	**	1000.00	2600.00	980.00	1000.00	600.00	816.00	600.00	1000.00	**	2600.00
	N	740	134	1376	1099	9241	13693	1345	1163	4099	5151	95	38136
n	113	27	268	211	1448	2440	259	208	800	911	19	6704	

Notes:

Includes only respondents who indicated greater than zero on-call hours.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q18 Average weekly work hours - excluding on-call activities.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Direct patient care without a teaching component, regardless of setting	Mean	27.16	28.43	25.56	30.98	24.18	26.59	24.95	28.97	25.10	27.39	**	26.04
Direct patient care with a teaching component, regardless of setting	Mean	8.15	4.81	7.47	4.52	6.69	6.49	8.40	6.74	8.63	5.24	**	6.66
Teaching/Education without direct patient care	Mean	2.42	.78	1.87	1.20	1.75	1.58	1.94	1.61	1.81	1.29	**	1.63
Indirect patient care	Mean	6.79	5.60	6.24	6.37	4.90	6.43	5.96	6.71	6.35	6.66	**	6.06
Health facility committees (academic planning committees)	Mean	.97	.62	1.26	.89	.75	.82	.99	1.07	.92	.76	**	.83
Administration	Mean	1.75	3.01	2.82	1.63	2.74	2.49	2.99	3.01	2.74	2.06	**	2.53
Research (including management of research and publications)	Mean	1.52	1.30	1.43	.33	1.48	1.82	1.69	.97	2.03	1.03	**	1.56
Managing your practice	Mean	1.70	.87	1.39	1.75	1.20	1.95	1.44	1.84	1.61	1.74	**	1.64
Continuing medical education/professional development	Mean	3.77	3.19	3.00	2.85	3.02	3.36	3.34	3.44	2.98	3.01	**	3.17
Other work activity, specified	Mean	.93	.75	1.36	1.18	1.73	1.16	.71	1.48	1.06	1.32	**	1.31
Total hours worked per week	Mean	55.14	49.37	52.41	51.70	48.43	52.69	52.43	55.85	53.23	50.49	**	51.43
Total	N	977	233	2066	1374	15239	22125	2108	1542	6436	8594	120	60814
	n	154	47	411	270	2493	4118	422	278	1288	1564	24	11069

Notes:

Includes only respondents who indicated greater than zero hours per week.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q19a In the last year, have you used any locum tenens?

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Used any locum tenens?	Yes	30.7%	23.4%	19.0%	20.2%	9.5%	14.2%	9.6%	16.1%	23.4%	30.4%	**	16.9%	
	No, locum not available	27.8%	41.6%	25.7%	29.3%	40.6%	26.7%	30.3%	29.0%	23.9%	21.7%	**	29.3%	
	No, locum not needed	29.3%	26.3%	45.4%	40.5%	43.1%	50.8%	51.0%	43.6%	44.2%	37.1%	**	45.2%	
	NR	12.2%	8.6%	9.9%	10.0%	6.9%	8.3%	9.2%	11.4%	8.5%	10.8%	**	8.6%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q19b In the last year, have you personally provided locum tenens services for another physician?

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Personally provided locum tenens services for another physician?	Yes	13.8%	12.1%	10.1%	12.3%	11.9%	9.9%	7.5%	11.5%	13.0%	19.0%	**	12.2%	
	No	76.9%	79.4%	75.8%	73.8%	81.0%	77.9%	81.0%	73.5%	74.1%	68.1%	**	76.7%	
	NR	9.3%	8.5%	14.2%	13.9%	7.2%	12.1%	11.5%	15.0%	12.9%	12.9%	**	11.2%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q20a Do you regularly work as a visiting physician?

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Do you regularly work as a visiting physician?	Yes	8.6%	10.9%	9.9%	6.2%	6.2%	5.6%	10.6%	12.8%	8.0%	9.1%	**	7.2%	
	No	84.6%	79.1%	82.2%	86.4%	88.3%	87.5%	83.1%	76.7%	84.8%	82.5%	**	85.9%	
	NR	6.8%	10.0%	7.9%	7.4%	5.5%	6.9%	6.3%	10.5%	7.2%	8.4%	**	6.9%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q20b How many days per month do you practice as a visiting physician?

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
How many days per month do you practice as a visiting physician?	1 day	**	**	37.4%	**	27.8%	30.8%	24.9%	23.0%	28.6%	30.8%	**	29.6%
	2 days	**	**	21.3%	**	21.5%	19.5%	14.2%	22.8%	15.0%	24.7%	**	20.0%
	3 days	**	**	6.2%	**	11.5%	5.0%	20.1%	10.1%	14.3%	10.6%	**	10.5%
	4 days	**	**	12.0%	**	7.8%	10.5%	4.4%	13.2%	12.1%	6.4%	**	8.9%
	5 days	**	**	6.9%	**	8.0%	7.1%	8.2%	3.5%	5.9%	6.1%	**	7.0%
	More than 5 days	**	**	9.9%	**	18.0%	19.9%	20.2%	21.7%	18.6%	14.0%	**	17.5%
	NR	**	**	6.3%	**	5.4%	7.2%	8.0%	5.6%	5.6%	7.5%	**	6.5%
Total	%	**	**	100%	**	100%	100%	100%	100%	100%	100%	**	100%
	N	95	27	224	95	1006	1351	250	224	563	863	65	4762
	n	14	5	43	20	147	242	47	39	115	154	13	839

Notes:

Includes only respondents who regularly work as a visiting physician.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q20b How many days per month do you practice as a visiting physician?

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
How many days per month do you practice as a visiting physician?	Mean	**	**	3.05	**	4.13	4.26	3.98	4.28	3.90	3.48	**	3.95
	Median	**	**	2.00	**	2.00	2.00	3.00	3.00	3.00	2.00	**	2.00
	Mode	**	**	1.00	**	1.00	1.00	1.00	1.00	1.00	1.00	**	1.00
	Standard Deviation	**	**	3.05	**	4.97	5.02	3.68	4.04	4.21	4.04	**	4.57
	Minimum	**	**	1.00	**	1.00	1.00	1.00	1.00	1.00	1.00	**	1.00
	Maximum	**	**	15.00	**	30.00	31.00	20.00	15.00	30.00	30.00	**	31.00
	N	88	27	210	91	952	1254	230	211	532	798	60	4453
	n	13	5	40	19	139	224	43	37	108	142	12	782

Notes:

Includes only respondents who regularly work as a visiting physician, and who indicated greater than zero days.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Accredited conferences/courses or events in person		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA	
Use: Attending live accredited conferences, courses or events in-person	Never	2.3%	2.2%	1.8%	1.4%	1.5%	1.8%	1.9%	1.1%	1.3%	1.8%	**	1.7%	
	Once a year	17.5%	21.4%	16.0%	17.9%	7.0%	16.0%	18.6%	12.2%	21.6%	16.9%	**	14.6%	
	Once every six months	50.1%	55.0%	49.9%	47.2%	32.5%	44.4%	39.9%	46.0%	47.7%	47.9%	**	42.7%	
	Once a month	13.4%	13.8%	13.6%	15.2%	25.7%	17.1%	17.0%	15.5%	11.3%	14.6%	**	17.9%	
	More than once a month	6.3%	1.9%	9.7%	10.7%	26.8%	11.9%	14.2%	14.1%	9.2%	10.0%	**	14.9%	
	NR	10.3%	5.8%	9.0%	7.6%	6.6%	8.8%	8.4%	11.1%	8.8%	8.8%	**	8.3%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	**	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	**	12076	
Impact: Attending live accredited conferences, courses or events in-person	Very insignificant	2.5%	.0%	2.4%	2.6%	1.0%	3.9%	5.6%	3.2%	3.2%	3.4%	**	3.0%	
	Somewhat insignificant	4.5%	13.3%	6.2%	4.4%	1.9%	5.0%	4.3%	5.2%	4.9%	5.1%	**	4.3%	
	Neutral	2.8%	3.8%	9.0%	7.9%	7.8%	8.3%	8.2%	6.5%	8.3%	7.3%	**	7.9%	
	Somewhat significant	32.5%	37.8%	38.1%	38.0%	43.8%	38.5%	38.9%	34.6%	38.2%	39.5%	**	39.7%	
	Very significant	40.1%	28.2%	30.6%	31.2%	30.1%	29.9%	30.8%	34.3%	32.3%	29.7%	**	30.6%	
	Don't use	1.7%	2.2%	.7%	1.1%	1.0%	1.0%	.8%	.3%	.6%	1.1%	**	.9%	
	NR	15.8%	14.7%	12.9%	14.7%	14.4%	13.4%	11.3%	16.0%	12.4%	13.8%	**	13.6%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
N		1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Unaccredited conferences/courses or events in person		Province											NT/YT/NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Use: Attending live unaccredited conferences, courses or events in-person	Never	17.3%	15.4%	21.6%	20.8%	13.1%	18.5%	21.6%	19.9%	20.9%	20.6%	**	18.1%	
	Once a year	18.9%	21.9%	23.3%	20.1%	13.8%	18.2%	16.8%	24.0%	24.4%	20.3%	**	18.4%	
	Once every six months	25.5%	30.9%	24.1%	22.2%	25.3%	25.3%	24.7%	19.3%	24.4%	23.9%	**	24.7%	
	Once a month	14.9%	15.7%	12.6%	15.2%	21.3%	16.6%	16.4%	13.7%	11.1%	14.4%	**	16.5%	
	More than once a month	6.2%	1.9%	6.1%	6.9%	14.2%	8.3%	6.1%	7.1%	5.1%	6.8%	**	8.9%	
	NR	17.2%	14.2%	12.3%	14.9%	12.3%	13.2%	14.4%	16.0%	13.9%	14.0%	**	13.3%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Impact: Attending live unaccredited conferences, courses or events in-person	Very insignificant	3.8%	3.8%	6.1%	6.8%	3.0%	5.3%	5.7%	4.4%	4.6%	4.7%	**	4.6%	
	Somewhat insignificant	3.6%	2.2%	7.9%	5.9%	5.5%	6.6%	6.9%	6.7%	6.9%	6.6%	**	6.3%	
	Neutral	12.5%	5.9%	16.6%	19.5%	18.6%	16.4%	18.9%	14.8%	16.1%	15.7%	**	16.8%	
	Somewhat significant	30.5%	40.3%	30.0%	24.6%	30.3%	29.5%	26.1%	28.5%	28.6%	28.9%	**	29.3%	
	Very significant	13.9%	11.0%	8.0%	8.3%	13.5%	10.7%	9.1%	9.7%	9.1%	9.5%	**	10.9%	
	Don't use	13.9%	11.5%	15.7%	14.6%	10.4%	14.2%	17.0%	15.0%	17.3%	16.5%	**	14.1%	
	NR	21.8%	25.2%	15.7%	20.3%	18.6%	17.3%	16.2%	20.9%	17.5%	18.1%	**	17.9%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
N		1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Reading peer-reviewed journals		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA	
Use: Reading peer-reviewed journals	Never	.7%	4.0%	2.9%	8.2%	13.6%	2.5%	2.5%	1.1%	1.8%	2.3%	**	5.2%	
	Once a year	1.2%	8.0%	3.0%	4.0%	4.6%	2.7%	3.7%	4.0%	3.1%	3.9%	**	3.5%	
	Once every six months	9.5%	5.7%	5.9%	6.6%	8.6%	6.9%	6.0%	10.3%	7.6%	7.1%	**	7.5%	
	Once a month	23.4%	12.2%	21.0%	29.6%	21.8%	23.2%	24.3%	24.4%	27.4%	25.4%	**	23.7%	
	More than once a month	54.6%	60.2%	57.5%	42.3%	40.2%	55.0%	54.6%	48.1%	49.8%	50.9%	**	49.8%	
	NR	10.6%	9.9%	9.6%	9.2%	11.2%	9.7%	9.0%	12.2%	10.3%	10.4%	**	10.3%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Impact: Reading peer-reviewed journals	Very insignificant	3.2%	.0%	2.5%	3.7%	3.6%	3.1%	3.7%	5.2%	1.8%	3.3%	**	3.2%	
	Somewhat insignificant	6.7%	4.1%	3.8%	6.5%	2.8%	4.9%	7.1%	4.5%	5.2%	5.6%	**	4.6%	
	Neutral	7.1%	11.6%	14.5%	9.7%	9.2%	12.8%	13.4%	11.7%	13.1%	13.6%	**	11.9%	
	Somewhat significant	30.8%	35.4%	37.6%	36.7%	31.4%	35.5%	30.3%	34.8%	39.9%	38.1%	**	35.2%	
	Very significant	33.9%	25.7%	25.3%	21.0%	24.6%	26.8%	30.2%	26.4%	24.9%	21.9%	**	25.4%	
	Don't use	.7%	4.0%	2.0%	5.9%	10.2%	1.7%	1.8%	.3%	1.5%	1.5%	**	3.8%	
	NR	17.6%	19.1%	14.2%	16.5%	18.1%	15.1%	13.4%	17.2%	13.6%	15.9%	**	15.8%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
N		1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Reading non peer-reviewed medical publications		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA	
Use: Reading non peer-reviewed medical publications	Never	18.6%	10.2%	21.3%	20.1%	14.6%	18.1%	22.9%	21.6%	23.7%	21.8%	**	18.8%	
	Once a year	9.4%	10.1%	11.8%	12.2%	9.2%	10.5%	9.6%	12.4%	11.2%	11.5%	**	10.5%	
	Once every six months	12.5%	14.0%	16.2%	10.2%	12.6%	13.7%	15.3%	10.5%	15.2%	11.3%	**	13.2%	
	Once a month	22.1%	25.7%	19.4%	25.5%	21.3%	21.9%	19.0%	19.1%	18.9%	21.2%	**	21.1%	
	More than once a month	20.2%	28.1%	17.8%	15.9%	30.6%	21.6%	18.9%	18.3%	16.2%	19.4%	**	22.5%	
	NR	17.2%	11.9%	13.5%	16.0%	11.8%	14.2%	14.3%	18.1%	14.7%	14.8%	**	13.9%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Impact: Reading non peer-reviewed medical publications	Very insignificant	5.9%	4.0%	9.7%	5.9%	5.3%	7.7%	10.0%	10.9%	8.0%	6.9%	**	7.2%	
	Somewhat insignificant	10.9%	7.4%	13.1%	11.0%	8.3%	11.9%	11.7%	9.6%	12.3%	11.7%	**	11.0%	
	Neutral	17.5%	22.4%	21.7%	21.6%	19.1%	21.7%	22.6%	18.2%	19.8%	21.2%	**	20.6%	
	Somewhat significant	17.2%	35.0%	17.5%	18.8%	24.6%	19.6%	16.4%	14.9%	18.5%	18.1%	**	20.2%	
	Very significant	11.9%	2.3%	4.3%	4.7%	12.3%	6.4%	5.0%	8.7%	4.6%	4.4%	**	7.4%	
	Don't use	16.0%	8.1%	16.0%	16.3%	11.6%	14.1%	16.4%	15.7%	18.5%	18.3%	**	14.8%	
	NR	20.6%	20.8%	17.7%	21.8%	18.8%	18.7%	17.9%	21.9%	18.2%	19.5%	**	18.9%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
N		1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Using evidence-based resources		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Use: Using evidence-based resources	Never	2.3%	5.8%	4.4%	6.3%	3.9%	6.0%	5.2%	4.4%	3.9%	4.7%	**	4.9%	
	Once a year	3.0%	8.1%	8.2%	9.0%	6.2%	8.0%	8.9%	5.2%	8.5%	7.6%	**	7.4%	
	Once every six months	16.6%	8.9%	16.4%	15.1%	19.1%	18.1%	18.1%	13.6%	18.4%	15.9%	**	17.7%	
	Once a month	25.1%	26.1%	31.0%	25.8%	28.9%	25.1%	19.9%	20.5%	24.0%	24.8%	**	25.8%	
	More than once a month	37.3%	41.3%	28.7%	30.3%	30.8%	30.2%	35.7%	40.1%	33.3%	34.8%	**	32.0%	
	NR	15.7%	9.7%	11.3%	13.5%	11.1%	12.7%	12.3%	16.2%	11.9%	12.1%	**	12.2%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Impact: Using evidence-based resources	Very insignificant	2.6%	1.7%	3.3%	2.7%	1.9%	4.1%	4.3%	6.7%	2.9%	3.9%	**	3.4%	
	Somewhat insignificant	3.5%	4.0%	3.3%	4.1%	2.7%	5.8%	4.4%	4.2%	5.1%	5.5%	**	4.6%	
	Neutral	12.7%	2.3%	14.1%	11.4%	8.3%	11.6%	14.3%	10.5%	13.4%	11.2%	**	11.0%	
	Somewhat significant	27.3%	32.4%	32.2%	27.1%	31.2%	27.3%	25.4%	24.4%	28.0%	27.9%	**	28.5%	
	Very significant	31.7%	33.0%	27.2%	28.8%	33.7%	28.8%	30.5%	30.6%	31.4%	29.7%	**	30.5%	
	Don't use	1.7%	4.1%	3.5%	4.5%	2.9%	4.2%	3.9%	2.3%	2.9%	4.0%	**	3.6%	
	NR	20.5%	22.5%	16.4%	21.4%	19.3%	18.3%	17.1%	21.4%	16.4%	17.8%	**	18.4%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
N		1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Using computer-based, offline education (e.g., CD-ROM, DVD)		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA
Use: Using computer-based, offline education (e.g., CD-ROM, DVD)	Never	26.7%	34.2%	35.2%	31.2%	35.2%	31.9%	28.3%	25.1%	30.3%	30.8%	**	32.1%
	Once a year	14.0%	11.9%	16.8%	16.4%	22.4%	17.4%	16.7%	15.8%	19.6%	16.4%	**	18.5%
	Once every six months	15.9%	6.2%	14.6%	17.1%	15.4%	15.9%	18.2%	14.3%	14.5%	15.6%	**	15.6%
	Once a month	14.6%	15.3%	10.1%	9.8%	8.8%	10.3%	10.1%	11.9%	10.2%	11.5%	**	10.2%
	More than once a month	11.9%	17.7%	10.2%	9.8%	5.8%	10.8%	13.6%	15.9%	12.3%	12.8%	**	10.3%
	NR	16.8%	14.7%	13.1%	15.6%	12.5%	13.8%	13.1%	16.9%	13.1%	12.9%	**	13.4%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076
Impact: Using computer-based, offline education (e.g., CD-ROM, DVD)	Very insignificant	5.6%	3.6%	9.5%	7.1%	8.9%	7.5%	7.6%	9.0%	7.2%	6.8%	**	7.8%
	Somewhat insignificant	9.2%	3.9%	7.9%	7.5%	9.0%	7.5%	7.6%	9.0%	8.5%	7.1%	**	8.0%
	Neutral	15.1%	4.4%	15.4%	13.4%	15.7%	14.8%	16.7%	12.0%	15.0%	14.6%	**	15.0%
	Somewhat significant	19.2%	20.8%	15.9%	17.7%	15.2%	17.2%	16.8%	18.4%	17.7%	18.6%	**	17.0%
	Very significant	9.2%	15.9%	8.7%	8.4%	5.7%	9.4%	11.0%	13.1%	10.9%	10.3%	**	8.9%
	Don't use	18.7%	30.6%	25.5%	23.8%	27.1%	25.7%	22.0%	17.9%	23.5%	24.9%	**	25.2%
	NR	22.8%	20.7%	17.2%	22.1%	18.3%	17.9%	18.4%	20.7%	17.2%	17.6%	**	18.1%
Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Using internet-based education / eLearning		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Use: Using internet-based education / eLearning (e.g., online courses, webinars)	Never	15.0%	15.2%	17.8%	16.5%	29.0%	17.7%	19.9%	13.4%	18.3%	16.1%	**	20.2%	
	Once a year	7.3%	8.4%	13.0%	14.8%	13.3%	12.8%	11.0%	14.3%	13.6%	12.4%	**	12.9%	
	Once every six months	16.7%	11.3%	19.8%	17.1%	14.7%	17.1%	15.0%	16.8%	16.9%	18.4%	**	16.7%	
	Once a month	19.4%	32.6%	15.5%	20.7%	15.4%	18.9%	16.8%	16.9%	17.5%	19.3%	**	17.8%	
	More than once a month	26.3%	22.2%	20.8%	18.2%	15.4%	20.9%	25.3%	22.6%	20.6%	22.1%	**	20.0%	
	NR	15.3%	10.3%	13.1%	12.7%	12.2%	12.5%	12.0%	16.0%	13.1%	11.6%	**	12.5%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Impact: Using internet-based education / eLearning (e.g., online courses, webinars)	Very insignificant	5.0%	1.9%	6.0%	5.7%	7.2%	6.2%	8.6%	6.5%	4.9%	5.7%	**	6.3%	
	Somewhat insignificant	5.2%	1.7%	5.9%	7.5%	7.1%	7.1%	6.1%	8.0%	7.0%	6.8%	**	6.9%	
	Neutral	15.6%	5.5%	17.6%	14.0%	15.4%	15.2%	13.3%	12.9%	14.3%	15.1%	**	15.0%	
	Somewhat significant	22.4%	28.7%	23.4%	19.7%	20.0%	22.1%	21.6%	23.2%	25.7%	24.4%	**	22.3%	
	Very significant	22.6%	16.3%	12.2%	15.9%	10.9%	12.7%	13.8%	17.0%	13.1%	14.7%	**	13.0%	
	Don't use	7.9%	11.4%	11.7%	9.4%	15.4%	12.2%	12.7%	7.9%	12.4%	11.6%	**	12.7%	
	NR	21.3%	34.5%	23.2%	27.8%	23.9%	24.6%	23.9%	24.5%	22.6%	21.6%	**	23.7%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
N		1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Participating in hospital/ clinical rounds, journal clubs and other small group activities		Province											NT/YT/NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Use: Participating in hospital/clinical rounds, journal clubs and other small group activities	Never	10.7%	11.6%	10.8%	16.1%	28.4%	13.0%	12.6%	9.3%	14.4%	13.3%	**	16.8%	
	Once a year	6.9%	6.7%	6.9%	5.4%	7.9%	7.6%	6.4%	11.6%	9.6%	7.3%	**	7.8%	
	Once every six months	13.2%	13.9%	13.5%	11.5%	12.1%	13.1%	10.1%	13.0%	11.0%	13.9%	**	12.6%	
	Once a month	23.2%	44.1%	19.9%	26.6%	18.0%	25.1%	23.7%	19.3%	21.2%	26.1%	**	22.8%	
	More than once a month	30.4%	15.6%	37.0%	28.9%	22.4%	29.3%	35.7%	32.5%	31.9%	28.0%	**	28.3%	
	NR	15.6%	8.1%	11.9%	11.5%	11.2%	11.9%	11.4%	14.3%	11.8%	11.3%	**	11.7%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Impact: Participating in hospital/ clinical rounds, journal clubs and other small group activities	Very insignificant	3.2%	2.3%	4.3%	4.1%	7.2%	4.0%	4.3%	5.2%	5.0%	4.2%	**	5.0%	
	Somewhat insignificant	6.2%	1.9%	4.6%	7.2%	3.8%	5.2%	4.5%	7.0%	5.6%	5.4%	**	5.0%	
	Neutral	14.9%	11.8%	14.3%	9.6%	8.9%	12.0%	10.0%	13.7%	12.0%	11.7%	**	11.2%	
	Somewhat significant	24.3%	38.9%	25.1%	24.9%	23.4%	27.2%	26.9%	30.8%	26.9%	28.0%	**	26.3%	
	Very significant	22.2%	14.3%	28.1%	21.7%	17.9%	23.4%	27.3%	17.2%	23.2%	22.7%	**	22.0%	
	Don't use	6.2%	11.6%	7.3%	11.4%	21.3%	10.4%	10.6%	6.4%	10.8%	10.7%	**	12.9%	
	NR	22.9%	19.2%	16.2%	20.9%	17.5%	17.7%	16.4%	19.6%	16.6%	17.2%	**	17.6%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
N		1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

<i>Doing self-assessment activities</i>		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Use: Doing self-assessment activities	Never	22.0%	26.5%	34.9%	29.1%	29.5%	30.7%	28.2%	23.5%	26.9%	28.8%	**	29.4%	
	Once a year	21.5%	18.8%	20.2%	23.0%	20.0%	18.5%	15.5%	17.0%	22.6%	20.7%	**	19.7%	
	Once every six months	16.0%	10.1%	15.9%	17.0%	18.6%	17.1%	20.2%	19.3%	19.1%	18.7%	**	18.0%	
	Once a month	15.6%	26.9%	10.1%	10.4%	14.0%	13.3%	17.9%	12.7%	11.9%	12.9%	**	13.3%	
	More than once a month	7.9%	9.7%	6.2%	5.7%	5.7%	6.6%	5.6%	10.7%	6.6%	6.2%	**	6.4%	
	NR	17.0%	8.1%	12.8%	14.8%	12.3%	13.8%	12.6%	16.9%	12.9%	12.6%	**	13.2%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Impact: Doing self-assessment activities	Very insignificant	5.7%	3.6%	9.5%	6.0%	8.1%	7.7%	7.8%	7.0%	8.0%	7.6%	**	7.8%	
	Somewhat insignificant	8.4%	2.3%	8.4%	8.4%	8.5%	8.2%	7.7%	7.5%	9.4%	9.0%	**	8.5%	
	Neutral	13.6%	17.7%	15.5%	15.9%	17.4%	16.2%	16.0%	16.5%	18.3%	17.1%	**	16.8%	
	Somewhat significant	25.1%	20.1%	15.4%	16.8%	17.7%	17.4%	20.1%	20.5%	18.3%	18.8%	**	18.0%	
	Very significant	11.4%	16.9%	7.2%	8.8%	7.9%	8.9%	10.2%	9.1%	8.3%	6.8%	**	8.3%	
	Don't use	15.5%	23.0%	26.9%	22.7%	21.7%	23.7%	21.5%	17.2%	21.3%	22.5%	**	22.4%	
	NR	20.3%	16.6%	17.1%	21.4%	18.7%	18.0%	16.8%	22.3%	16.4%	18.2%	**	18.2%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
N		1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

<i>Undergoing practice audits</i>		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Use: Undergoing practice audits	Never	38.8%	53.8%	46.1%	51.6%	48.3%	54.4%	49.9%	42.6%	48.3%	59.2%	**	51.9%	
	Once a year	27.1%	28.0%	27.2%	20.3%	18.1%	19.7%	20.0%	25.4%	27.3%	17.0%	**	20.3%	
	Once every six months	12.2%	.0%	7.0%	6.6%	11.7%	6.4%	9.7%	5.1%	7.0%	6.5%	**	7.9%	
	Once a month	3.6%	.0%	1.6%	1.0%	4.4%	2.0%	4.4%	2.9%	1.8%	1.8%	**	2.7%	
	More than once a month	2.2%	1.9%	2.6%	2.9%	2.0%	1.4%	2.9%	1.7%	1.3%	1.3%	**	1.7%	
	NR	16.1%	16.4%	15.4%	17.6%	15.5%	16.0%	13.1%	22.4%	14.3%	14.2%	**	15.5%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Impact: Undergoing practice audits	Very insignificant	7.5%	7.5%	11.8%	11.0%	9.7%	10.5%	10.8%	9.1%	10.8%	11.4%	**	10.5%	
	Somewhat insignificant	5.3%	2.2%	8.9%	5.1%	5.9%	5.7%	5.6%	6.9%	7.5%	4.6%	**	5.9%	
	Neutral	15.1%	14.1%	12.0%	8.8%	10.2%	9.1%	10.4%	11.2%	12.4%	8.1%	**	9.9%	
	Somewhat significant	9.6%	4.4%	10.4%	7.3%	11.2%	8.7%	11.4%	9.9%	10.5%	7.7%	**	9.5%	
	Very significant	12.0%	4.5%	3.8%	6.7%	6.0%	4.9%	6.2%	7.5%	4.6%	4.2%	**	5.3%	
	Don't use	30.0%	46.3%	34.5%	40.1%	37.4%	42.3%	39.3%	30.5%	36.7%	46.4%	**	40.2%	
	NR	20.5%	21.1%	18.4%	21.0%	19.7%	18.8%	16.3%	24.9%	17.6%	17.6%	**	18.8%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
N		1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Using simulation		Province											NT/YT/NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Use: Using simulation	Never	53.9%	62.7%	62.3%	65.2%	66.8%	66.5%	63.7%	59.9%	60.2%	65.4%	**	65.1%	
	Once a year	12.8%	10.6%	14.3%	8.3%	10.1%	10.2%	11.5%	9.2%	16.2%	13.2%	**	11.4%	
	Once every six months	8.1%	4.5%	4.5%	5.9%	6.5%	4.5%	4.9%	5.4%	5.9%	4.5%	**	5.3%	
	Once a month	2.4%	.0%	3.2%	1.0%	1.7%	1.2%	2.6%	2.4%	1.7%	1.6%	**	1.6%	
	More than once a month	2.5%	3.6%	1.3%	1.4%	.7%	1.3%	3.2%	1.5%	1.3%	1.3%	**	1.2%	
	NR	20.2%	18.7%	14.5%	18.1%	14.2%	16.4%	14.0%	21.7%	14.7%	13.9%	**	15.4%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Impact: Using simulation	Very insignificant	8.9%	5.8%	14.2%	11.4%	14.8%	12.5%	13.2%	14.4%	12.0%	11.9%	**	13.0%	
	Somewhat insignificant	6.5%	2.3%	4.3%	3.1%	3.3%	3.1%	2.8%	2.8%	3.6%	3.0%	**	3.3%	
	Neutral	6.1%	2.2%	4.7%	5.3%	5.9%	5.7%	5.5%	5.7%	7.8%	5.7%	**	5.9%	
	Somewhat significant	7.0%	3.9%	8.0%	5.1%	6.3%	5.8%	6.6%	7.7%	8.4%	6.9%	**	6.5%	
	Very significant	7.2%	2.3%	6.2%	4.2%	3.6%	3.7%	5.1%	4.5%	6.4%	5.4%	**	4.4%	
	Don't use	42.6%	56.9%	45.5%	50.6%	49.4%	51.2%	50.6%	42.3%	45.6%	51.1%	**	49.6%	
	NR	21.6%	26.7%	17.0%	20.4%	16.8%	18.0%	16.2%	22.6%	16.3%	15.9%	**	17.4%	
Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%	
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21a Please indicate the frequency of use and impact on your practice of the following Continuing Professional Education methods.

Other CPE method		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Use: Other CPE method	Never	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.1%	.1%	**	.0%
	Once a year	.0%	.0%	.2%	.3%	.4%	.2%	.2%	.4%	.5%	.2%	**	.3%
	Once every six months	.6%	.0%	1.4%	1.2%	.7%	.5%	.5%	.3%	.6%	.6%	**	.6%
	Once a month	1.3%	.0%	.7%	.7%	.8%	.9%	.6%	.6%	.8%	.8%	**	.8%
	More than once a month	1.6%	4.1%	3.9%	2.5%	1.5%	1.8%	1.7%	1.5%	1.7%	1.7%	**	1.8%
	NR	96.5%	95.9%	93.9%	95.3%	96.5%	96.6%	97.0%	97.2%	96.3%	96.7%	**	96.4%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076
Impact: Other CPE method	Very insignificant	.0%	.0%	.2%	.7%	.0%	.1%	.2%	.3%	.2%	.1%	**	.1%
	Somewhat insignificant	.0%	.0%	.2%	.3%	.1%	.0%	.2%	.0%	.3%	.1%	**	.1%
	Neutral	.0%	.0%	.2%	.4%	.3%	.1%	.2%	.0%	.2%	.2%	**	.2%
	Somewhat significant	.6%	.0%	.9%	.2%	.8%	.7%	.9%	.6%	.7%	.6%	**	.7%
	Very significant	1.6%	4.1%	3.9%	2.5%	1.8%	2.0%	1.1%	1.7%	2.2%	2.1%	**	2.0%
	Don't use	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	**	.0%
	NR	97.7%	95.9%	94.7%	95.8%	97.1%	97.0%	97.3%	97.4%	96.5%	96.9%	**	96.9%
Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q21b Please rate how significantly each of the following has served as a barrier to your participation in CME/CPD.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Time away from practice	not a barrier	23.1%	39.7%	22.1%	23.7%	29.5%	20.9%	25.8%	23.1%	24.8%	21.8%	**	24.0%	
	somewhat significant barrier	32.2%	26.7%	34.3%	37.5%	34.1%	33.7%	33.8%	36.2%	32.5%	33.0%	**	33.7%	
	very significant barrier	31.0%	27.8%	32.2%	29.0%	23.5%	33.7%	30.1%	29.0%	31.5%	32.9%	**	30.4%	
	Not applicable	1.9%	.0%	2.7%	1.5%	5.1%	2.6%	2.2%	.8%	2.8%	2.7%	**	3.2%	
	NR	11.8%	5.8%	8.6%	8.2%	7.8%	9.1%	8.2%	10.8%	8.3%	9.5%	**	8.7%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Lack of locum relief	not a barrier	32.7%	38.7%	39.4%	39.2%	39.9%	39.9%	43.8%	35.6%	41.9%	36.2%	**	39.5%	
	somewhat significant barrier	15.7%	29.9%	12.2%	21.0%	18.0%	12.3%	13.0%	14.6%	14.4%	16.0%	**	14.9%	
	very significant barrier	21.8%	11.4%	14.6%	15.2%	12.7%	12.2%	8.1%	19.4%	15.5%	22.3%	**	14.5%	
	Not applicable	15.2%	11.9%	24.2%	13.8%	19.2%	23.7%	24.0%	17.1%	17.7%	14.1%	**	20.0%	
	NR	14.5%	8.1%	9.5%	10.8%	10.1%	11.9%	11.2%	13.3%	10.4%	11.4%	**	11.2%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Time away from family	not a barrier	26.2%	31.1%	24.2%	26.1%	32.8%	22.1%	22.5%	20.9%	22.1%	22.6%	**	25.0%	
	somewhat significant barrier	24.3%	28.9%	31.8%	24.9%	29.1%	30.7%	32.0%	32.6%	30.7%	29.3%	**	30.0%	
	very significant barrier	34.2%	30.3%	30.3%	37.8%	22.8%	33.3%	34.3%	33.9%	34.2%	35.1%	**	31.1%	
	Not applicable	4.1%	3.8%	4.2%	1.8%	6.9%	4.2%	3.1%	1.2%	3.9%	3.1%	**	4.5%	
	NR	11.2%	5.8%	9.5%	9.4%	8.4%	9.8%	8.1%	11.5%	9.2%	9.9%	**	9.4%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

(continued....)

National Physician Survey, 2010. National Results by Province and Canada

Q21b Please rate how significantly each of the following has served as a barrier to your participation in CME/CPD. (continued....)

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Cost of travel	not a barrier	18.9%	47.1%	24.2%	36.8%	43.5%	27.4%	34.6%	33.2%	34.5%	25.9%	**	32.4%	
	somewhat significant barrier	30.1%	29.7%	40.0%	33.3%	30.4%	37.7%	36.9%	37.2%	38.0%	38.5%	**	35.8%	
	very significant barrier	37.8%	15.3%	24.8%	17.5%	11.0%	22.0%	16.9%	16.9%	16.7%	23.5%	**	18.9%	
	Not applicable	1.1%	2.2%	2.0%	2.4%	6.0%	2.9%	2.4%	.6%	2.0%	1.8%	**	3.3%	
	NR	12.1%	5.8%	9.0%	10.0%	9.0%	10.1%	9.2%	12.1%	8.9%	10.3%	**	9.7%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Cost of actual CME/CPD activities	not a barrier	28.8%	45.2%	27.8%	39.5%	44.3%	29.2%	42.4%	39.3%	38.4%	28.5%	**	34.8%	
	somewhat significant barrier	33.9%	35.1%	37.8%	34.2%	31.8%	39.6%	33.9%	32.3%	37.4%	39.8%	**	36.8%	
	very significant barrier	24.6%	9.5%	23.1%	13.6%	10.8%	19.1%	13.8%	14.8%	13.2%	19.9%	**	16.3%	
	Not applicable	1.5%	2.2%	2.0%	2.4%	4.4%	2.3%	1.2%	.6%	1.9%	1.4%	**	2.5%	
	NR	11.2%	8.1%	9.3%	10.3%	8.7%	9.8%	8.6%	13.0%	9.1%	10.3%	**	9.6%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Lack of opportunity	not a barrier	40.5%	52.7%	57.6%	52.1%	55.2%	53.4%	52.7%	48.1%	52.8%	53.3%	**	53.5%	
	somewhat significant barrier	28.0%	31.6%	19.0%	21.4%	18.3%	21.1%	23.8%	22.5%	24.3%	21.9%	**	21.1%	
	very significant barrier	13.7%	5.4%	5.9%	8.7%	6.0%	5.8%	8.3%	11.4%	6.7%	7.5%	**	6.6%	
	Not applicable	4.5%	4.5%	7.6%	6.8%	11.4%	8.5%	5.3%	6.0%	6.1%	6.1%	**	8.3%	
	NR	13.3%	5.8%	9.9%	11.0%	9.1%	11.2%	9.9%	12.0%	10.1%	11.2%	**	10.5%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
n		174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

(continued....)

National Physician Survey, 2010. National Results by Province and Canada

Q21b Please rate how significantly each of the following has served as a barrier to your participation in CME/CPD. (continued...)

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Lack of relevance to my practice	not a barrier	51.9%	53.9%	56.3%	57.0%	49.8%	53.2%	54.5%	52.0%	55.4%	54.7%	**	53.0%	
	somewhat significant barrier	15.7%	19.3%	16.3%	14.5%	16.1%	18.6%	18.3%	19.2%	19.8%	19.3%	**	18.0%	
	very significant barrier	9.1%	7.7%	6.8%	6.5%	5.9%	5.9%	7.8%	3.8%	6.2%	6.6%	**	6.2%	
	Not applicable	8.2%	13.3%	10.2%	10.6%	18.5%	11.0%	8.4%	10.3%	7.9%	8.3%	**	12.0%	
	NR	15.1%	5.8%	10.4%	11.3%	9.7%	11.3%	11.0%	14.6%	10.7%	11.1%	**	10.9%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	
Other barrier to CME participation	not a barrier	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.1%	.0%	**	.0%	
	somewhat significant barrier	.6%	.0%	.8%	.0%	.4%	.3%	.3%	.2%	.6%	.2%	**	.3%	
	very significant barrier	2.8%	.0%	1.2%	.3%	1.7%	.9%	1.9%	1.8%	1.3%	1.4%	**	1.3%	
	Not applicable	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	**	.0%	
	NR	96.6%	100.0%	98.0%	99.7%	97.9%	98.8%	97.8%	97.9%	98.0%	98.3%	**	98.3%	
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q22 Primary remuneration method.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Method of remuneration	90%+ Fee-for-service	35.3%	20.5%	30.9%	32.7%	40.3%	41.2%	38.4%	45.4%	51.3%	45.3%	**	41.9%	
	90%+ Salary	25.9%	16.6%	14.7%	15.4%	5.5%	8.8%	10.0%	14.8%	9.0%	5.5%	**	8.5%	
	90%+ Capitation	.0%	.0%	.3%	.0%	.0%	3.1%	.2%	.0%	.3%	.1%	**	1.2%	
	90%+ Sessional/perdiem/hourly	1.6%	.0%	7.3%	2.1%	6.6%	1.6%	2.3%	3.1%	1.3%	2.6%	**	3.2%	
	90%+ Service contract	.6%	3.9%	8.2%	2.5%	.8%	1.2%	6.6%	6.9%	4.5%	6.6%	**	2.9%	
	90%+ Incentives and premiums	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	**	.0%	
	90%+ Other	1.6%	.0%	5.0%	.7%	2.5%	1.5%	.2%	.3%	2.5%	.8%	**	1.8%	
	Blended	25.2%	48.8%	25.1%	38.2%	38.0%	33.6%	33.7%	18.7%	22.8%	29.9%	**	32.3%	
	NR	9.8%	10.1%	8.6%	8.4%	6.1%	9.1%	8.6%	10.8%	8.3%	9.2%	**	8.3%	
	Total		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**	100.0%
	%													
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q22 Average percent of income from each source for those receiving BLENDED INCOME.

<i>Blended income</i>		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
% Fee-for-service	Mean	40.59	**	41.23	47.37	46.68	42.79	44.31	50.51	53.26	54.57	**	46.36
% Salary	Mean	35.49	**	20.03	29.66	15.75	16.54	24.49	26.31	15.84	9.44	**	16.65
% Capitation	Mean	.00	**	.02	.14	.42	17.07	.81	.22	1.47	1.05	**	6.88
% Sessional / per diem/hourly	Mean	10.11	**	16.67	15.17	29.68	9.20	11.68	8.42	8.82	15.17	**	16.34
% Service contract	Mean	8.43	**	15.12	5.51	2.51	5.55	15.06	10.94	13.18	12.35	**	6.92
% Incentives and premiums	Mean	2.98	**	2.22	.58	1.87	4.28	.70	2.73	2.84	3.24	**	3.01
% Other remuneration method	Mean	2.41	**	4.71	1.57	3.10	4.56	2.96	.87	4.60	4.19	**	3.84
Total	N	278	121	569	588	6202	8111	794	327	1615	2832	35	21470
	n	43	25	115	115	1008	1484	156	61	326	513	7	3853

Notes:

NR=No Response.

Includes only those for whom no one payment method comprised 90% or more of their total income.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q23 Please indicate which of the following factors are increasing the demand for your time at work. Check all that apply.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Factors increasing the demand for the physician's time at work	Aging patient population	64.8%	63.0%	58.8%	67.4%	62.2%	57.5%	54.8%	55.5%	55.6%	58.9%	**	58.9%	
	Increasing complexity of patient caseload	74.5%	76.9%	72.5%	73.7%	72.8%	69.9%	70.1%	64.6%	74.3%	71.8%	**	71.5%	
	Management of patients with chronic diseases/conditions	68.5%	76.5%	65.9%	66.4%	59.9%	62.7%	61.7%	61.6%	65.3%	62.6%	**	62.6%	
	Increasing patient expectations	66.2%	57.7%	60.4%	60.5%	56.1%	58.3%	58.7%	56.7%	59.9%	56.4%	**	57.9%	
	Increasing administrative workload/paperwork	66.9%	58.1%	58.6%	60.2%	60.8%	61.9%	59.3%	59.1%	59.5%	60.5%	**	60.9%	
	Lack of availability of local/regional physician services in my specialty	28.4%	25.1%	23.6%	21.2%	33.6%	21.1%	22.9%	31.8%	21.7%	22.5%	**	25.0%	
	Lack of availability of local/regional physician services in other specialties	44.3%	30.9%	25.3%	26.5%	36.6%	23.6%	18.6%	30.8%	26.2%	25.5%	**	27.9%	
	Lack of availability of other local/regional health care professional services	30.8%	21.9%	20.3%	20.5%	37.0%	17.8%	14.3%	27.1%	19.4%	20.2%	**	23.6%	
	Medical liability concerns	25.8%	16.4%	16.2%	13.5%	21.8%	20.0%	16.2%	17.4%	15.9%	16.1%	**	19.0%	
	Other demands	6.1%	3.7%	11.0%	8.4%	8.2%	8.3%	7.1%	7.8%	10.4%	10.0%	**	8.7%	
	Demands on my time: none of the above	1.3%	1.7%	2.9%	3.1%	3.4%	5.3%	4.3%	5.4%	4.8%	5.5%	**	4.5%	
	NR	9.4%	5.8%	9.1%	8.4%	5.5%	8.2%	8.0%	9.7%	8.1%	8.7%	**	7.7%	
Total	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q24 With reference to the LAST 2 YEARS, please check all of the following changes you have already made.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Changes made in the LAST 2 YEARS	Reduced weekly work hours (excluding on call)	23.1%	22.2%	20.5%	20.7%	23.3%	23.6%	23.9%	20.1%	25.1%	28.7%	**	24.2%
	Increased weekly work hours (excluding on call)	39.7%	28.2%	38.7%	36.3%	42.6%	36.8%	40.8%	43.8%	34.2%	36.2%	**	38.3%
	Reduced On-call hours	23.9%	27.0%	24.9%	19.6%	19.4%	20.9%	22.4%	23.7%	26.5%	25.4%	**	22.1%
	Increased On-call hours	24.8%	15.9%	23.0%	26.3%	23.8%	21.7%	24.6%	30.9%	20.4%	20.3%	**	22.4%
	Reduced clinical hours (excluding on call)	16.0%	22.7%	20.2%	15.3%	18.6%	18.0%	17.7%	19.1%	20.4%	23.4%	**	19.3%
	Increased clinical hours (excluding on call)	37.3%	17.5%	30.7%	30.6%	35.7%	28.9%	33.6%	32.9%	27.6%	29.0%	**	30.9%
	Reduced teaching	17.2%	8.9%	17.1%	15.5%	12.9%	13.8%	16.1%	15.0%	16.4%	16.4%	**	14.6%
	Increased teaching	27.1%	22.1%	25.2%	24.1%	27.8%	25.0%	28.8%	30.3%	29.4%	28.1%	**	26.9%
	Reduced research	25.7%	11.2%	17.2%	15.1%	14.1%	14.8%	18.4%	18.0%	17.8%	15.3%	**	15.5%
	Increased research	8.7%	6.0%	12.0%	6.2%	9.0%	11.0%	13.1%	13.0%	13.8%	10.0%	**	10.6%
	Reduced administration responsibilities	17.6%	2.2%	16.2%	14.6%	13.0%	11.7%	15.9%	13.7%	15.4%	16.1%	**	13.6%
	Increased administration responsibilities	31.2%	18.2%	30.4%	29.6%	30.7%	30.0%	28.6%	33.1%	30.7%	28.2%	**	30.0%
	Reduced scope of practice	12.3%	5.6%	11.0%	12.6%	9.7%	12.0%	13.9%	14.4%	16.1%	16.2%	**	12.5%
	Increased scope of practice	30.1%	21.5%	21.4%	20.5%	17.2%	19.6%	20.2%	28.2%	19.1%	21.9%	**	19.8%
	Retired from clinical practice	.4%	.0%	.8%	.5%	.9%	.7%	.4%	.6%	.5%	1.3%	**	.8%
Left Canada to practice in another country	1.3%	.0%	1.0%	.4%	.4%	.5%	.2%	1.0%	.9%	1.2%	**	.6%	
Relocated my practice to another province/ territory in Canada	2.3%	6.3%	3.1%	3.3%	.6%	1.0%	1.1%	1.8%	1.9%	2.1%	**	1.4%	

(continued....)

National Physician Survey, 2010. National Results by Province and Canada

Q24 With reference to the LAST 2 YEARS, please check all of the following changes you have already made. (continued....)

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Changes made in the LAST 2 YEARS	Focused practice in an area of special interest	5.8%	6.1%	4.5%	5.7%	5.3%	4.5%	3.8%	6.2%	5.9%	6.1%	**	5.2%	
	Stopped intrapartum practice	2.3%	1.9%	1.0%	2.4%	1.1%	1.2%	1.5%	2.5%	2.4%	2.3%	**	1.5%	
	Became part of a practice network	.9%	.0%	1.4%	.7%	2.2%	3.1%	.8%	1.4%	7.9%	1.6%	**	2.9%	
	Other change(s) made	4.7%	3.8%	5.9%	3.9%	3.5%	3.2%	3.2%	4.2%	3.9%	6.0%	**	3.9%	
	Changes: No changes made or planned	4.4%	7.8%	7.7%	8.7%	7.1%	9.1%	7.7%	4.7%	8.6%	5.7%	**	7.8%	
	NR	23.4%	21.9%	17.0%	17.6%	14.3%	16.6%	15.2%	16.7%	17.0%	16.9%	**	16.2%	
Total	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q24 With reference to the NEXT 2 YEARS, please check all of the following changes you are planning to make.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Changes planned for the NEXT 2 Years	Reduce weekly work hours (excluding on call)	37.9%	40.8%	34.5%	36.9%	40.6%	36.2%	38.5%	38.0%	35.4%	40.1%	**	37.9%
	Increase weekly work hours (excluding on call)	19.9%	6.7%	12.9%	13.2%	16.1%	14.3%	15.9%	17.3%	15.4%	14.7%	**	15.1%
	Reduce On-call hours	37.0%	22.6%	28.2%	28.5%	27.9%	26.3%	31.0%	34.3%	27.8%	30.2%	**	28.1%
	Increase On-call hours	10.5%	6.1%	8.9%	11.2%	8.7%	7.9%	8.0%	11.5%	9.3%	7.6%	**	8.5%
	Reduce clinical hours (excluding on call)	33.6%	26.3%	26.8%	25.5%	31.8%	27.0%	28.1%	28.4%	26.3%	30.0%	**	28.7%
	Increase clinical hours (excluding on call)	19.1%	12.4%	11.5%	14.8%	14.6%	12.2%	15.5%	18.3%	14.2%	12.7%	**	13.5%
	Reduce teaching	14.3%	1.9%	10.6%	12.7%	11.9%	12.2%	15.3%	12.4%	14.9%	12.0%	**	12.5%
	Increase teaching	26.4%	26.6%	23.2%	27.4%	22.4%	20.9%	19.5%	31.9%	23.6%	25.2%	**	22.8%
	Reduce research	12.6%	2.3%	12.1%	11.2%	11.0%	10.9%	13.3%	10.4%	13.6%	12.4%	**	11.5%
	Increase research	22.9%	10.4%	14.0%	12.7%	10.0%	12.4%	15.2%	21.3%	14.7%	11.3%	**	12.5%
	Reduce administration responsibilities	23.4%	12.2%	19.5%	19.8%	20.8%	19.0%	21.2%	23.9%	22.3%	22.4%	**	20.6%
	Increase administration responsibilities	18.7%	8.2%	15.2%	17.0%	15.5%	15.9%	16.7%	17.5%	16.4%	13.8%	**	15.7%
	Reduce scope of practice	19.2%	7.5%	12.8%	14.2%	12.6%	14.5%	15.3%	17.4%	17.3%	17.5%	**	14.9%
	Increase scope of practice	23.0%	13.2%	15.2%	12.9%	10.5%	12.6%	15.4%	21.1%	13.3%	14.1%	**	13.0%
	Retire from clinical practice	8.9%	6.4%	6.8%	5.7%	6.6%	6.9%	8.4%	8.1%	7.3%	9.6%	**	7.3%
	Leave Canada to practice in another country	5.2%	1.9%	2.7%	2.8%	1.5%	2.1%	3.0%	3.0%	3.0%	2.9%	**	2.3%
Relocate my practice to another province/territory in Canada	18.4%	6.2%	5.6%	6.1%	2.4%	2.1%	7.4%	12.6%	4.8%	3.5%	**	3.6%	
Focus practice in an area of special interest	17.9%	16.0%	8.2%	15.6%	10.3%	8.3%	9.9%	16.7%	10.2%	10.1%	**	9.9%	

(continued....)

National Physician Survey, 2010. National Results by Province and Canada

Q24 With reference to the NEXT 2 YEARS, please check all of the following changes you are planning to make. (continued....)

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Changes planned for the NEXT 2 Years	Stop intra-partum practice	2.7%	.0%	.8%	1.6%	1.0%	1.2%	1.8%	3.9%	2.2%	1.5%	**	1.4%
	Become part of a practice network	6.3%	2.2%	2.5%	2.5%	3.1%	3.3%	1.8%	4.3%	4.1%	2.6%	**	3.2%
	Other change(s) planned	8.1%	7.7%	5.8%	7.2%	5.7%	6.1%	5.6%	4.7%	5.5%	7.4%	**	6.1%
	Changes: No changes made or planned	4.4%	7.8%	7.7%	8.7%	7.1%	9.1%	7.7%	4.7%	8.6%	5.7%	**	7.8%
	NR	19.6%	28.1%	24.1%	17.3%	19.5%	22.8%	20.3%	21.4%	21.8%	21.4%	**	21.4%
Total	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q25 If you plan to retire in the near future, which of the following might entice you to practice longer? Check all that apply.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Which might entice you to practice longer	Ability to do locums only	11.4%	5.8%	7.6%	5.8%	3.8%	5.5%	4.5%	9.5%	5.4%	10.6%	**	6.1%	
	Increased flexibility in setting schedule	21.9%	24.1%	19.2%	21.2%	18.5%	17.5%	18.7%	19.9%	18.9%	20.3%	**	18.7%	
	Setting up a smaller practice in a new community	3.1%	3.6%	1.7%	2.1%	1.3%	1.4%	2.7%	2.0%	1.7%	1.6%	**	1.6%	
	Cash incentives	18.0%	16.5%	11.7%	10.8%	13.7%	15.5%	12.6%	12.7%	13.4%	17.4%	**	14.7%	
	Reduced on-call duties	15.6%	15.5%	12.9%	15.2%	10.6%	11.5%	13.6%	18.5%	13.3%	16.4%	**	12.6%	
	No hospital duties	7.3%	7.5%	6.0%	8.3%	3.9%	5.6%	4.5%	11.3%	4.9%	8.7%	**	5.8%	
	Academic appointment	4.3%	3.9%	4.1%	3.1%	1.9%	2.9%	3.6%	5.9%	3.8%	3.5%	**	3.0%	
	None of the above	2.1%	.0%	3.4%	2.3%	3.2%	3.4%	3.0%	3.1%	3.1%	4.0%	**	3.3%	
	Other reason to practice longer	1.2%	4.5%	1.8%	3.3%	3.0%	3.0%	3.3%	4.6%	3.1%	4.4%	**	3.2%	
	Not planning to retire in the near future	32.7%	23.0%	35.3%	32.0%	30.4%	31.3%	32.8%	35.9%	32.9%	27.9%	**	31.1%	
NR	35.4%	46.2%	35.7%	39.3%	40.9%	39.0%	37.9%	32.9%	37.4%	37.1%	**	38.7%		
Total	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

No definition of "in the near future" was provided, therefore no assessment can be made as to the time span over which respondents plan to retire.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q26a Do you have a practice Web site?

		Province											CANADA	
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU		
Do you have a practice Web site?	Yes	7.5%	2.3%	15.0%	7.8%	19.3%	17.8%	13.9%	18.0%	19.1%	16.7%	**	17.5%	
	No	82.1%	91.9%	76.3%	83.7%	69.6%	74.1%	78.1%	71.4%	72.5%	74.4%	**	73.4%	
	NR	10.4%	5.8%	8.8%	8.6%	11.1%	8.2%	8.0%	10.6%	8.4%	8.9%	**	9.1%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q26a Can patients contact your office to request an appointment through your website?

		Province											CANADA	
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU		
Can patients request an appointment through your website?	Yes	**	**	7.7%	**	7.1%	16.9%	18.5%	21.8%	22.0%	11.3%	**	13.7%	
	No	**	**	82.9%	**	68.8%	73.9%	72.7%	66.3%	68.0%	78.9%	**	72.8%	
	NR	**	**	9.3%	**	24.1%	9.2%	8.8%	11.9%	10.0%	9.8%	**	13.5%	
	Total	%	**	**	100%	**	100%	100%	100%	100%	100%	100%	**	100%
		N	82	6	340	119	3156	4289	327	314	1349	1583	35	11601
	n	13	1	66	23	509	776	65	54	270	287	7	2071	

Notes:

Includes only respondents who have a practice Web site.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q26b Do you refer your patients to any websites?

		Province											CANADA	
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU		
Do you refer your patients to any websites?	Yes	52.7%	44.2%	56.5%	52.2%	41.1%	51.1%	50.0%	50.7%	51.3%	56.8%	**	49.7%	
	No	39.6%	45.4%	35.0%	40.3%	52.4%	41.0%	43.0%	38.9%	40.9%	35.2%	**	42.7%	
	NR	7.7%	10.4%	8.5%	7.5%	6.5%	7.9%	7.0%	10.3%	7.7%	8.1%	**	7.6%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	1072	242	2188	1473	15213	23111	2258	1623	6879	8929	125	63114
	n	169	49	433	289	2480	4279	450	292	1375	1620	25	11461	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q26b Please specify for what purpose do you refer your patients to websites. Check all that apply.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Purpose of referring patients to websites	Disease information	87.2%	**	84.0%	89.8%	89.3%	88.4%	92.0%	88.0%	87.6%	89.2%	**	88.6%
	Treatment information	73.4%	**	65.8%	66.8%	58.4%	66.0%	62.8%	72.1%	68.7%	69.3%	**	65.5%
	Patient support	66.6%	**	64.3%	56.0%	48.5%	66.4%	69.2%	67.8%	63.2%	68.2%	**	62.6%
	Other purpose for referring patients to websites	5.6%	**	6.7%	4.4%	5.0%	6.4%	4.0%	5.6%	5.9%	5.7%	**	5.8%
	NR	.0%	**	1.7%	1.1%	1.2%	.8%	1.1%	1.6%	1.2%	.8%	**	1.0%
Total	N	565	107	1237	769	6252	11805	1130	823	3532	5070	90	31379
	n	93	22	245	153	1029	2183	227	145	706	927	18	5748

Notes:

Includes only respondents who do patient care and who refer their patients to website.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q26c Do you use email IN ANY SETTING to communicate with:

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Use of email in any setting	Email with colleagues: Clinical purposes	46.8%	56.1%	55.2%	53.3%	57.4%	60.5%	53.1%	55.0%	59.7%	56.7%	**	58.2%	
	Email with colleagues: Other purposes	59.5%	56.9%	64.2%	63.5%	58.9%	61.8%	56.0%	62.9%	63.0%	63.0%	**	61.3%	
	Email with patients: Clinical purposes	11.1%	16.3%	17.3%	10.2%	13.7%	17.9%	13.6%	11.3%	15.7%	19.7%	**	16.3%	
	Email with patients: Other purposes	5.3%	4.0%	5.6%	4.1%	3.4%	6.2%	4.4%	6.4%	6.2%	5.8%	**	5.3%	
	Email with others	20.0%	19.6%	25.1%	20.4%	12.5%	19.6%	18.3%	17.3%	22.5%	21.5%	**	18.6%	
	Not applicable – I do not use email	15.9%	16.6%	10.2%	12.9%	16.5%	10.9%	14.1%	12.1%	9.8%	9.4%	**	12.2%	
	NR	11.4%	9.4%	10.5%	7.6%	7.1%	8.9%	9.4%	10.4%	9.4%	9.8%	**	8.8%	
Total	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q27 Thinking about your MAIN patient care setting, which of these describes your record keeping system? Check only one.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Record keeping system in main patient care setting	I use paper charts only	32.6%	33.4%	28.8%	45.0%	55.8%	31.6%	47.1%	43.4%	22.6%	30.9%	**	37.6%	
	I use a combination of paper and electronic charts	44.2%	51.8%	40.6%	35.5%	27.4%	36.9%	23.3%	23.2%	38.7%	36.3%	**	34.1%	
	I use electronic records	13.1%	1.9%	17.6%	7.8%	4.2%	19.8%	17.6%	17.8%	27.7%	18.8%	**	16.1%	
	Not applicable	1.3%	3.6%	3.9%	3.7%	6.9%	3.8%	3.3%	6.3%	3.1%	5.5%	**	4.7%	
	NR	8.9%	9.4%	9.1%	8.0%	5.8%	7.9%	8.6%	9.2%	7.9%	8.4%	**	7.5%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q28a Where do you access electronic records for your patients? Check all that apply.

		Province											CANADA
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	NT/YT/ NU	
Records access location	Office/ community clinic/ community health centre	50.9%	44.8%	45.7%	49.2%	37.5%	54.3%	59.4%	68.0%	62.8%	61.2%	**	53.9%
	Hospital/AHSC/ Emergency Department	72.9%	75.5%	66.6%	73.4%	65.1%	59.7%	43.6%	34.6%	59.7%	61.1%	**	60.6%
	University/faculty of medicine/research unit	21.1%	.0%	11.1%	2.0%	8.3%	9.6%	12.2%	9.3%	15.1%	5.7%	**	9.7%
	Nursing home/home for aged	5.0%	2.7%	2.8%	2.8%	1.3%	4.1%	2.6%	3.3%	3.2%	4.8%	**	3.5%
	Other location	9.1%	7.0%	10.7%	6.5%	7.0%	14.0%	13.5%	14.6%	16.5%	16.9%	**	13.3%
	Not applicable	.0%	.0%	.0%	.0%	.5%	.7%	.3%	2.5%	.2%	.4%	**	.5%
	NR	13.5%	14.9%	13.2%	15.6%	14.6%	12.0%	17.8%	19.7%	10.7%	13.0%	**	12.9%
Total	N	728	156	1529	789	6093	15584	1169	877	5258	6019	100	38302
	n	112	31	291	152	947	2805	229	157	1039	1082	20	6865

Notes:

Includes only respondents who provide patient care and who use any electronic records according to question 27..

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q28b In which setting do you use electronic records most often? Check only one.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC			
Setting where electronic records used most often	Office/community clinic/community health centre	32.7%	16.4%	37.1%	27.8%	28.4%	43.5%	53.4%	61.0%	51.2%	50.1%	**	43.1%	
	Hospital/AHSC/ Emergency Department	48.0%	65.3%	44.9%	52.3%	51.5%	39.1%	22.1%	12.6%	33.4%	32.5%	**	38.8%	
	University/faculty of medicine/research unit	1.8%	.0%	3.5%	1.0%	1.1%	1.5%	3.7%	.9%	1.9%	.9%	**	1.5%	
	Nursing home/home for aged	.9%	.0%	.0%	.0%	.2%	.6%	.0%	.0%	.2%	.3%	**	.4%	
	Other	1.4%	3.4%	.6%	.5%	2.1%	1.3%	.8%	2.4%	1.5%	1.5%	**	1.5%	
	Not applicable	.0%	.0%	.3%	1.3%	1.0%	.9%	.9%	2.7%	.6%	1.0%	**	.9%	
	NR	15.3%	14.9%	13.6%	17.1%	15.7%	13.0%	19.0%	20.4%	11.2%	13.7%	**	13.8%	
	Total													
	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	
	N	728	156	1529	789	6093	15584	1169	877	5258	6019	100	38302	
	n	112	31	291	152	947	2805	229	157	1039	1082	20	6865	

Notes:

Includes only respondents who provide patient care and who use any electronic records according to question 27.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q28c If you access electronic records in various locations, are the records in these locations electronically connected to each other to allow for access of the same electronic record from different settings?

		Province											CANADA	
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	NT/YT/ NU		
Records in various locations connected to each other	Yes, connected	45.0%	33.0%	29.2%	33.3%	24.4%	27.8%	21.4%	26.4%	30.1%	28.0%	**	27.9%	
	Only some connected	21.2%	23.1%	29.1%	31.3%	22.2%	23.6%	20.4%	24.1%	31.2%	27.4%	**	25.3%	
	None of these settings connected	6.6%	7.0%	14.0%	10.4%	21.7%	19.0%	24.2%	20.4%	15.6%	17.6%	**	18.3%	
	NR	27.2%	36.9%	27.8%	24.9%	31.7%	29.6%	34.0%	29.1%	23.0%	27.0%	**	28.5%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
		N	728	156	1529	789	6093	15584	1169	877	5258	6019	100	38302
n		112	31	291	152	947	2805	229	157	1039	1082	20	6865	

Notes:

Includes only respondents who provide patient care and who use any electronic records according to question 27.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q29 Please indicate which of the following you use in the care of your patients? Check all that apply.

		Province											CANADA
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	NT/YT/ NU	
Use it on a PC/ Laptop	Electronic patient appointment/ scheduling system	35.1%	42.1%	42.6%	44.0%	37.6%	50.1%	45.4%	43.0%	51.9%	50.2%	**	46.3%
	Electronic billing	36.7%	58.6%	48.5%	62.1%	44.8%	57.2%	47.8%	52.5%	52.0%	59.1%	**	52.9%
	Electronic records to enter and retrieve clinical patient notes	40.8%	35.0%	41.6%	32.3%	23.1%	45.2%	28.5%	31.9%	52.8%	42.6%	**	38.9%
	Electronic reminders for recommended patient care	16.3%	11.6%	25.0%	11.9%	6.7%	24.1%	20.7%	22.8%	28.9%	27.5%	**	20.3%
	Electronic warning for adverse prescribing and/ or drug interactions	16.8%	10.6%	21.9%	12.3%	12.2%	24.8%	16.6%	24.0%	26.2%	20.5%	**	20.4%
	Electronic interface to external pharmacy/ pharmacist	6.6%	19.3%	8.4%	3.6%	4.2%	8.5%	8.3%	18.8%	13.2%	10.0%	**	8.3%
	Electronic interface to external laboratory/diagnostic imaging	42.1%	49.4%	43.3%	39.9%	36.9%	33.0%	22.8%	29.2%	49.9%	44.4%	**	37.7%
	Electronic interface to other external systems	33.4%	38.5%	27.2%	34.1%	16.4%	27.0%	9.8%	14.4%	36.8%	30.8%	**	25.4%
	Telemedicine/ webcasting/ videoconferencing	29.8%	27.0%	30.2%	27.4%	26.1%	23.0%	18.3%	28.5%	24.7%	25.6%	**	24.8%
	Online access to journals, clinical practice guidelines, medical databases	67.1%	64.3%	70.9%	61.5%	64.2%	64.7%	61.0%	65.5%	71.7%	69.2%	**	66.0%
	Email	65.1%	64.3%	68.7%	69.5%	67.8%	67.7%	61.6%	63.3%	70.0%	70.7%	**	68.1%
	Online CME	59.4%	49.5%	54.6%	53.4%	48.9%	51.7%	46.2%	58.3%	57.7%	59.5%	**	53.0%
	Online discussion forums with other physicians for professional purposes	20.6%	21.9%	23.9%	15.5%	17.3%	22.4%	19.1%	24.4%	24.3%	25.6%	**	21.6%
	Online disease management tools	36.8%	30.2%	37.5%	26.8%	18.1%	31.4%	27.5%	35.0%	35.4%	37.6%	**	29.7%
I do not use or plan to use any of the above electronic tools	7.0%	4.3%	3.7%	4.2%	6.6%	5.4%	4.8%	4.1%	3.5%	3.9%	**	5.1%	
NR	11.1%	13.7%	11.2%	11.5%	10.9%	12.2%	15.4%	16.0%	11.6%	12.1%	**	12.0%	

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q29 Please indicate which of the following you use in the care of your patients? Check all that apply.(cont.)

			Province											
			NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Use it on a PC/ Laptop	Total	N	1087	238	2185	1480	15188	23212	2279	1636	6856	8948	125	63234
		n	171	48	432	291	2477	4294	455	293	1371	1622	25	11479

Notes:

Includes only respondents who provide patient care according to question 27.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q29 Please indicate which of the following you use in the care of your patients? Check all that apply.

		Province											CANADA
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	NT/YT/ NU	
Use it on a small handheld wireless device	Electronic patient appointment/ scheduling system	.4%	.0%	1.6%	3.2%	2.3%	2.7%	2.7%	1.7%	1.5%	2.0%	**	2.3%
	Electronic billing	.0%	.0%	.8%	.0%	.9%	.7%	.7%	.3%	.8%	.5%	**	.7%
	Electronic records to enter and retrieve clinical patient notes	.6%	3.9%	1.4%	.4%	.5%	1.3%	.9%	1.6%	.7%	1.2%	**	1.0%
	Electronic reminders for recommended patient care	5.8%	.0%	2.5%	3.3%	1.7%	2.1%	1.4%	3.1%	1.4%	2.0%	**	2.0%
	Electronic warning for adverse prescribing and/or drug interactions	9.3%	14.8%	7.3%	5.7%	8.2%	5.2%	5.2%	6.0%	5.0%	8.1%	**	6.6%
	Electronic interface to external pharmacy/ pharmacist	.6%	4.3%	.7%	.6%	.7%	.8%	1.0%	.6%	.5%	.4%	**	.7%
	Electronic interface to external laboratory/diagnostic imaging	1.2%	1.9%	.7%	.0%	.3%	.8%	.7%	1.2%	.3%	.9%	**	.6%
	Electronic interface to other external systems for accessing or sharing patient information	.6%	.0%	.9%	.6%	.3%	.6%	.7%	1.0%	.4%	.4%	**	.5%
	Telemedicine/ webcasting/ videoconferencing	1.5%	.0%	1.0%	.3%	1.2%	.7%	.7%	.6%	.7%	.4%	**	.8%
	Online access to journals, clinical practice guidelines, medical databases	12.4%	6.8%	9.8%	8.5%	8.0%	7.5%	10.9%	10.4%	8.9%	9.5%	**	8.5%
	Email	18.3%	14.6%	16.2%	16.3%	12.8%	15.8%	14.0%	13.6%	14.5%	15.6%	**	14.9%
	Online CME	8.8%	2.2%	4.8%	3.0%	3.5%	4.1%	2.7%	5.2%	5.0%	5.4%	**	4.3%
	Online discussion forums with other physicians for professional purposes	.0%	2.2%	1.3%	.5%	1.0%	2.0%	2.3%	2.7%	1.9%	2.1%	**	1.7%
Online disease management tools	7.8%	4.2%	5.2%	3.2%	3.4%	4.3%	4.1%	5.3%	5.8%	5.9%	**	4.6%	

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q29 Please indicate which of the following you use in the care of your patients? Check all that apply.(cont.)

		Province											CANADA
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	NT/YT/ NU	
Use it on a small handheld wireless device	I do not use or plan to use any of the above electronic tools	7.0%	4.3%	3.7%	4.2%	6.6%	5.4%	4.8%	4.1%	3.5%	3.9%	**	5.1%
	NR	66.1%	74.8%	75.3%	75.4%	71.9%	73.7%	74.5%	76.6%	76.4%	73.5%	**	73.6%
	Total	N	1087	238	2185	1480	15188	23212	2279	1636	6856	8948	125
	n	171	48	432	291	2477	4294	455	293	1371	1622	25	11479

Notes:

Includes only respondents who provide patient care according to question 27.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

National Physician Survey, 2010. National Results by Province and Canada

Q29 Please indicate which of the following you plan to use in the care of your patients? Check all that apply.

		Province											CANADA
		NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	NT/YT/ NU	
Plan to start using on PC/laptop or wireless device in next 2 years	Electronic patient appointment/scheduling system	7.3%	2.2%	8.2%	5.4%	5.6%	6.0%	5.6%	11.3%	4.5%	5.6%	**	5.9%
	Electronic billing	8.4%	1.7%	3.6%	2.7%	3.1%	4.4%	6.5%	7.4%	4.3%	3.2%	**	4.1%
	Electronic records to enter and retrieve clinical patient notes	10.0%	6.4%	10.7%	11.2%	10.2%	11.0%	16.3%	16.2%	7.2%	10.7%	**	10.6%
	Electronic reminders for recommended patient care	10.0%	10.5%	8.4%	9.0%	5.8%	10.4%	10.8%	13.4%	8.7%	9.0%	**	8.9%
	Electronic warning for adverse prescribing and/ or drug interactions	9.3%	4.5%	8.7%	6.6%	7.7%	10.2%	11.3%	13.9%	8.5%	9.3%	**	9.3%
	Electronic interface to external pharmacy/ pharmacist	17.7%	6.1%	12.6%	6.1%	8.5%	11.7%	10.1%	17.4%	11.0%	11.9%	**	11.0%
	Electronic interface to external laboratory/diagnostic imaging	7.1%	1.9%	9.1%	4.3%	8.0%	10.8%	13.3%	22.3%	8.7%	9.3%	**	9.8%
	Electronic interface to other external systems	8.3%	2.2%	10.9%	4.2%	6.7%	11.0%	12.5%	20.7%	7.7%	10.5%	**	9.6%
	Telemedicine/webcasting/videoconferencing	1.9%	4.1%	5.0%	1.2%	3.5%	6.2%	6.7%	5.6%	4.6%	5.0%	**	5.0%
	Online access to journals, clinical practice guidelines, medical databases	3.2%	6.0%	2.5%	2.1%	3.6%	3.9%	4.3%	3.2%	2.6%	3.6%	**	3.6%
	Email	1.5%	.0%	1.7%	.8%	2.3%	2.7%	4.4%	3.6%	2.0%	1.9%	**	2.4%
	Online CME	4.0%	1.9%	2.8%	3.0%	3.5%	4.8%	4.6%	3.5%	3.1%	3.6%	**	3.9%
	Online discussion forums with other physicians for professional purposes	3.2%	1.7%	3.2%	2.7%	2.4%	4.4%	5.0%	4.9%	3.7%	4.1%	**	3.7%
	Online disease management tools	.9%	3.5%	2.6%	2.5%	3.2%	4.4%	4.7%	4.6%	2.9%	2.8%	**	3.6%
I do not use or plan to use any of the above electronic tools	7.0%	4.3%	3.7%	4.2%	6.6%	5.4%	4.8%	4.1%	3.5%	3.9%	**	5.1%	

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q29 Please indicate which of the following you plan to use in the care of your patients? Check all that apply.(cont.)

			Province											
			NL	PE	NS	NB	QC	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Plan to start using on PC/laptop or wireless device in next 2 years	NR		63.7%	81.5%	72.9%	75.3%	69.9%	67.6%	63.4%	59.9%	72.0%	70.9%	**	69.1%
	Total	N	1087	238	2185	1480	15188	23212	2279	1636	6856	8948	125	63234
		n	171	48	432	291	2477	4294	455	293	1371	1622	25	11479

Notes:

Includes only respondents who provide patient care according to question 27.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q30 Please rate your satisfaction with each of the following.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	
Satisfaction with current professional life	Very satisfied	30.2%	35.5%	31.3%	32.2%	27.5%	32.4%	37.1%	27.6%	32.5%	32.2%	**	31.2%
	Somewhat satisfied	40.8%	41.3%	40.4%	43.5%	50.4%	42.8%	40.7%	40.6%	43.2%	40.1%	**	44.1%
	Neutral	7.7%	4.4%	5.4%	6.2%	7.8%	6.9%	5.2%	6.1%	5.4%	6.5%	**	6.7%
	Somewhat dissatisfied	5.7%	7.5%	10.7%	8.1%	7.2%	7.4%	5.5%	12.1%	8.7%	8.7%	**	7.9%
	Very dissatisfied	6.8%	1.9%	3.5%	2.6%	1.5%	2.7%	3.2%	3.4%	2.8%	3.9%	**	2.7%
	Not applicable	.0%	.0%	.0%	.0%	.1%	.0%	.2%	.0%	.0%	.1%	**	.1%
	NR	8.8%	9.4%	8.6%	7.3%	5.5%	7.8%	8.1%	10.3%	7.3%	8.5%	**	7.4%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076
Satisfaction with balance between personal and professional commitments	Very satisfied	25.0%	29.0%	19.5%	20.8%	18.5%	19.7%	23.2%	17.6%	19.9%	22.3%	**	20.0%
	Somewhat satisfied	30.6%	37.2%	33.9%	39.8%	42.7%	36.7%	34.9%	33.5%	36.0%	33.3%	**	37.4%
	Neutral	8.6%	6.5%	10.9%	8.7%	13.1%	11.6%	10.0%	10.1%	11.0%	10.3%	**	11.5%
	Somewhat dissatisfied	15.9%	13.8%	20.6%	17.2%	15.7%	17.8%	17.6%	19.5%	18.9%	18.0%	**	17.5%
	Very dissatisfied	9.3%	4.1%	5.6%	5.3%	3.7%	5.7%	6.0%	9.9%	6.3%	7.5%	**	5.7%
	Not applicable	.0%	.0%	.0%	.0%	.2%	.1%	.4%	.0%	.0%	.1%	**	.1%
	NR	10.6%	9.4%	9.5%	8.3%	6.1%	8.4%	7.9%	9.5%	7.9%	8.5%	**	7.9%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076

(cont.)

Source: 2010 National Physician Survey. The College of Family Physicians of Canada, Canadian Medical Association, The Royal College of Physicians and Surgeons of Canada.

National Physician Survey, 2010. National Results by Province and Canada

Q30 Please rate your satisfaction with each of the following. (cont.)

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA
Satisfaction with relationship with patients	Very satisfied	53.4%	39.8%	52.5%	49.3%	45.6%	47.5%	51.6%	45.3%	47.7%	46.3%	**	47.3%
	Somewhat satisfied	25.9%	38.7%	28.4%	34.9%	37.8%	32.3%	30.3%	30.5%	32.7%	31.1%	**	33.3%
	Neutral	7.5%	2.2%	5.5%	3.2%	4.4%	6.1%	5.9%	7.7%	6.5%	6.8%	**	5.7%
	Somewhat dissatisfied	1.6%	1.9%	1.6%	1.4%	.8%	1.8%	1.9%	2.9%	1.3%	2.7%	**	1.6%
	Very dissatisfied	1.5%	.0%	.4%	.5%	.3%	.2%	.5%	.7%	.4%	.3%	**	.3%
	Not applicable	.7%	5.8%	2.3%	3.2%	4.8%	4.0%	1.6%	2.9%	3.9%	4.2%	**	4.0%
	NR	9.4%	11.6%	9.3%	7.6%	6.3%	8.0%	8.2%	10.0%	7.6%	8.7%	**	7.8%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076
Satisfaction with relationship with family physicians	Very satisfied	35.8%	49.1%	34.8%	40.3%	29.3%	34.8%	41.7%	35.3%	33.0%	37.8%	**	34.2%
	Somewhat satisfied	37.4%	26.0%	37.0%	37.8%	40.4%	34.3%	30.3%	34.8%	35.3%	35.0%	**	36.1%
	Neutral	9.4%	9.7%	9.4%	9.4%	14.1%	13.3%	13.2%	14.5%	13.6%	11.1%	**	12.9%
	Somewhat dissatisfied	2.9%	1.9%	3.7%	2.4%	3.6%	2.9%	1.4%	1.9%	3.5%	3.3%	**	3.1%
	Very dissatisfied	.6%	.0%	1.4%	1.2%	1.0%	.8%	1.1%	.7%	.9%	.6%	**	.8%
	Not applicable	3.6%	.0%	3.8%	1.6%	5.1%	5.4%	4.5%	3.3%	5.6%	3.7%	**	4.8%
	NR	10.4%	13.3%	10.0%	7.3%	6.5%	8.6%	7.9%	9.5%	8.1%	8.5%	**	8.1%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076

(cont.)

National Physician Survey, 2010. National Results by Province and Canada

Q30 Please rate your satisfaction with each of the following. (cont.)

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Satisfaction with relationship with physicians in other specialties	Very satisfied	26.7%	30.9%	29.1%	32.4%	23.6%	27.4%	33.2%	29.7%	26.6%	30.4%	**	27.3%
	Somewhat satisfied	43.6%	42.5%	45.6%	45.2%	48.9%	44.2%	41.9%	43.1%	45.1%	41.6%	**	45.0%
	Neutral	13.6%	7.7%	8.4%	10.2%	14.1%	13.2%	12.0%	13.8%	13.0%	10.6%	**	12.7%
	Somewhat dissatisfied	5.6%	5.6%	5.3%	3.2%	5.3%	4.3%	2.6%	1.8%	5.1%	5.4%	**	4.7%
	Very dissatisfied	1.0%	.0%	1.7%	.7%	.7%	1.3%	1.6%	1.6%	1.8%	1.2%	**	1.2%
	Not applicable	.0%	.0%	.2%	.3%	1.3%	1.3%	.4%	.0%	.7%	1.5%	**	1.1%
	NR	9.4%	13.3%	9.8%	7.9%	6.1%	8.4%	8.4%	10.1%	7.8%	9.3%	**	8.0%
	Total	%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	**
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N).

Further details available at nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q31a Do the referral documents you receive contain sufficient information?

Question asked of Other Specialists only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA
Do the referral documents you receive contain sufficient information?	Always	.0%	**	.9%	.7%	1.2%	.8%	1.9%	.0%	.5%	1.1%	**	.9%
	Most of the time	19.4%	**	25.8%	24.4%	37.6%	29.7%	29.2%	29.0%	31.9%	29.2%	**	31.4%
	Sometimes	47.0%	**	38.2%	41.0%	30.2%	35.4%	39.9%	31.8%	37.4%	37.8%	**	35.0%
	Rarely	20.8%	**	19.9%	25.7%	16.3%	19.1%	13.9%	17.9%	16.2%	15.8%	**	17.6%
	Never	.0%	**	.6%	.8%	.9%	.5%	1.4%	2.7%	1.0%	.6%	**	.8%
	Not Applicable	1.7%	**	4.6%	2.1%	4.4%	4.3%	3.3%	5.2%	4.1%	5.2%	**	4.3%
	NR	11.1%	**	10.0%	5.3%	9.5%	10.2%	10.4%	13.5%	8.8%	10.4%	**	9.9%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**
	N	403	89	1037	568	7979	12425	1111	661	3244	4272	29	31818
	n	55	16	185	103	1140	2198	209	140	647	775	6	5474

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q31b If not satisfactory, which are the most important elements that could be enhanced in the referral documents you currently receive? Check all that apply.

Question asked of Other Specialists only		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	
Elements that could be enhanced in the referral documents	Information about the problem to be addressed	57.4%	**	54.7%	59.0%	53.7%	53.7%	49.4%	50.4%	55.2%	51.0%	**	53.5%
	Clinical questions to be answered	40.2%	**	54.1%	57.7%	41.4%	46.5%	44.6%	42.2%	51.0%	42.1%	**	45.3%
	Details the patient is unable or unlikely to provide	40.6%	**	45.6%	48.6%	41.1%	44.6%	43.6%	43.1%	42.5%	44.4%	**	43.5%
	Concurrent medical problems	40.0%	**	44.3%	46.7%	32.5%	42.1%	39.1%	38.1%	38.7%	44.9%	**	39.6%
	Relevant investigations and/or treatments already tried	58.2%	**	58.2%	63.5%	52.2%	56.6%	56.8%	53.7%	53.6%	58.5%	**	55.6%
	Medications	42.7%	**	38.7%	39.7%	35.9%	41.8%	38.5%	32.8%	37.6%	42.3%	**	39.5%
	Other enhancements to referral documents	10.4%	**	8.0%	8.3%	5.3%	5.6%	3.0%	2.9%	6.1%	6.2%	**	5.7%
	NR	22.2%	**	21.4%	12.4%	26.1%	25.8%	26.0%	29.5%	22.2%	24.9%	**	25.0%
Total	N	403	89	1037	568	7979	12425	1111	661	3244	4272	29	31818
	n	55	16	185	103	1140	2198	209	140	647	775	6	5474

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

**Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q32a Do the consultation reports you receive contain sufficient information?

Question asked of Other Specialists only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Do the consultation reports you receive contain sufficient information?	Always	1.5%	**	6.3%	5.4%	4.3%	4.5%	4.6%	4.0%	3.3%	4.5%	**	4.4%
	Most of the time	52.2%	**	39.5%	47.8%	56.6%	43.0%	42.7%	37.4%	42.8%	36.7%	**	45.5%
	Sometimes	14.5%	**	8.3%	11.2%	12.7%	11.0%	13.1%	9.5%	9.2%	7.3%	**	10.8%
	Rarely	.0%	**	.6%	2.0%	3.1%	1.4%	.0%	1.3%	1.4%	1.0%	**	1.7%
	Never	.0%	**	.0%	.0%	.2%	.2%	.0%	.8%	.3%	.0%	**	.2%
	Not Applicable	4.1%	**	11.4%	7.1%	5.9%	9.4%	6.0%	7.8%	11.2%	12.7%	**	9.0%
	NR	27.6%	**	34.0%	26.4%	17.2%	30.5%	33.7%	39.3%	31.9%	37.7%	**	28.5%
	Total	%	100%	**	100%	100%	100%	100%	100%	100%	100%	100%	**
	N	403	89	1037	568	7979	12425	1111	661	3244	4272	29	31818
	n	55	16	185	103	1140	2198	209	140	647	775	6	5474

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

**Q32b If not satisfactory, which are the most important elements that could be enhanced in the consultation reports you currently receive?
Check all that apply.**

Question asked of Other Specialists only		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Elements that could be enhanced in consultation reports	Specific answers to specific questions	30.2%	**	20.5%	18.2%	27.6%	19.2%	22.6%	23.9%	20.8%	14.8%	**	21.3%
	Clearly stated diagnostic considerations	19.5%	**	13.9%	16.5%	22.6%	16.3%	16.4%	15.7%	17.9%	12.8%	**	17.5%
	A detailed treatment plan	34.4%	**	13.3%	25.3%	27.9%	19.1%	19.3%	21.9%	18.7%	14.7%	**	20.9%
	Possible effects of the disease or treatment on the patient's quality of life	10.4%	**	8.9%	8.0%	8.5%	7.0%	7.7%	9.6%	8.7%	5.2%	**	7.5%
	Contingency plans in the event of adverse events from (or failure of) treatment	11.9%	**	10.2%	14.3%	16.2%	11.5%	9.8%	12.9%	12.5%	10.0%	**	12.6%
	Prognostic statements	13.8%	**	10.1%	13.6%	14.3%	13.2%	9.7%	13.2%	12.1%	7.0%	**	12.3%
	Follow-up arrangements	23.4%	**	15.8%	19.1%	20.9%	16.2%	14.8%	17.0%	16.9%	11.9%	**	17.0%
	Other enhancements to consultation reports	.0%	**	.6%	.0%	4.9%	2.0%	.9%	3.2%	1.6%	2.2%	**	2.6%
	NR	55.9%	**	64.4%	59.4%	49.3%	64.7%	65.7%	62.5%	63.3%	72.4%	**	61.5%
	Total												
	N	403	89	1037	568	7979	12425	1111	661	3244	4272	29	31818
	n	55	16	185	103	1140	2198	209	140	647	775	6	5474

Notes:

Column totals may exceed 100% as this question allowed for multiple responses

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q31a Do you have summary information on your patient population with chronic diseases?

Question asked of FP/GPs only		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA	
Have summary information on patient population with chronic diseases	Yes	19.7%	3.0%	20.3%	20.3%	15.9%	36.0%	21.1%	22.7%	17.7%	30.8%	**	25.9%	
	No	70.1%	82.1%	70.5%	69.7%	77.3%	55.4%	71.1%	68.8%	73.6%	59.2%	**	65.6%	
	NR	10.2%	14.9%	9.2%	10.0%	6.8%	8.6%	7.8%	8.5%	8.7%	10.0%	**	8.5%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233
	n	115	33	257	194	1432	2219	250	164	752	902	19	6337	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q31a Would summary information be useful?

Question asked of FP/GPs only		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA	
Would summary information be useful?	Yes	62.0%	**	67.7%	66.1%	61.1%	62.9%	66.8%	63.6%	60.9%	53.6%	**	61.3%	
	No	12.8%	**	18.6%	18.0%	26.2%	23.6%	16.8%	24.4%	26.5%	32.6%	**	24.9%	
	NR	25.3%	**	13.7%	15.8%	12.7%	13.4%	16.5%	11.9%	12.6%	13.7%	**	13.7%	
	Total	%	100%	**	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	473	126	841	655	6077	6318	846	704	2755	2937	71	21805
	n	81	27	180	136	1110	1230	180	111	555	538	14	4162	

Notes:

Includes only respondents who don't have summary information on patient population with chronic diseases.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q31b Do you typically use a flow sheet or checklist for chronic diseases?

Question asked of FP/GPs only		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANAD A	
Use a flow sheet or checklist for chronic diseases	Yes	46.1%	44.0%	45.2%	42.7%	35.8%	55.2%	35.7%	52.0%	25.7%	59.6%	**	46.2%	
	No	43.7%	41.0%	44.7%	46.3%	55.8%	35.5%	55.4%	37.2%	65.3%	29.9%	**	44.5%	
	NR	10.2%	14.9%	10.1%	11.1%	8.4%	9.2%	8.9%	10.8%	9.0%	10.5%	**	9.3%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233
	n	115	33	257	194	1432	2219	250	164	752	902	19	6337	

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q31b Would flow sheets be useful?

Question asked of FP/GPs only		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA	
Would flow sheets be useful	Yes	50.7%	**	59.0%	56.0%	61.2%	46.5%	52.8%	38.0%	53.7%	34.2%	**	51.7%	
	No	29.6%	**	25.3%	25.9%	24.7%	33.4%	26.2%	38.5%	29.8%	46.6%	**	30.7%	
	NR	19.6%	**	15.7%	18.1%	14.1%	20.2%	21.0%	23.5%	16.4%	19.2%	**	17.6%	
	Total	%	100%	**	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	295	63	533	435	4388	4051	659	381	2443	1481	50	14781
	n	49	13	112	94	799	784	139	62	489	268	10	2819	

Notes:

Includes only respondents who don't use a flow sheet or checklist for chronic diseases.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q32a Do you give your patients with chronic diseases written instructions about how to manage their own care at home?

Question asked of FP/GPs only		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Give patients with chronic diseases written instructions	Yes, Routinely	16.1%	11.7%	21.0%	19.4%	17.7%	20.0%	23.6%	24.0%	19.7%	24.7%	**	20.3%
	Yes, Occasionally	46.6%	45.9%	46.1%	43.9%	47.9%	43.0%	41.5%	40.3%	45.7%	46.6%	**	45.1%
	No	21.9%	21.7%	20.3%	23.7%	23.1%	24.1%	24.3%	23.9%	21.8%	15.2%	**	22.1%
	Don't Know/ Decline to Answer	3.6%	2.7%	3.0%	2.1%	3.5%	3.9%	3.3%	2.7%	3.6%	3.4%	**	3.5%
	NR	11.7%	17.9%	9.7%	10.8%	7.7%	9.0%	7.3%	9.1%	9.3%	10.0%	**	9.0%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**
	N	676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233
	n	115	33	257	194	1432	2219	250	164	752	902	19	6337

Notes:

Includes only respondents who provide patient care.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q32b Do you use electronic tools to manage your patients chronic conditions? Check all that apply.

Question asked of FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA
Use electronic tools	Use EMRs to manage your patients' chronic conditions	17.4%	18.7%	32.3%	10.0%	3.6%	36.9%	23.8%	25.5%	40.4%	33.6%	**	26.7%
	Use web sites to manage your patients' chronic conditions	24.0%	11.9%	19.2%	16.9%	14.2%	16.3%	22.3%	16.6%	24.0%	14.8%	**	17.0%
	Use online CDM forms or programs to manage your patients' chronic conditions	8.7%	.0%	6.0%	6.7%	4.6%	3.7%	5.2%	19.2%	7.0%	14.3%	**	6.7%
	Use email to manage your patients' chronic conditions	2.9%	2.7%	5.1%	2.7%	2.0%	2.9%	4.1%	5.4%	3.6%	3.1%	**	3.0%
	Use other electronic tools to manage your patients' chronic conditions	11.6%	3.5%	4.2%	6.9%	4.4%	3.9%	5.0%	6.9%	4.0%	3.9%	**	4.4%
	NR	52.1%	69.4%	50.7%	66.2%	77.1%	50.9%	55.7%	47.4%	45.7%	50.8%	**	57.1%
Total	N	676	153	1193	940	7857	11403	1189	1023	3743	4958	96	33233
	n	115	33	257	194	1432	2219	250	164	752	902	19	6337

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q33 Where were you born?

		Province											CANADA	
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU		
Where were you born?	Canada	54.9%	57.4%	59.8%	68.8%	80.6%	57.2%	56.4%	43.0%	55.1%	52.0%	**	61.9%	
	USA	1.5%	7.9%	4.1%	1.9%	1.4%	2.1%	2.3%	1.4%	1.5%	3.5%	**	2.2%	
	Other Country	34.3%	23.5%	27.8%	20.7%	12.6%	32.5%	32.9%	45.3%	35.1%	35.4%	**	28.2%	
	NR	9.2%	11.2%	8.3%	8.6%	5.5%	8.2%	8.4%	10.3%	8.2%	9.0%	**	7.8%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q34a Year of your undergraduate medical graduation.

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Year of undergraduate medical graduation	prior to 1960s	.0%	.0%	.9%	.0%	.6%	1.6%	.8%	1.3%	.7%	.9%	**	1.0%
	1960s	4.4%	2.3%	4.8%	4.6%	7.5%	9.0%	6.7%	6.6%	5.3%	7.4%	**	7.5%
	1970s	20.8%	20.2%	19.4%	17.9%	22.8%	19.4%	17.6%	19.6%	17.7%	21.0%	**	20.2%
	1980s	23.8%	33.5%	29.7%	26.4%	26.2%	25.2%	28.3%	23.5%	25.4%	26.5%	**	25.9%
	1990s	22.0%	24.5%	24.9%	25.6%	22.3%	22.6%	24.0%	22.5%	23.9%	21.7%	**	22.7%
	2000s	15.0%	6.0%	9.4%	14.7%	11.9%	11.6%	11.0%	13.7%	15.9%	11.4%	**	12.2%
	NR	14.0%	13.5%	10.9%	10.8%	8.8%	10.6%	11.7%	12.7%	11.0%	11.1%	**	10.5%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q34a Year of completion of your MOST RECENT post-graduate medical training (i.e., residency/ internship).

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Year of MOST RECENT post-graduate medical training	prior to 1960s	.0%	.0%	.0%	.0%	.0%	.1%	.0%	.0%	.1%	.1%	**	.1%
	1960s	1.1%	.0%	1.2%	.8%	1.9%	3.0%	1.8%	1.0%	1.3%	2.0%	**	2.2%
	1970s	9.6%	10.1%	7.8%	8.4%	15.5%	11.1%	9.4%	9.9%	8.1%	12.7%	**	11.8%
	1980s	17.5%	27.4%	19.8%	15.7%	23.3%	20.2%	18.6%	14.5%	18.8%	21.1%	**	20.6%
	1990s	20.9%	15.0%	20.1%	22.2%	21.5%	21.2%	22.5%	21.8%	21.2%	22.2%	**	21.4%
	2000s	24.3%	16.6%	27.3%	31.7%	22.4%	23.8%	26.9%	27.3%	31.5%	22.7%	**	24.6%
	2010s	.0%	3.9%	.2%	.0%	.3%	.3%	.0%	.0%	.3%	.5%	**	.3%
	NR	26.4%	27.0%	23.7%	21.2%	15.1%	20.3%	20.9%	25.5%	18.6%	18.7%	**	19.0%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q34b Please indicate where you completed your medical training. Check only one location per category.

Question asked of FP/GPs only		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Location of undergraduate medical education	UBC	1.6%	.0%	1.1%	.0%	.3%	1.2%	.4%	1.2%	3.5%	28.4%	**	5.3%	
	U of Calgary	.0%	2.9%	.4%	1.0%	.3%	1.2%	.9%	.4%	13.6%	4.1%	**	2.7%	
	U of Alberta	.0%	3.4%	1.4%	.5%	.3%	.9%	.7%	.6%	28.1%	5.5%	**	4.4%	
	U of SK	.0%	.0%	.3%	.9%	.0%	.5%	.8%	33.1%	2.4%	3.7%	**	2.1%	
	U of Manitoba	.0%	.0%	.7%	.9%	.2%	2.3%	45.0%	.4%	2.3%	3.2%	**	3.3%	
	U of Western Ontario	1.5%	.0%	.8%	.5%	.1%	10.8%	1.1%	.6%	1.8%	3.0%	**	4.5%	
	NOSM	.0%	.0%	.0%	.0%	.0%	.4%	.0%	.0%	.0%	.1%	**	.2%	
	McMaster	1.1%	.0%	2.0%	.9%	.4%	8.3%	.4%	1.3%	1.4%	3.1%	**	3.7%	
	U of Toronto	1.6%	5.6%	2.0%	1.7%	.4%	24.8%	.4%	.4%	1.4%	4.2%	**	9.5%	
	U of Ottawa	4.1%	.0%	1.7%	1.9%	1.4%	7.9%	.5%	.6%	1.0%	1.9%	**	3.6%	
	Queen's	1.6%	.0%	1.6%	1.3%	.3%	6.9%	1.6%	.4%	1.6%	3.3%	**	3.3%	
	U de Sherbrooke	.0%	.0%	.0%	10.1%	15.2%	.4%	.9%	.0%	.1%	.1%	**	4.1%	
	U de Montréal	.0%	.0%	.4%	5.2%	33.7%	.5%	.0%	.0%	.2%	.4%	**	8.5%	
	McGill	1.5%	.0%	.7%	.5%	6.1%	2.9%	.0%	.4%	.9%	1.8%	**	2.9%	
	Université Laval	.0%	.0%	.3%	7.7%	29.3%	.3%	.0%	.0%	.1%	.1%	**	7.4%	
	Dalhousie	6.6%	46.7%	48.7%	27.0%	.1%	2.4%	.3%	.6%	.7%	2.4%	**	4.2%	
	MUN&L	30.5%	2.6%	2.9%	5.4%	.0%	1.1%	.8%	.0%	.8%	.9%	**	1.5%	
	USA	.0%	5.3%	3.0%	.4%	.3%	1.2%	1.0%	.4%	.4%	2.0%	**	1.0%	
	Other country	33.0%	22.4%	18.3%	20.3%	6.6%	15.7%	29.4%	44.4%	27.5%	20.5%	**	17.5%	
	NR	17.0%	11.1%	13.7%	13.6%	4.9%	10.3%	15.6%	15.0%	12.3%	11.4%	**	10.1%	
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%	
	N	698	158	1236	968	8334	11709	1246	1086	3832	5197	101	34565	
	n	119	34	267	200	1525	2283	262	174	771	947	20	6602	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q34b Please indicate where you completed your most recent post-graduate medical training. Check only one location per category.

Question asked of FP/GPs only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	CANADA
Location of most recent post-graduate medical training	UBC	1.5%	.0%	2.8%	1.0%	.2%	1.2%	1.1%	.7%	1.4%	25.9%	**	4.8%
	U of Calgary	.0%	2.9%	.3%	.5%	.0%	.9%	2.0%	1.6%	18.0%	4.3%	**	3.1%
	U of Alberta	.0%	.0%	.5%	.4%	.1%	.9%	.0%	1.6%	29.4%	5.6%	**	4.5%
	U of SK	.0%	2.9%	.4%	1.3%	.0%	.9%	1.0%	32.8%	1.4%	3.1%	**	2.1%
	U of Manitoba	.9%	2.9%	.7%	1.3%	.1%	1.7%	48.5%	1.3%	1.8%	3.8%	**	3.3%
	U of Western Ontario	.6%	.0%	1.7%	1.1%	.3%	9.0%	1.2%	1.6%	1.0%	2.1%	**	3.8%
	NOSM	.0%	.0%	.5%	.0%	.2%	.9%	.0%	.0%	.0%	.3%	**	.4%
	McMaster	1.0%	.0%	1.3%	.0%	.3%	9.4%	.0%	.0%	1.3%	1.0%	**	3.6%
	U of Toronto	1.7%	5.6%	1.4%	1.9%	.1%	25.2%	.5%	.6%	1.7%	3.8%	**	9.5%
	U of Ottawa	.0%	.0%	3.0%	2.3%	.9%	9.9%	.4%	.0%	.9%	3.1%	**	4.3%
	Queen's	1.1%	2.6%	3.8%	1.4%	.0%	5.6%	.4%	.0%	1.4%	1.6%	**	2.5%
	U de Sherbrooke	.0%	.0%	.0%	14.0%	14.5%	.3%	.8%	1.6%	.2%	.1%	**	4.1%
	U de Montréal	.0%	.0%	.4%	4.0%	30.0%	.3%	.0%	.0%	.1%	.1%	**	7.5%
	McGill	.0%	.0%	2.0%	1.0%	10.5%	3.2%	.8%	1.2%	.6%	2.8%	**	4.3%
	Université Laval	.0%	.0%	.6%	5.1%	24.3%	.3%	.0%	.0%	.1%	.1%	**	6.1%
	Dalhousie	3.7%	36.5%	38.7%	30.1%	.2%	2.1%	1.1%	1.6%	1.7%	4.0%	**	4.2%
	MUN&L	39.4%	2.6%	3.9%	2.8%	.3%	1.7%	1.3%	.0%	1.4%	2.2%	**	2.2%
	USA	2.8%	5.3%	4.7%	2.2%	.4%	2.8%	3.7%	2.3%	1.8%	3.1%	**	2.2%
	Other country	20.4%	10.1%	12.4%	11.8%	3.4%	6.2%	18.6%	30.0%	18.8%	14.3%	**	10.0%
	NR	26.9%	28.5%	20.9%	17.9%	14.3%	17.6%	18.6%	22.9%	16.9%	19.0%	**	17.5%
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	698	158	1236	968	8334	11709	1246	1086	3832	5197	101	34565
	n	119	34	267	200	1525	2283	262	174	771	947	20	6602

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q34b Please indicate where you completed your medical training. Check only one location per category.

<i>Question asked of Other Specialists only</i>		Province												
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA	
Location of undergraduate medical graduation	Canada	72.1%	**	69.5%	79.2%	82.8%	69.1%	74.4%	61.7%	74.5%	67.0%	**	73.1%	
	USA	.0%	**	2.1%	.0%	1.5%	1.1%	.0%	.6%	.2%	1.4%	**	1.1%	
	Other Country	20.1%	**	19.4%	12.5%	7.5%	19.5%	16.6%	20.3%	16.4%	21.5%	**	16.3%	
	NR	7.8%	**	9.0%	8.4%	8.2%	10.3%	9.0%	17.4%	9.0%	10.1%	**	9.6%	
	Total	%	100%	**	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	403	89	1037	568	7979	12425	1111	661	3244	4272	29	31818
	n	55	16	185	103	1140	2198	209	140	647	775	6	5474	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q34b Please indicate where you completed your most recent post-graduate medical training. Check only one location per category.

Question asked of Other Specialists only		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Location of MOST RECENT post-graduate medical training	Canada	74.5%	**	73.9%	80.2%	75.7%	76.0%	73.8%	71.2%	74.4%	72.7%	**	75.1%
	USA	10.5%	**	8.5%	2.7%	8.8%	7.3%	9.8%	6.0%	9.6%	7.8%	**	8.0%
	Other country	7.2%	**	5.9%	6.9%	3.7%	4.3%	4.8%	6.5%	5.4%	6.3%	**	4.7%
	NR	7.8%	**	11.7%	10.2%	11.8%	12.5%	11.7%	16.3%	10.6%	13.2%	**	12.2%
	Total	%	100%	**	100%	100%	100%	100%	100%	100%	100%	100%	**
	N	403	89	1037	568	7979	12425	1111	661	3244	4272	29	31818
	n	55	16	185	103	1140	2198	209	140	647	775	6	5474

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q35 Current medical specialty certification/attestation. Check all that apply.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Current medical specialty certification	Royal College of Physicians and Surgeons of Canada	36.6%	31.5%	43.8%	37.1%	38.8%	50.6%	46.9%	37.1%	46.4%	45.3%	**	45.1%	
	College of Family Physicians of Canada	25.4%	29.4%	29.8%	31.7%	22.9%	31.2%	29.2%	33.1%	34.8%	32.2%	**	29.6%	
	Collège des médecins du Québec	.0%	.0%	1.0%	5.3%	78.7%	1.4%	.4%	.6%	.5%	.7%	**	20.2%	
	Other medical designation	18.2%	15.9%	18.6%	15.0%	12.5%	12.4%	16.2%	24.1%	16.6%	14.9%	**	14.0%	
	Master's degree	10.1%	9.7%	15.0%	9.4%	11.2%	13.3%	11.3%	10.2%	14.3%	11.2%	**	12.3%	
	PhD	2.2%	.0%	1.6%	3.1%	3.5%	3.3%	2.4%	1.3%	3.0%	1.9%	**	2.9%	
	NR	26.3%	30.0%	19.3%	22.4%	9.3%	16.5%	18.9%	21.2%	15.3%	20.1%	**	15.8%	
Total	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383	
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q36 In what year did you become licensed to practice medicine in Canada for the first time?

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Number of years licensed to practice medicine in Canada.	< 4 years	24.6%	20.4%	7.6%	15.2%	9.7%	7.3%	12.5%	17.5%	12.7%	8.8%	**	9.7%
	5-9 years	9.1%	4.0%	13.8%	13.0%	9.6%	12.0%	13.3%	16.5%	16.6%	10.2%	**	11.8%
	10-14 years	3.8%	5.7%	10.7%	10.0%	10.8%	10.1%	10.3%	12.0%	11.2%	10.1%	**	10.3%
	15-19 years	10.4%	6.7%	9.8%	11.2%	9.0%	9.9%	9.7%	6.6%	9.9%	10.6%	**	9.7%
	20 + years	38.7%	52.2%	47.5%	39.0%	54.0%	50.4%	45.4%	35.4%	40.0%	49.5%	**	48.9%
	NR	13.3%	11.0%	10.7%	11.4%	6.9%	10.4%	8.9%	12.0%	9.5%	10.8%	**	9.6%
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**
	N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q37a Do you have children (including stepchildren)?

		Province											CANADA	
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU		
Do you have children (including stepchildren)	Yes	72.4%	84.2%	75.1%	74.8%	77.9%	77.8%	82.1%	76.5%	75.4%	75.3%	**	77.1%	
	No	18.3%	7.8%	16.2%	17.4%	17.0%	14.4%	10.5%	13.7%	16.3%	15.9%	**	15.5%	
	NR	9.2%	8.1%	8.7%	7.8%	5.1%	7.7%	7.4%	9.7%	8.3%	8.8%	**	7.4%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q37a Age of the youngest child.

		Province											NT/YT/ NU	CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC			
Age of the youngest child	Up to 5 years old	25.2%	21.5%	21.2%	23.3%	20.5%	20.5%	21.0%	24.0%	25.0%	21.3%	**	21.4%	
	Between 5 and 10 years old	15.6%	14.8%	13.9%	12.7%	12.7%	12.5%	14.2%	10.5%	14.4%	12.9%	**	12.9%	
	Older than 10	56.3%	61.1%	62.1%	62.3%	66.0%	64.9%	62.9%	63.4%	59.6%	63.9%	**	64.1%	
	NR	2.9%	2.6%	2.8%	1.8%	.9%	2.1%	1.8%	2.1%	1.0%	1.9%	**	1.7%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	797	208	1708	1149	12701	18782	1935	1337	5337	7129	80	51163	
	n	123	42	345	223	2085	3516	386	242	1079	1294	16	9351	

Notes:

Includes only respondents who have children.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q37a Age of the youngest child.

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Age of the youngest child	Mean	15.54	14.97	16.13	15.77	16.95	17.02	16.25	16.32	14.89	16.68	**	16.60
	Median	14.00	16.00	15.00	15.00	16.00	16.00	15.00	15.00	14.00	16.00	**	16.00
	Mode	10.00	2.00	20.00	1.00	1.00	1.00	8.00	1.00	1.00	1.00	**	1.00
	Standard Deviation	10.85	9.86	10.73	10.72	11.09	11.36	10.80	11.35	10.46	11.10	**	11.11
	Minimum	.10	1.00	.10	.50	.10	.06	.10	.20	.10	.20	**	.06
	Maximum	42.00	37.00	46.00	39.00	48.00	51.00	51.00	48.00	50.00	52.00	**	52.00
	N	756	203	1648	1116	12427	18120	1866	1291	5178	6894	80	49579
	n	116	41	334	217	2040	3394	372	234	1047	1249	16	9060

Notes:

Includes only respondents who have children.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q37a On average, how many hours per week do you have primary responsibility for the care/supervision of the children (excluding sleep hours)?

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Hours per week with primary responsibility for the care /supervision of children	Zero hours	26.8%	23.9%	25.7%	24.7%	18.1%	26.5%	24.1%	23.7%	24.4%	31.5%	**	24.7%
	1 to 10 hours/week	16.0%	9.5%	18.6%	17.8%	8.6%	18.3%	18.1%	21.7%	21.2%	19.2%	**	16.3%
	11 to 20 hours/week	6.6%	12.4%	8.7%	6.6%	7.1%	8.9%	9.4%	9.8%	11.6%	9.6%	**	8.8%
	21 to 30 hours/week	3.7%	6.4%	4.9%	5.6%	4.4%	5.6%	6.5%	4.7%	5.2%	5.2%	**	5.2%
	31 to 40 hours/week	4.8%	.0%	5.7%	5.2%	5.7%	5.5%	4.0%	5.6%	4.2%	5.3%	**	5.3%
	41 to 50 hours/week	3.0%	5.4%	4.1%	6.4%	6.0%	4.7%	3.6%	3.1%	3.8%	4.0%	**	4.8%
	More than 50 hours/week	14.1%	13.5%	10.6%	9.7%	17.8%	9.3%	11.4%	10.6%	10.8%	8.7%	**	11.7%
	NR	24.9%	29.0%	21.6%	23.9%	32.3%	21.1%	22.9%	20.7%	18.8%	16.5%	**	23.2%
Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
	N	797	208	1708	1149	12701	18782	1935	1337	5337	7129	80	51163
	n	123	42	345	223	2085	3516	386	242	1079	1294	16	9351

Notes:

Includes only respondents who have children.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q37a On average, how many hours per week do you have primary responsibility for the care/supervision of the children (excluding sleep hours)?

		Province											
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	CANADA
Hours per week with primary responsibility for the care /supervision of children	Mean	34.54	**	31.43	31.46	45.79	29.73	31.87	27.58	29.03	28.47	**	33.50
	Median	30.00	**	20.00	21.00	40.00	20.00	20.00	20.00	20.00	20.00	**	24.00
	Mode	10.00	**	10.00	10.00	112.00	10.00	20.00	10.00	10.00	10.00	**	10.00
	Standard Deviation	28.84	**	28.65	27.83	32.86	26.55	30.10	24.09	27.59	26.33	**	29.33
	Minimum	1.00	**	1.00	2.00	1.00	1.00	1.00	2.00	1.00	1.00	**	1.00
	Maximum	112.00	**	112.00	112.00	112.00	112.00	112.00	112.00	112.00	112.00	**	112.00
	N	385	98	899	590	6297	9838	1027	742	3033	3709	35	26652
	n	62	20	164	108	973	1669	200	134	567	640	7	4544

Notes:

Includes only respondents who have children and who indicated greater than zero hours per week.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q37b Do you have any other dependents for whom you personally provide care (grandchildren/ elderly/ disabled)?

		Province											CANADA	
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU		
Other dependents	Yes	14.4%	4.1%	7.7%	8.0%	9.0%	11.8%	11.9%	10.8%	9.7%	11.0%	**	10.5%	
	No	74.5%	84.1%	82.4%	82.9%	84.4%	78.4%	80.0%	78.8%	80.2%	78.9%	**	80.4%	
	NR	11.1%	11.8%	9.9%	9.1%	6.6%	9.8%	8.0%	10.3%	10.0%	10.1%	**	9.1%	
	Total	%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	**	100%
		N	1101	247	2273	1536	16313	24134	2357	1746	7076	9469	130	66383
	n	174	50	452	303	2665	4481	471	314	1418	1722	26	12076	

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q37b How many other dependents do you have?

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	
Number of other dependents	Less than 5	**	**	91.7%	**	82.2%	88.2%	91.2%	90.6%	89.1%	82.0%	**	86.1%
	5 to 10	**	**	.0%	**	1.9%	2.4%	1.6%	.0%	3.4%	3.6%	**	2.5%
	More than 10	**	**	.0%	**	.0%	.4%	.0%	.0%	.0%	.9%	**	.3%
	NR	**	**	8.3%	**	15.9%	9.0%	7.2%	9.4%	7.5%	13.5%	**	11.1%
	Total	%	**	**	100%	**	100%	100%	100%	100%	100%	100%	**
	N	158	10	175	123	1467	2848	281	189	690	1041	15	6997
	n	24	2	37	25	246	558	58	34	137	195	3	1319

Notes:

Includes only respondents who have other dependents.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q37b On average, how many hours per week do you spend caring for your other dependents (excluding sleep hours)?

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/NU	
Hours per week caring for your dependents	Up to 5 hours/week	**	**	59.5%	**	41.7%	41.9%	37.6%	43.3%	46.4%	45.4%	**	43.2%
	More than 5, up to 10 hours/week	**	**	17.3%	**	21.0%	26.5%	25.0%	6.9%	16.9%	19.4%	**	22.3%
	More than 10 hours/week	**	**	10.3%	**	17.6%	13.7%	21.6%	16.3%	15.6%	16.6%	**	15.3%
	NR	**	**	12.8%	**	19.7%	17.9%	15.9%	33.6%	21.1%	18.6%	**	19.1%
	Total	%	**	**	100%	**	100%	100%	100%	100%	100%	100%	**
	N	158	10	175	123	1467	2848	281	189	690	1041	15	6997
	n	24	2	37	25	246	558	58	34	137	195	3	1319

Notes:

Includes only respondents who have other dependents.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2010. National Results by Province and Canada

Q37b On average, how many hours per week do you spend caring for your other dependents (excluding sleep hours)?

		Province											CANADA
		NL	PE	NS	NB	PQ	ON	MB	SK	AB	BC	NT/YT/ NU	
Hours per week caring for your dependents	Mean	**	**	6.59	**	11.31	8.57	11.61	**	11.09	9.85	**	9.65
	Median	**	**	4.00	**	5.00	6.00	8.00	**	5.00	5.00	**	5.00
	Mode	**	**	4.00	**	2.00	10.00	8.00	**	4.00	2.00	**	2.00
	Standard Deviation	**	**	6.06	**	16.72	11.32	12.20	**	16.42	12.91	**	13.34
	Minimum	**	**	1.00	**	1.00	.50	2.00	**	1.00	1.00	**	.50
	Maximum	**	**	30.00	**	112.00	112.00	50.00	**	100.00	84.00	**	112.00
	N	112	5	142	84	1145	2262	220	116	516	789	10	5399
n	17	1	30	18	195	447	46	21	105	150	2	1032	

Notes:

Includes only respondents who have other dependents and who indicated greater than zero hours per week.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.