

## National Physician Survey, 2010. Provincial Results by FP/GP or Other Specialist, Sex, Age, and All Physicians: QUÉBEC

Q15 Please indicate if you OFFER the following to your patients. Check all that apply.

| Question asked of FP/GPs only    |   | FP/GP or Specialist |            | Sex   |        |       | Age Group |       |       |       |       |       | All Physicians |
|----------------------------------|---|---------------------|------------|-------|--------|-------|-----------|-------|-------|-------|-------|-------|----------------|
|                                  |   | FP/GP               | Other Spec | Male  | Female | NR    | <35       | 35-44 | 45-54 | 55-64 | 65+   | NR    |                |
| I (physician) offer              | Emergency medicine  | 35.7%               | **         | 38.5% | 32.9%  | 34.6% | 51.1%     | 44.3% | 32.0% | 27.8% | 29.2% | 32.5% | 35.7%          |
|                                  | Alternative/complementary medicine                          | 4.2%                | **         | 5.9%  | 2.4%   | 5.4%  | 2.3%      | 3.8%  | 2.2%  | 7.3%  | 6.7%  | 5.6%  | 4.2%           |
|                                  | Travel/tropical medicine                                    | 17.0%               | **         | 19.3% | 15.1%  | 13.4% | 16.2%     | 13.7% | 17.4% | 20.7% | 16.9% | 13.4% | 17.0%          |
|                                  | Cosmetic medicine   | 2.6%                | **         | 3.8%  | 1.4%   | 2.7%  | 2.8%      | 2.1%  | 2.0%  | 3.3%  | 4.4%  | 2.8%  | 2.6%           |
|                                  | Anesthesia  | 2.6%                | **         | 4.1%  | .8%    | 4.1%  | 1.7%      | 3.4%  | 2.2%  | 2.6%  | 2.0%  | 4.2%  | 2.6%           |
|                                  | Community medicine/public health services/ health promotion | 20.3%               | **         | 18.6% | 22.4%  | 17.6% | 24.8%     | 18.5% | 23.7% | 17.0% | 16.6% | 16.5% | 20.3%          |
|                                  | Dermatology   | 41.9%               | **         | 44.8% | 38.5%  | 45.5% | 29.5%     | 34.6% | 45.5% | 50.9% | 35.3% | 45.2% | 41.9%          |
|                                  | Gynecology  | 53.4%               | **         | 48.1% | 57.6%  | 65.1% | 54.1%     | 49.3% | 54.2% | 57.1% | 39.9% | 63.3% | 53.4%          |
|                                  | Liaison to Homecare   | 38.2%               | **         | 41.2% | 34.5%  | 42.5% | 21.3%     | 35.0% | 39.7% | 48.0% | 30.8% | 44.2% | 38.2%          |
|                                  | Hospitalist care  | 27.0%               | **         | 24.0% | 31.1%  | 17.0% | 55.7%     | 39.1% | 21.3% | 15.4% | 11.7% | 18.5% | 27.0%          |
|                                  | Housecalls  | 38.8%               | **         | 44.2% | 32.5%  | 45.1% | 20.7%     | 29.4% | 41.1% | 51.2% | 43.2% | 42.8% | 38.8%          |
|                                  | Infectious disease care                                     | 33.7%               | **         | 38.5% | 29.5%  | 26.0% | 23.1%     | 31.3% | 36.8% | 40.6% | 25.4% | 26.5% | 33.7%          |
|                                  | Mental health care  | 58.8%               | **         | 56.6% | 60.2%  | 65.8% | 52.7%     | 53.7% | 63.1% | 64.7% | 39.7% | 64.1% | 58.8%          |
|                                  | Psychotherapy/counseling                                    | 49.0%               | **         | 48.3% | 49.7%  | 48.1% | 32.8%     | 38.9% | 54.7% | 60.3% | 41.5% | 49.0% | 49.0%          |
|                                  | Substance abuse care  | 15.5%               | **         | 17.4% | 14.0%  | 11.4% | 12.4%     | 16.1% | 14.9% | 18.8% | 12.7% | 11.7% | 15.5%          |
|                                  | Nutritional counseling                                      | 26.7%               | **         | 22.9% | 30.9%  | 24.6% | 25.4%     | 27.3% | 27.9% | 28.4% | 15.9% | 26.3% | 26.7%          |
|                                  | Pain management   | 54.5%               | **         | 58.0% | 50.7%  | 55.9% | 40.1%     | 48.6% | 57.4% | 63.7% | 49.9% | 57.7% | 54.5%          |
|                                  | Palliative medicine   | 41.3%               | **         | 42.3% | 40.2%  | 41.9% | 43.7%     | 40.1% | 41.5% | 45.2% | 25.0% | 42.2% | 41.3%          |
| Occupational/industrial medicine | 12.6%   | **                  | 17.4%      | 7.4%  | 15.2%  | 9.6%  | 8.0%      | 10.2% | 17.7% | 22.2% | 17.8% | 12.6% |                |
| Rehabilitation medicine          | 12.3%   | **                  | 14.1%      | 10.5% | 11.8%  | 8.4%  | 16.0%     | 12.6% | 12.0% | 7.9%  | 11.8% | 12.3% |                |
| Sports medicine                  | 15.1%   | **                  | 20.0%      | 10.0% | 14.7%  | 13.6% | 14.7%     | 15.9% | 17.5% | 10.0% | 10.6% | 15.1% |                |

(cont.)

## National Physician Survey, 2010. Provincial Results by FP/GP or Other Specialist, Sex, Age, and All Physicians: QUÉBEC

Q15 Please indicate if you OFFER the following to your patients. Check all that apply.(cont.)

| Question asked of FP/GPs only |                                   | FP/GP or Specialist |            | Sex   |        |       | Age Group |       |       |       |       |       |                |
|-------------------------------|-----------------------------------|---------------------|------------|-------|--------|-------|-----------|-------|-------|-------|-------|-------|----------------|
|                               |                                   | FP/GP               | Other Spec | Male  | Female | NR    | <35       | 35-44 | 45-54 | 55-64 | 65+   | NR    | All Physicians |
| I (physician) offer           | Surgery                           | 6.3%                | **         | 10.3% | 2.4%   | 5.1%  | 4.4%      | 6.8%  | 5.9%  | 7.1%  | 8.8%  | 5.3%  | 6.3%           |
|                               | Day Surgery                       | 3.6%                | **         | 5.8%  | 1.2%   | 3.7%  | 1.1%      | 4.0%  | 3.1%  | 4.3%  | 5.2%  | 5.0%  | 3.6%           |
|                               | Surgical assisting                | 2.6%                | **         | 3.2%  | 1.6%   | 6.2%  | 3.9%      | 1.7%  | 1.9%  | 3.2%  | 2.9%  | 4.8%  | 2.6%           |
|                               | In-patient hospital care          | 25.2%               | **         | 23.0% | 28.6%  | 16.6% | 45.3%     | 35.2% | 23.0% | 14.3% | 12.3% | 19.3% | 25.2%          |
|                               | Intrapartum care                  | 7.6%                | **         | 4.8%  | 11.0%  | 3.8%  | 15.4%     | 13.6% | 5.5%  | 3.3%  | 2.9%  | 3.9%  | 7.6%           |
|                               | Pre-natal care                    | 17.9%               | **         | 13.5% | 22.8%  | 15.9% | 27.4%     | 23.4% | 17.6% | 11.3% | 9.6%  | 17.4% | 17.9%          |
|                               | Ante-natal care                   | 14.0%               | **         | 9.3%  | 19.1%  | 12.7% | 23.5%     | 20.3% | 12.7% | 8.1%  | 4.4%  | 14.1% | 14.0%          |
|                               | Well child care                   | 44.6%               | **         | 39.9% | 49.7%  | 43.8% | 53.7%     | 48.2% | 46.7% | 41.7% | 19.8% | 41.4% | 44.6%          |
|                               | Legal/ medico-legal consultations | 4.1%                | **         | 5.8%  | 1.9%   | 7.8%  | 2.6%      | 4.1%  | 2.6%  | 6.0%  | 2.3%  | 9.4%  | 4.1%           |
|                               | Other service                     | 14.4%               | **         | 12.5% | 16.0%  | 18.5% | 10.0%     | 17.4% | 15.5% | 12.8% | 12.8% | 16.0% | 14.4%          |
|                               | NR                                | 4.3%                | **         | 5.1%  | 3.5%   | 4.0%  | 5.1%      | 2.8%  | 4.2%  | 4.4%  | 8.1%  | 4.1%  | 4.3%           |
| Total                         | N                                 | 7857                | 0          | 3788  | 3652   | 417   | 924       | 1671  | 2466  | 1880  | 512   | 404   | 7857           |
|                               | n                                 | 1432                | 0          | 638   | 718    | 76    | 176       | 269   | 450   | 363   | 99    | 75    | 1432           |

### Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at [nationalphysiciansurvey.ca](http://nationalphysiciansurvey.ca).

\*\*Responses suppressed when column n is less than 30.

## National Physician Survey, 2010. Provincial Results by FP/GP or Other Specialist, Sex, Age, and All Physicians: QUÉBEC

Q15 Please indicate if this is a SPECIFIC AREA OF FOCUS in your practice. Check all that apply.

| Question asked of FP/GPs only |   | FP/GP or Specialist |            | Sex   |        |      | Age Group |       |       |       |      |       |                |
|-------------------------------|---|---------------------|------------|-------|--------|------|-----------|-------|-------|-------|------|-------|----------------|
|                               |   | FP/GP               | Other Spec | Male  | Female | NR   | <35       | 35-44 | 45-54 | 55-64 | 65+  | NR    | All Physicians |
| Specific area of focus        | Emergency medicine  | 13.1%               | **         | 12.6% | 14.1%  | 8.7% | 29.5%     | 24.9% | 9.4%  | 3.6%  | .0%  | 10.5% | 13.1%          |
|                               | Alternative/complementary medicine                          | 1.5%                | **         | 2.2%  | .7%    | 2.7% | 1.1%      | 2.4%  | .6%   | 1.9%  | .9%  | 2.8%  | 1.5%           |
|                               | Travel/ tropical medicine                                   | 1.6%                | **         | 1.6%  | 1.5%   | 2.7% | 2.2%      | 1.7%  | 1.4%  | 1.5%  | 1.2% | 2.8%  | 1.6%           |
|                               | Cosmetic medicine   | 1.4%                | **         | 2.0%  | .7%    | 2.7% | 1.7%      | 1.7%  | .8%   | 1.0%  | 3.2% | 2.8%  | 1.4%           |
|                               | Anesthesia  | 1.6%                | **         | 2.7%  | .4%    | 2.7% | .5%       | 2.3%  | 1.1%  | 1.9%  | 2.0% | 2.8%  | 1.6%           |
|                               | Community medicine/public health services/ health promotion | 3.1%                | **         | 3.2%  | 3.0%   | 3.7% | 4.5%      | 2.2%  | 3.8%  | 2.6%  | 1.8% | 3.8%  | 3.1%           |
|                               | Dermatology   | 1.5%                | **         | 2.4%  | .3%    | 3.8% | 1.1%      | 1.7%  | .9%   | 1.8%  | 1.2% | 3.9%  | 1.5%           |
|                               | Gynecology  | 5.3%                | **         | 3.5%  | 7.2%   | 5.2% | 5.6%      | 4.8%  | 6.8%  | 4.0%  | 4.2% | 5.2%  | 5.3%           |
|                               | Liaison to Homecare   | 3.5%                | **         | 3.3%  | 3.7%   | 4.1% | 3.4%      | 4.8%  | 2.7%  | 3.6%  | 2.9% | 4.2%  | 3.5%           |
|                               | Hospitalist care  | 8.5%                | **         | 7.1%  | 10.3%  | 5.4% | 18.1%     | 14.4% | 5.9%  | 3.8%  | 2.3% | 6.9%  | 8.5%           |
|                               | Housecalls  | 4.3%                | **         | 4.2%  | 4.6%   | 2.7% | 4.0%      | 3.5%  | 5.3%  | 3.9%  | 5.8% | 2.8%  | 4.3%           |
|                               | Infectious disease care                                     | 1.5%                | **         | 2.5%  | .3%    | 2.7% | .5%       | 2.0%  | 1.2%  | 1.8%  | .9%  | 2.8%  | 1.5%           |
|                               | Mental health care  | 7.1%                | **         | 7.3%  | 7.0%   | 5.1% | 3.9%      | 5.1%  | 9.4%  | 7.9%  | 5.7% | 5.3%  | 7.1%           |
|                               | Psychotherapy/counseling                                    | 4.1%                | **         | 4.1%  | 3.9%   | 5.5% | 1.6%      | 2.4%  | 5.9%  | 4.3%  | 3.8% | 5.7%  | 4.1%           |
|                               | Substance abuse care  | 2.1%                | **         | 2.9%  | 1.1%   | 4.2% | 1.7%      | 2.4%  | 1.6%  | 2.2%  | 3.0% | 4.3%  | 2.1%           |
|                               | Nutritional counseling                                      | 1.2%                | **         | 1.9%  | .3%    | 2.7% | .5%       | 2.0%  | .9%   | 1.1%  | .0%  | 2.8%  | 1.2%           |
|                               | Pain management   | 5.6%                | **         | 6.3%  | 4.7%   | 8.3% | 3.9%      | 7.1%  | 5.0%  | 5.1%  | 8.0% | 6.8%  | 5.6%           |
|                               | Palliative medicine   | 6.8%                | **         | 6.3%  | 7.3%   | 8.2% | 8.0%      | 7.2%  | 7.3%  | 5.7%  | 5.9% | 6.7%  | 6.8%           |
|                               | Occupational/ industrial medicine                           | 2.7%                | **         | 3.4%  | 1.7%   | 3.7% | 2.2%      | 1.4%  | 3.3%  | 2.5%  | 3.2% | 5.1%  | 2.7%           |
|                               | Rehabilitation medicine                                     | 3.4%                | **         | 4.4%  | 2.1%   | 6.9% | 1.6%      | 4.7%  | 3.2%  | 4.1%  | .0%  | 5.4%  | 3.4%           |
| Sports medicine               | 1.7%  | **                  | 2.5%       | .9%   | 1.2%   | 2.2% | 2.1%      | .8%   | 2.7%  | .0%   | 1.3% | 1.7%  |                |
| Surgery                       | 1.4%  | **                  | 2.5%       | .2%   | 2.7%   | .5%  | 1.7%      | 1.1%  | 1.4%  | 2.3%  | 2.8% | 1.4%  |                |

(cont.)

## National Physician Survey, 2010. Provincial Results by FP/GP or Other Specialist, Sex, Age, and All Physicians: QUÉBEC

Q15 Please indicate if this is a SPECIFIC AREA OF FOCUS in your practice. Check all that apply.(cont.)

| Question asked of FP/GPs only |                                   | FP/GP or Specialist |            | Sex   |        |       | Age Group |       |       |       |       |       |                |
|-------------------------------|-----------------------------------|---------------------|------------|-------|--------|-------|-----------|-------|-------|-------|-------|-------|----------------|
|                               |                                   | FP/GP               | Other Spec | Male  | Female | NR    | <35       | 35-44 | 45-54 | 55-64 | 65+   | NR    | All Physicians |
| Specific area of focus        | Day Surgery                       | 1.1%                | **         | 1.9%  | .1%    | 2.7%  | .5%       | 1.3%  | .4%   | 1.7%  | .0%   | 3.9%  | 1.1%           |
|                               | Surgical assisting                | .9%                 | **         | 1.3%  | .4%    | 2.7%  | 1.1%      | 1.3%  | .4%   | 1.0%  | .0%   | 2.8%  | .9%            |
|                               | In-patient hospital care          | 6.5%                | **         | 5.6%  | 7.6%   | 5.5%  | 9.5%      | 10.9% | 5.7%  | 3.6%  | 2.1%  | 5.7%  | 6.5%           |
|                               | Intrapartum care                  | 6.0%                | **         | 3.5%  | 8.8%   | 3.8%  | 12.5%     | 11.2% | 4.2%  | 2.4%  | .8%   | 3.9%  | 6.0%           |
|                               | Pre-natal care                    | 5.2%                | **         | 2.7%  | 8.0%   | 3.8%  | 10.2%     | 9.4%  | 4.5%  | 1.7%  | .0%   | 3.9%  | 5.2%           |
|                               | Ante-natal care                   | 4.6%                | **         | 2.7%  | 6.7%   | 3.8%  | 8.5%      | 9.1%  | 3.3%  | 2.0%  | .0%   | 3.9%  | 4.6%           |
|                               | Well child care                   | 7.0%                | **         | 3.9%  | 10.4%  | 5.2%  | 13.6%     | 9.8%  | 7.4%  | 2.8%  | .8%   | 5.4%  | 7.0%           |
|                               | Legal/ medico-legal consultations | .9%                 | **         | 1.5%  | .1%    | 2.7%  | 1.1%      | .7%   | .4%   | 1.4%  | .0%   | 4.1%  | .9%            |
|                               | Other service                     | 7.6%                | **         | 7.0%  | 7.8%   | 10.1% | 4.4%      | 9.1%  | 9.8%  | 5.4%  | 4.3%  | 8.7%  | 7.6%           |
|                               | NR                                | 51.0%               | **         | 56.3% | 43.6%  | 67.5% | 36.8%     | 34.8% | 51.0% | 65.2% | 64.0% | 67.2% | 51.0%          |
| Total                         | N                                 | 7857                | 0          | 3788  | 3652   | 417   | 924       | 1671  | 2466  | 1880  | 512   | 404   | 7857           |
|                               | n                                 | 1432                | 0          | 638   | 718    | 76    | 176       | 269   | 450   | 363   | 99    | 75    | 1432           |

### Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response

The responding sample (size: n) has been weighted to represent the population (size: N). Further details available at [nationalphysiciansurvey.ca](http://nationalphysiciansurvey.ca).

\*\*Responses suppressed when column n is less than 30.

## National Physician Survey, 2010. Provincial Results by FP/GP or Other Specialist, Sex, Age, and All Physicians: QUÉBEC

### Q15 Intrapartum care - number of births attended per year.

| Question asked of FP/GPs only      |  | FP/GP or Specialist |            | Sex  |        |    | Age Group |       |       |       |     |    |                |
|------------------------------------|--|---------------------|------------|------|--------|----|-----------|-------|-------|-------|-----|----|----------------|
|                                    |  | FP/GP               | Other Spec | Male | Female | NR | <35       | 35-44 | 45-54 | 55-64 | 65+ | NR | All Physicians |
| Number of births attended per year | Up to 10   | 1.9%                | **         | **   | .0%    | ** | **        | 4.9%  | **    | **    | **  | ** | 1.9%           |
|                                    | More than 10, up to 25   | 1.8%                | **         | **   | 2.6%   | ** | **        | .0%   | **    | **    | **  | ** | 1.8%           |
|                                    | More than 25, up to 50   | 19.4%               | **         | **   | 21.0%  | ** | **        | 22.1% | **    | **    | **  | ** | 19.4%          |
|                                    | More than 50, up to 75   | 16.7%               | **         | **   | 19.1%  | ** | **        | 15.0% | **    | **    | **  | ** | 16.7%          |
|                                    | More than 75, up to 100  | 22.5%               | **         | **   | 28.1%  | ** | **        | 17.2% | **    | **    | **  | ** | 22.5%          |
|                                    | More than 100, up to 150   | 12.4%               | **         | **   | 12.7%  | ** | **        | 13.4% | **    | **    | **  | ** | 12.4%          |
|                                    | More than 150, up to 200   | 4.7%                | **         | **   | 7.0%   | ** | **        | 7.5%  | **    | **    | **  | ** | 4.7%           |
|                                    | More than 200  | 9.0%                | **         | **   | 6.6%   | ** | **        | 7.6%  | **    | **    | **  | ** | 9.0%           |
|                                    | No Response. Respondents indicated that they do intrapartum care, but did not indicate the number of births attended/year. | 11.7%               | **         | **   | 2.8%   | ** | **        | 12.4% | **    | **    | **  | ** | 11.7%          |
|                                    | NR   | .0%                 | **         | **   | .0%    | ** | **        | .0%   | **    | **    | **  | ** | .0%            |
| Total                              | %  | 100%                | **         | **   | 100%   | ** | **        | 100%  | **    | **    | **  | ** | 100%           |
|                                    | N  | 598                 | 0          | 182  | 400    | 16 | 142       | 227   | 135   | 63    | 15  | 16 | 598            |
|                                    | n  | 107                 | 0          | 29   | 76     | 2  | 27        | 36    | 26    | 13    | 3   | 2  | 107            |

**Notes:**

Includes only respondents who indicated that intrapartum care is offered to patients.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca).

\*\*Responses suppressed when column n is less than 30.

**National Physician Survey, 2010. Provincial Results by FP/GP or Other Specialist, Sex, Age, and All Physicians: QUÉBEC**

**Q15 Intrapartum care - number of births attended per year.**

| Question asked of FP/GPs only      |                    | FP/GP or Specialist |            | Sex  |        |    | Age Group |        |       |       |     |    |                |
|------------------------------------|--------------------|---------------------|------------|------|--------|----|-----------|--------|-------|-------|-----|----|----------------|
|                                    |                    | FP/GP               | Other Spec | Male | Female | NR | <35       | 35-44  | 45-54 | 55-64 | 65+ | NR | All Physicians |
| Number of births attended per year | Mean               | 106.10              | **         | **   | 99.59  | ** | **        | 100.85 | **    | **    | **  | ** | 106.10         |
|                                    | Median             | 80.00               | **         | **   | 88.00  | ** | **        | 80.00  | **    | **    | **  | ** | 80.00          |
|                                    | Mode               | 50.00               | **         | **   | 100.00 | ** | **        | 50.00  | **    | **    | **  | ** | 50.00          |
|                                    | Standard Deviation | 83.34               | **         | **   | 68.73  | ** | **        | 78.02  | **    | **    | **  | ** | 83.34          |
|                                    | Minimum            | 1.00                | **         | **   | 20.00  | ** | **        | 1.00   | **    | **    | **  | ** | 1.00           |
|                                    | Maximum            | 400.00              | **         | **   | 350.00 | ** | **        | 350.00 | **    | **    | **  | ** | 400.00         |
|                                    | N                  | 528                 | 0          | 134  | 389    | 5  | 132       | 199    | 130   | 47    | 15  | 5  | 528            |
| n                                  | 97                 | 0                   | 22         | 74   | 1      | 25 | 33        | 25     | 10    | 3     | 1   | 97 |                |

Notes:

Includes only respondents who indicated greater than zero number of births attended per year.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca).

\*\*Responses suppressed when column n is less than 30.